

A Primer for Unit Root Testing

Kerry Patterson

palgrave
macmillan

Detailed Contents

| | | | |
|------------------------|------------|----------------------|-------|
| <i>List</i> | <i>of</i> | <i>Tables</i> | xvii |
| <i>List of Figures</i> | | | xviii |
| <i>Symbols</i> | <i>and</i> | <i>Abbreviations</i> | xx |
| <i>Preface</i> | | | xxii |

| | | |
|--------------|--|----|
| 1 | An Introduction to Probability and Random Variables | 1 |
| Introduction | | 1 |
| 1.1 | Random variables | 2 |
| 1.2 | The probability space: Sample space, field, probability measure ($\mathcal{C}l$, \mathcal{F} , P) | 3 |
| 1.2.1 | Preliminary notation | 3 |
| 1.2.2 | The sample space | 4 |
| 1.2.3 | Field (algebra, event space), \mathcal{F} : Introduction | 6 |
| 1.2.3.i | n is a countable finite sample space | 7 |
| 1.2.3.H | H is a countably infinite sample space; σ -field or σ -algebra | 8 |
| 1.2.3.iii | f_l is an uncountably infinite sample space | 9 |
| 1.2.3.iii.a | Borel sets; Borel cr-field of \mathbb{R} | 10 |
| 1.2.3.iii.b | Derived probability measure and Borel measurable function | 11 |
| 1.2.4 | The distribution function and the density function, cdf and pdf | 11 |
| 1.2.4.i | The distribution function | 11 |
| 1.2.4.H | The density function | 12 |
| | Example 1.1: Uniform distribution | 13 |
| | Example 1.2: Normal distribution | 14 |
| 1.3 | Random vector case | 15 |
| | Example 1.3: Extension of the uniform distribution to two variables | 16 |
| 1.4 | Stochastic process | 17 |
| 1.5 | Expectation, variance, covariance and correlation | 19 |
| 1.5.1 | Expectation and variance of a random variable | 20 |
| 1.5.1.i | Discrete random variables | 20 |
| 1.5.1.H | Continuous random variables | 21 |

| | | |
|---------|---|----|
| 1.5.2 | Covariance and correlation between variables | 21 |
| 1.5.2.i | Discrete random variables | 22 |
| 1.5.2.U | Continuous random variables | 22 |
| | Example 1.4: Bernoulli trials | 22 |
| 1.6 | Functions of random variables | 23 |
| 1.6.1 | Linear functions | 23 |
| | Example 1.5: Variance of the sum of two random variables | 25 |
| 1.6.2 | Nonlinear functions | 25 |
| 1.7 | Conditioning, independence and dependence | 27 |
| 1.7.1 | Discrete random variables | 27 |
| | Example 1.6: The coin-tossing experiment with $n = 2$ | 29 |
| | Example 1.7: A partial sum process | 31 |
| 1.7.2 | Continuous random variables | 31 |
| 1.7.2.i | Conditioning on an event A^* a | 32 |
| | Example 1.8: The uniform joint distribution | 33 |
| | 1.7.2.H Conditioning on a singleton | 34 |
| 1.7.3 | Independence in the case of multivariate normality | 36 |
| 1.8 | Some useful results on conditional expectations: Law of iterated expectations and 'taking out what is known' | 37 |
| 1.9 | Stationarity and some of its implications | 38 |
| 1.9.1 | What is stationarity? | 39 |
| 1.9.2 | A strictly stationary process | 40 |
| 1.9.3 | Weak or second order stationarity (covariance stationarity) | 41 |
| | Example 1.9: The partial sum process continued (from Example 1.7) | 42 |
| 1.10 | Concluding remarks | 42 |
| | Questions | 43 |
| 2 | Time Series Concepts | 45 |
| | Introduction | 45 |
| 2.1 | The lag operator L and some of its uses | 46 |
| 2.1.1 | Definition of lag operator L | 46 |
| 2.1.2 | The lag polynomial | 46 |
| 2.1.3 | Roots of the lag polynomial | 47 |

| | | |
|--|--|-----------|
| | Example 2.1: Roots of a second order lag polynomial | 48 |
| 2.2 | The ARMA model | 48 |
| 2.2.1 | The ARMA(p, q) model using lag operator notation | 48 |
| | Example 2.2: ARMA(1, 1) model | 49 |
| 2.2.2 | Causality and invertibility in ARMA models | 50 |
| 2.2.3 | A measure of persistence | 52 |
| | Example 2.3: ARMA(1, 1) model (continued) | 54 |
| 2.2.4 | The ARIMA model | 54 |
| 2.3 | Autocovariances and autocorrelations | 55 |
| 2.3.1 | k-th order autocovariances and autocorrelations | 55 |
| 2.3.2 | The long-run variance | 57 |
| 2.3.3 | Example 2.4: AR(1) model (extended example) | 58 |
| 2.3.4 | Sample autocovariance and autocorrelation functions | 61 |
| 2.4 | Testing for (linear) dependence | 61 |
| 2.4.1 | The Box-Pierce and Ljung-Box statistics | 62 |
| 2.4.2 | Information criteria (IC) | 63 |
| 2.5 | The autocovariance generating function, ACGF | 64 |
| | Example 2.5: MA(1) model | 65 |
| | Example 2.6: MA(2) model | 65 |
| | Example 2.7: AR(1) model | 66 |
| 2.6 | Estimating the long-run variance | 66 |
| 2.6.1 | A semi-parametric method | 66 |
| 2.6.2 | An estimator of the long-run variance based on an ARMA(p, q) model | 68 |
| 2.7 | Illustrations | 70 |
| | Example 2.8: Simulation of some ARMA models | 70 |
| | Example 2.9: An ARMA model for US wheat data | 72 |
| 2.8 | Concluding remarks | 77 |
| | Questions | 78 |
| Dependence and Related Concepts | | 85 |
| 3.1 | Temporal dependence | 85 |
| 3.1.1 | Weak dependence | 86 |
| -3.1.2 | Strong mixing | 86 |

| | |
|--|------------|
| 3.2 Asymptotic weak stationarity | 88 |
| Example 3.1: AR(1) model | 88 |
| 3.3 Ensemble averaging and ergodicity | 89 |
| 3.4 Some results for ARMA models | 91 |
| 3.5 Some important processes | 91 |
| 3.5.1 A Martingale | 92 |
| Example 3.2: Partial sum process with $-1/+1$ inputs | 93 |
| Example 3.3: A psp with martingale inputs | 94 |
| 3.5.2 Markov process | 94 |
| 3.5.3 A Poisson process | 95 |
| Example 3.4: Poisson process, arrivals at a supermarket checkout | 98 |
| 3.6 Concluding remarks | 101 |
| Questions | 101 |
| 4 Concepts of Convergence | 105 |
| Introduction | 105 |
| 4.1 Nonstochastic sequences | 106 |
| • Example 4.1: Some sequences | 107 |
| Example 4.2: Some sequences of partial sums | 107 |
| 4.2 Stochastic sequences | 108 |
| 4.2.1 Convergence in distribution (weak convergence): \Rightarrow_D | 108 |
| Example 4.3: Convergence to the Poisson distribution | 109 |
| 4.2.2 Continuous mapping theorem, CMT | 110 |
| 4.2.3 Central limit theorem (CLT) | 110 |
| Example 4.4: Simulation example of CLT | 111 |
| 4.2.4 Convergence in probability: \rightarrow_p | 113 |
| Example 4.5: Two independent random variables | 114 |
| 4.2.5 Convergence in probability to a constant | 114 |
| 4.2.6 Slutsky's theorem | 114 |
| 4.2.7 Weak law of large numbers (WLLN) | 115 |
| 4.2.8 Sure convergence | 115 |
| 4.2.9 Almost sure convergence, \rightarrow_{as} | 116 |
| Example 4.6: Almost sure convergence | 116 |
| 4.2.10 Strong law of large numbers (SLLN) | 117 |

| | |
|--|-----|
| 4.2.11 Convergence in mean square and convergence in r-th mean: \rightarrow_r . | 117 |
| 4.2.12 Summary of convergence implications | 118 |
| 4.3 Order of Convergence | 118 |
| 4.3.1 Nonstochastic sequences: 'big-O' notation, iittle-o' notation | 118 |
| 4.3.2 Stochastic sequences: $O_p(n^8)$ and $o_p(n^8)$ | 120 |
| 4.3.2.i At most of order n^s in probability: Cyn 8 | 121 |
| 4.3.2.ii Of smaller order in probability than n^6 : Optn 8 | 121 |
| Example 4.7: $O_p(Vn\sim)$ | 122 |
| 4.3.3 Some algebra of the order concepts | 122 |
| 4.4 Convergence of stochastic processes | 124 |
| 4.5 Concluding remarks and further reading | 126 |
| Questions | 127 |
| An Introduction to Random Walks | 129 |
| 5.1 Simple random walks | 130 |
| 5.1.1 'Walking' | 130 |
| 5.1.2 'Gambling' | 130 |
| 5.2 Simulations to illustrate the path of a random walk | 132 |
| 5.3 Some random walk probabilities | 135 |
| 5.4 Variations: Nonsymmetric random walks, drift and other distributions | 139 |
| 5.4.1 Nonsymmetric random walks | 139 |
| 5.4.2 Drift | 140 |
| 5.4.3 Other options and other distributions | 141 |
| 5.4.3.i A no-change option | 141 |
| 5.4.3.ii A random walk comprising Gaussian inputs | 142 |
| 5.5 The variance | 144 |
| 5.6 Changes of sign on a random walk path | 145 |
| 5.6.1 Binomial inputs | 146 |
| 5.6.2 Gaussian inputs | 149 |
| 5.7 A unit root | 150 |
| 5.8 Economic examples | 151 |
| 5.8.1 A bilateral exchange rate, UK:US | 151 |
| 5.8.2 The gold-silver price ratio | 153 |
| 5.9 Concluding remarks and references | 155 |
| Questions | 157 |

| | |
|--|------------|
| 6 Brownian Motion: Basic Concepts | 160 |
| Introduction | 160 |
| 6.1 Definition of Brownian motion | 161 |
| 6.2 Brownian motion as the limit of a random walk | 162 |
| 6.2.1 Generating sample paths of BM | 162 |
| 6.3 The function spaces: $C[0, 1]$ and $D[0, 1]$ | 165 |
| 6.4 Some properties of BM | 168 |
| 6.5 Brownian bridges | 171 |
| 6.6 Functional: Function of a function | 172 |
| 6.6.1 Functional central limit theorem, FCLT (invariance principle) | 172 |
| 6.6.2 Continuous mapping theorem (applied to functional spaces), CMT | 173 |
| 6.6.3 Discussion of conditions for the FCLT to hold and extensions | 173 |
| 6.7 Concluding remarks and references | 177 |
| Questions | 177 |
| 7 Brownian Motion: Differentiation and Integration | 181 |
| Introduction | 181 |
| 7.1 Nonstochastic processes | 181 |
| 7.1.1 Riemann integral | 182 |
| Example 7.1: Revision of some simple Riemann indefinite and definite integrals | 183 |
| 7.1.2 Reimann-Stieltjes integral | 183 |
| 7.2 Integration for stochastic processes | 185 |
| 7.3 Ito formula and corrections | 187 |
| 7.3.1 Simple case | 187 |
| Example 7.2: Polynomial functions of BM (quadratic and cubic) | 188 |
| 7.3.2 Extension of the simple Ito formula | 189 |
| Example 7.3: Application of the Ito formula | 190 |
| Example 7.4: Application of the Ito formula to the exponential martingale | 190 |
| 7.3.3 The Ito formula for a general Ito process | 191 |
| 7.4 Ornstein-Uhlenbeck process (additive noise) | 191 |
| 7.5 Geometric Brownian motion (multiplicative noise) | 193 |
| 7.6 Demeaning and detrending | 194 |

| | | |
|-------|--|------------|
| 7.6.1 | Demeaning and the Brownian bridge | 194 |
| 7.6.2 | Linear detrending and the second level Brownian bridge | 196 |
| 7.7 | Summary and simulation example | 197 |
| 7.7.1 | Tabular summary | 197 |
| 7.7.2 | Numerical simulation example Example 7.5: Simulating a functional of Brownian motion | 197 |
| 7.8 | Concluding remarks | 198 |
| | Questions | 200 |
| | Some Examples of Unit Root Tests | 205 |
| | Introduction | 205 |
| 8.1 | The testing framework | 206 |
| 8.1.1 | The DGP and the maintained regression | 206 |
| 8.1.2 | DF unit root test statistics | 207 |
| 8.1.3 | Simulation of limiting distributions of \bar{S} and T | 210 |
| 8.2 | The presence of deterministic components under H_A | 213 |
| 8.2.1 | Reversion to a constant or linear trend under the alternative hypothesis | 213 |
| 8.2.2 | Drift and invariance: The choice of test statistic and maintained regression | 218 |
| 8.3 | Serial correlation | 220 |
| 8.3.1 | The ADF representation | 221 |
| 8.3.2 | Limiting null distributions of the test statistics Example 8.1: Deriving an ADF(1) regression model from the basic components | 223 |
| | Example 8.2: Deriving an ADF(∞) regression model from the basic components | 225 |
| 8.3.3 | Limiting distributions: Extensions and comments | 226 |
| 8.4 | Efficient detrending in constructing unit root test statistics | 229 |
| 8.4.1 | Efficient detrending | 230 |
| 8.4.2 | Limiting distributions of test statistics | 233 |
| 8.4.3 | Choice of c and critical values | 235 |
| 8.4.4 | Power of ERS-type tests | 236 |

| | |
|---|-----|
| 8.4.5 Empirical example: US industrial production | 238 |
| 8.5 A unit root test based on mean reversion | 241 |
| 8.5.1 No drift in the random walk | 242 |
| 8.5.2 Drifted random walk | 244 |
| 8.5.3 Serial dependence | 245 |
| 8.5.4 Example: Gold-silver prices | 247 |
| 8.6 Concluding remarks | 250 |
| Questions | 252 |
| Appendix: Response functions for DF tests T and 8 | 254 |
| <i>Glossary</i> | 258 |
| <i>References</i> | 262 |
| <i>Author Index</i> | 271 |
| <i>Subject Index</i> | 274 |