


GEOENVIRONMENTAL ENGINEERING

Integrated management of groundwater and contaminated land

edited by **R. N. Yong and H. R. Thomas**

Proceedings of the fourth conference organized by the British Geotechnical Association and Cardiff School of Engineering, Cardiff University, and held in Stratford-upon-Avon on 28–30th June 2004



Contents

FATE AND TRANSPORT OF CONTAMINATES IN THE SUBSURFACE

Influence of the unsaturated zone of soil layer on the solute migration. I. ALIMI-ICHOLA and L. GAIDI	3
Solute transport in an aquifer during passing of a single flood wave in a fully penetrated stream. R. BHARGAVA and G. C. MISHRA	11
Use of equilibrium and initial metal concentrations in determining Freundlich Isotherms for soils and sediments. C. A. COLES and R. N. YONG	20
Humic acid properties and implications for the treatment of wastewater containing metals. C. A. COLES and R. N. YONG	29
Fate and transport of bacteriophage in UK aquifers as surrogates for pathogenic viruses. K. E. COLLINS, A. A. CRONIN, J. RUEEDI, S. PEDLEY, E. JOYCE, P. J. HUMBLE and J. H. TELLAM	37
Ground investigation of chlorinated solvent contamination at a manufacturing plant in southern Italy. M. DYER, V. PASTORE and A. Galigani	45
Resistivity change during transport of heavy metal in sand. M. FUKUE, T. INOUE, Y. FUJIMORI, K. KITA, T. CHIDA and A. NISHIHARA	53
Sensitivity of predicted DNAPL source zone longevity to mass transfer correlation model. G. P. GRANT and J. I. GERHARD	59
Conceptual model and mathematical formulation of NAPL transport in unsaturated porous media. B. GATMIRI and A. H. HOSSEINI	67
Leather tanneries hazardous waste dumping on open land in Pakistan. S. A. KHAN	77
Mass flux behaviour of DNAPL sources after insitu surfactant flushing remediation. I. KULASOORIYA and K. SOGA	85
Fate and transport of lead pollution along a highway corridor. L. Y. LI	93

Lead transformation in the environment of small-arms firing ranges. N. MENOUNOU and D. DERMATAS	101
Influence of dynamic flow on the degree of saturation and matric suction relation. M. H. A. MOHAMED and R. S. SHARMA	109
Desorption response and degradation of buffering capability of Bentonite, subjected to heavy metal contaminants. V. R. OUHADI, R. N. YONG and M. SEDIGHI	118
Enhanced electrokinetic remediation of contaminated manufactured gas plant soil. K. R. REDDY, P. ALA, S. SHARMA and S. KUMAR	126
Relevance of multi-component NAPL dissolution to source zone longevity. C. SERRALDE and M. O. RIVETT	134
Mobility of Arsenic in saturated, laboratory test sediments under varying pH conditions. D. SHAW	142
Sorption of chlorinated benzenes on alluvial clays beneath a landfill site. A. SIMOES, W. POWRIE and D. J. SMALLMAN	151
Preliminary results of tests to investigate effects of hydraulic gradient and leaching time in column leaching tests on sorption behaviour of zinc in Illite Clay. M. A. TANCHULING, M. RUHUL, A. KHAN and O. KUSAKABE	160
Non-equilibrium fate and transport of Cd in saturated soils: temperature effect. D. C. W. TSANG and I. M. C. LO	168
Mass transfer behaviour after air sparging remediation of LNAPL source zone – 2D tank experiments. W. A. P. WADUGE, K. SOGA and J. KAWABATA	176
LANDFILL PROCESSES	
Population dynamics in <i>Asellus aquaticus</i> as modified by chronic leachate stress. M. C. BLOOR, C. J. BANKS and V. KRIVTSOV	187
The service life of polyethylene geomembrane barriers. A. D. NEEDHAM, J. W. N. SMITH and E. M. G. GALLAGHER	195
Calculating hydraulic conductivity of fine-grained soils to leachates using linear equations. A. J. ROQUE and G. DIDIER	205
Risk management solutions for contaminated land in the UK: selection, feasibility, efficiency and impact. P. STUDDS and S. RUZICKA	213
LEGISLATION AND REGULATORY CONTROL	
A regulatory perspective. G. DUCKWORTH	223

Landfilling – the road less travelled. J. GRONOW, D. HALL and K. KNOX	230
Protocols for the use of alternative materials in construction. J. M. REID and G. I. CRABB	238
UK Contaminated Land Reports (CLR 7-11): their application in the real world. S. RUZICKA and D. HOBSON	246
Implementing the landfill regulations – a Scottish perspective of engineering aspects. R. K. SILVER	256
 MANAGEMENT OF WASTES	
Mechanical properties of MSW: development of a classification system. U. LANGER and N. DIXON	267
Groundwater contamination plume monitoring in sealed waste dumps. M. LOPES, G. AVILLES, C. N. COSTA and J. A. ALMEIDA	275
Leachability of metals from municipal solid waste fly-ash and bottom-ashes at different pH. M. OHTSUBO, L. Y. LI, S. YAMAOKA and T. HIGASHI	283
Mining science – the Environment Agency’s science programme for mining waste and minewater. H. A. B. POTTER, B. D. BONE and R. C. HARRIS	291
Characterization of fresh and landfilled cement kiln dust for reuse-in-construction applications. A. SREEKRISHNAVILASAM, S. KING and M. SANTAGATA	297
The interpretation of CPT data from hydraulically placed PFA. D. I. STEWART, T. W. COUSENS and C. A. CHARLES-CRUZ	307
Assessing the potential for attenuation of organic substances within mineral landfill liners. A. STRINGFELLOW, A. SIMOES, D. J. S. SMALLMAN and H. A. B. POTTER	319
 MINE WASTES AND WATERS	
Comparative plant growth and metal removal in two adjoining, cognate wetlands (Shilbottle, UK), one receiving acid mine spoil leachates, the other alkaline surface runoff from revegetated spoil. L. C. BATTY and P. L. YOUNGER	329
The co-treatment of sewage and mine waters. K. JOHNSON	339
Performance of a functionalised polymer-coated silica at treating uranium contaminated groundwater from a Hungarian mine site. D. I. STEWART, M. CSOVARI, C. S. BARTON, K. MORRIS and D. E. BRYANT	347

Effects of wastewaters on the geo-technical properties of laterite. B. M. SUNIL and S. SHRIHARI	357
Acidic leachate, limestone goaf: hydrogeochemical observations and predictions for remediation planning at Blenkinsopp colliery, Northumberland, UK. P. L. YOUNGER	367
RISK ASSESSMENT AND MODELLING	
Application of tidal dispersion effects in groundwater risk assessment. N. ALA, N. ROBINSON and M. WORBOYS	377
An investigation into the role of secondary leachate collection system in landfills by laboratory modelling. K. BADV	385
Characterization of maximum infiltration areas using GIS tools. M. G. BRITO, C. N. COSTA, J. A. ALMEIDA, D. VENDAS and P. H. VERDIAL	393
Modelling the three-dimensional behaviour of a prototype nuclear waste repository. P. J. CLEALL, T. A. MELHUIHSH and H. R. THOMAS	402
The use of risk analysis in landfills remediation: a case study. C. COLLIVIGNARELLI and M. VACCARI	410
Evaluation of waste thickness effects on landfills. E. DURMUSOGLU	418
Evaluating the real risk of development on former land fills. D. HOBSON, K. HUGHES and P. J. CLEALL	425
Assessment of groundwater contamination hazard potential of underground petroleum storage tank (PST) facilities using GIS technology. L. HOYOS, S. QASIM, E. CROSBY and I. RAZZAQ	433
Groundwater and solute transport modelling for advanced raccuremedial technologies. S. MUGUET, F. COSME and G. VERMEIREN	441
Human health risk assessment for dioxins and related compounds. F. C. PEIRANO and B. RUGGERI	449
The assessment of pollution risk from hydrogeological data and the management of solid waste landfills. D. RAPTI, F. SDAO and S. MASI	457
Modelling the behaviour of soluble salts in a highly compacted bentonitic clay. S. C. SEETHARAM, P. J. CLEALL and H. R. THOMAS	466

RISK MANAGEMENT AND REMEDIATION OF CONTAMINATED LAND AND GROUNDWATER

<i>Enhancement of pH of stabilized soil with ash and cement.</i> A. T. BIN ABD KARIM, M. R. BIN TAHA and A. A. BIN ABD LATIF	477
<i>Application of time release electron acceptors and electron donors for accelerated bioremediation.</i> S. KOENIGSBERG, A. WILLETT and J. BIRNSTINGL	486
<i>Groundwater circulation wells: a flexible advanced remediation technology.</i> F. COSME, G. VERMEIREN and S. MUGUET	494
<i>Full scale stimulation of reductive dechlorination using LINER[®] technique.</i> M. DYER, E. MARNETTE, C. SCHUREN and K. VAN DEN BRINK	502
<i>Seawater purification with vessel installed filter units.</i> M. FUKUE, Y. SATO, T. INOUE, T. MINATO, S. YAMASAKI and S. TANI	510
<i>Evaluation of low temperature thermal desorption as a treatment option for hydrocarbon contaminated soils.</i> D. GIBBS and J. STRANGE	516
<i>Development of a novel in situ aquifer assessment tool: the dipole flow and reactive tracer test.</i> D. MCKNIGHT, A. L. SMALLEY, S. A. BANWART, N. R. THOMSON, S. F. THORNTON, R. D. WILSON, D. N. LERNER, P. NATHANAIL and T. ELLIOT	523
<i>Risk based approach of a gasworks site.</i> G. VAN MEURS, E. VAN DER HOEK, J. BOOSTER and B. SMAN	528
<i>An evaluation of lead leachability from monolithic solids under modified semi-dynamic leaching conditions.</i> D. H. MOON and D. DERMATAS	535
<i>Remediation of a heavy metal contaminated soil by a rhamnolipid foam.</i> C. N. MULLIGAN and S. WANG	544
<i>Assessment of the stability of a dispersive soil treated by alum.</i> V. R. OUHADI and A. R. GOODARZI	552
<i>The influence of carbonation on the behaviour of the cement-based materials used in contaminated land treatment.</i> A. S. RAMESH PERERA and A. AL-TABBAA	560
<i>Factors affecting remediation technology costs in England and Europe.</i> I. M. SUMMERGILL and D. W. SCOTT	568
<i>Insitu assessment of a cement-bentonite containment system.</i> K. J. SUTHERLAND, C. KECHAVARZI, K. SOGA, R. WHITTLE, C. DALTON and P. TEDD	575
<i>Compressibility of an electokinetically treated residual soil.</i> M. R. TAHA, K. AHMAD and K. A. KASSIM	583
<i>From risk assessment to risk based brownfield engineering: an integrated approach.</i> F. J. WESTCOTT	590