

PROGRESS IN ACAROLOGY

Volume 2

Editors

G.P. CHANNABASAVANNA

C.A. VIRAKTAMATH



LEIDEN - E.J. BRILL - 1989

CONTENTS

VOLUME 2

Preface	xv
9. PLANT MITES	
9.1 Agricultural acarology in the tropics—basic needs <i>Carlos H. W. Flechtmann</i>	3
9.2 Cold hardiness of diapausing twospotted spider mite (Acari: Tetranychidae) on hops in the Yakima Valley, U.S.A. <i>W. W. Cone and T. E. Wildman</i>	5
9.3 Increased damage by the spider mite, <i>Schizotetranychus cajani</i> in pigeonpea plants affected by sterility mosaic <i>S. Sithanatham, M. V. Reddy and V. Rameshwar Rao</i>	11
9.4 Stimulative effects of spider mite (<i>Tetranychus urticae</i>) feeding on their host plants <i>A. Tomczyk and D. Kropczynska, M. van de Vrie and M. Kielkiewicz</i>	15
9.5 Bionomics of the spider mites, <i>Tetranychus macfarlanei</i> injurious to cotton in Gujarat, India <i>V. T. Jose and A. H. Shah</i>	23
9.6 Carryover of spider mite, <i>Tetranychus macfarlanei</i> through alternate host plants in cotton-growing areas of south and central Gujarat, India <i>V. T. Jose and A. H. Shah</i>	29
9.7 Ecology of <i>Eotetranychus hicoriae</i> (Acari: Tetranychidae) on guava in South India <i>S. Mallikarjunappa and B. K. Nageshchandra</i>	33
9.8 Preliminary studies on the biology of carmine spider mite, <i>Tetranychus cinnabarinus</i> on four species of Japanese mint at Ludhiana, India <i>M. S. Dhooria and Prem Sagar</i>	39
9.9 Morphological observations on <i>Bryobia cristata</i> (Acari: Tetranychidae) inhabiting some plants and effectiveness of some pesticides against it <i>M. M. H. Kandeel, O. A. Nassar and M. E. El-Halawani</i>	43
9.10 Influence of some intrinsic and extrinsic factors on oviposition behaviour of <i>Oligonychus mangiferus</i> (Acari: Tetranychidae) <i>A. N. Sirsikar and R. Nagabhushanam</i>	47
9.11 Relative incidence of <i>Oligonychus oryzae</i> on nine varieties of paddy and its control <i>A. B. Mukherjee, P. K. Sarkar, A. K. Somchoudhury and M. Roy</i>	53
9.12 Influence of major abiotic factors on the seasonal incidence of <i>Raoiella indica</i> and <i>Tetranychus fijiensis</i> on coconut <i>P. K. Sarkar and A. K. Somchoudhury</i>	59
9.13 Studies on some factors affecting the pomegranate false spider mite, <i>Tenuipalpus punicae</i> (Acari: Tenuipalpidae) in Iraq <i>Ibrahim Al-Gboory and Haider El-Haidari</i>	67

9.14	Some ecological aspects of the pomegranate false spider mite, <i>Tenuipalpus punicae</i> (Acari: Tenuipalpidae) in Iraq <i>Ibrahim Al-Gboory and Haider El-Haidari</i>	73
9.15	Notes on the gall forming mite, <i>Laryacarus transitans</i> (Tenuipalpidae) on <i>Ziziphus mauritiana</i> in India <i>Swaraj Ghai and Edward W. Baker</i>	81
9.16	Susceptibility of different varieties of <i>Ziziphus mauritiana</i> to <i>Larvacarus transitans</i> (Acari: Tenuipalpidae) <i>Ashok Sharma and K.S. Kushwaha</i>	91
9.17	Influence of temperature on the development of <i>Brevipalpus rugulosus</i> (Acari: Tenuipalpidae) <i>G.L. Sadana and Rajinder Sharma</i>	95
9.18	Artificial inducement of mango malformation and the role of <i>Eriophyes mangiferae</i> (Acari: Eriophyidae) and <i>Fusarium oxysporum</i> in its incidence <i>Ahmad Galal A. Salman, Mohamad F. Abou-Ghadir, Firky G. Fahmy and Khalaf M. Adam</i>	101
9.19	Present status of <i>Eriophyes mangiferae</i> in eastern Uttar Pradesh, India <i>L. Agarwal and J. Singh</i>	109
9.20	Incidence and relative abundance of the mango mite, <i>Cisaberoptus kenyae</i> (Acari: Eriophyidae) <i>N. Ramani and M.A. Haq</i>	115
9.21	Role of an eriophyid mite <i>Aceria cajani</i> (Acari: Eriophyidae) in transmission and spread of sterility mosaic of pigeonpea <i>M.V. Reddy, S.P.S. Beniwal, V.K. Sheila, S. Sithanatham and Y.L. Nene</i>	121
9.22	Bio-ecology of <i>Eriophyes cymbopogonis</i> (Acari: Eriophyidae), a pest of citronella <i>V.G. Naidu and G.P. ChannaBasavanna</i>	129
9.23	Injury by gall mites (Acari: Eriophyoidea) to plants in northeast India <i>N.K. Ghosh, B. Das and S. Chakrabarti</i>	135
X 9.24	Morphology, histopathology, histochemistry and biochemical constituents of mite (<i>Aceria pongamiae</i>)-induced leaf galls and healthy leaves of <i>Pongamia glabra</i> <i>M. Manjunatha, N.S. Bhat and Puttaswamy</i>	141
Y 9.25	Interrelationship between <i>Aceria litchii</i> (Acari: Eriophyidae) and <i>Cephaleuros virescens</i> , a parasitic alga in the formation of erineum-like structure on litchi leaf <i>A.K. Somchoudhury, P. Singh and A.B. Mukherjee</i>	147
9.26	Systematics of plant mites in the tropics <i>S.K. Gupta</i>	153
9.27	Some observations on the mite pests of cardamom in Karnataka, India <i>C. Siddappaji, D.N.R. Reddy and G.P. ChannaBasavanna</i>	173
9.28	Mites occurring on tea plants in India with a key for their identification <i>S.K. Gupta</i>	177

9.29	Studies on mites (Acari) associated with stone fruits in subtropical, temperate and cold-arid zones of Jammu and Kashmir <i>A. Q. Rather</i>	183
9.30	Ecology of predatory mite, <i>Tencateia</i> sp. (Prostigmata: Anystidae) in betelvine orchards in West Bengal, India <i>S. K. Raut and S. S. Bhattacharya</i>	191
9.31	Acari associated with gladioli plantation at Kafr El-Sheikh, Egypt <i>R. S. Saleh, M. F. Maareg and A. El-Nabawy</i>	195
9.32	Mites injurious to orchids in Thailand <i>V. Charanasri, C. Saringkapaibul and M. Kongchuensin</i>	201
9.33	Oribatid mites associated with <i>Eichhornia crassipes</i> in Kerala, India <i>K. Sheela and M. A. Haq</i>	207
9.34	Records of mites associated with water hyacinth (<i>Eichhornia crassipes</i>) in Uttar Pradesh, India <i>R. K. Singh, I. N. Mukherjee and R. N. Singh</i>	211
9.35	Seasonal incidence and assessment of loss caused by mite complex on some cultivated species of mushroom <i>P. Das, A. K. Somchoudhury and A. B. Mukherjee</i>	215
9.36	Bionomics of the dolichocybid mite, <i>Formicomotes</i> sp., as a pest of cultivated mushroom in Thailand <i>S. Kantaratanakul, W. Chaiwat and P. Prayoonrat</i>	223
10.	STORED PRODUCT MITES	
10.1	Influence of food quality on the development and growth of the acarid mite, <i>Suidasia nesbitti</i> (Acari: Acaridae) <i>S. Mathur and Manju Dalal</i>	231
10.2	Acarines associated with stored products in Karnataka, India <i>Neelu Nangia and G. P. ChannaBasavanna</i>	241
10.3	Influence of ultraviolet radiation on the survival of the acarid mite, <i>Tyrophagus putrescentiae</i> (Astigmata: Acaridae) <i>Kumud and R. B. Mathur</i>	249
10.4	Influence of natural food density on cannibalism in <i>Acaropsis sollers</i> (Prostigmata: Cheyletidae) <i>R. B. Mathur and Arti Minocha</i>	255
10.5	Influence of temperature and relative humidity on the development of <i>Tyrollichus casei</i> (Astigmata: Acaridae) <i>Neelu Nangia and G. P. ChannaBasavanna</i>	259
10.6	Postembryonic development of <i>Caloglyphus oudemansi</i> (Acari: Acaridae), a pest of stored grains in Kerala, India <i>K. V. A. Mubarak and M. A. Haq</i>	265
10.7	Metabolic expenditure of some stored product mites as determined by their rate of oxygen consumption <i>D. P. Abrol, Kumud, S. Mathur and R. B. Mathur</i>	271

11	MITE ASSOCIATES OF INSECTS, BIRDS AND SMALL MAMMALS	
11.1	Observations on reproduction and seasonal population trends of <i>Euvuarroa sinhai</i> (Mesostigmata: Varroidae) in India <i>R.P. Kapil and Kamal Aggarwal</i>	277
11.2	Seasonal population dynamics of <i>Tropilaelaps clareae</i> (Acari: Laelapidae) in <i>Apis dorsata</i> colonies <i>Kamal Aggarwal and R.P. Kapil</i>	283
11.3	Mesostigmatid mites associated with bees in India <i>Sandhya Bhasker and B.N. Putatunda</i>	287
11.4	Acarine associates of horse flies and deer flies (Diptera: Tabanidae) in North America <i>Gary R. Mullen, Daniel J. LePrince and Barry M. O'Connor</i>	291
11.5	Life strategies in ectoparasitic Laelapidae <i>Lars Lundqvist</i>	297
11.6	Seasonal occurrence of mites and other invertebrate fauna of chicken manure in Egypt <i>M.F. Maareg and R.S. Saleh</i>	301
11.7	Nest mites of ospreys and short-eared owls in Massachusetts salt marshes, U.S.A. <i>James R. Philips, Alan Poole and Denver Holt</i>	305
11.8	Acarine associates of birds in West Bengal, India <i>B.N. Putatunda, S.K. Gupta and J. Singh</i>	309
11.9	Nest-associated acarines of birds in India <i>S.K. Gupta and Kasturi Paul</i>	315
12	BIOLOGICAL CONTROL	
12.1	Utilizing natural enemies to control pest mites on citrus and avocado in California, U.S.A. <i>J.A. McMurtry</i>	325
12.2	Prospects of biological control in integrated management of mite pests <i>Aly H. Rasmy</i>	337
12.3	Mathematical models for the interaction between <i>Tetranychus ludeni</i> and its Phytoseiid predators <i>B. Mallik, H.S. Krishnaswamy and G.P. ChannaBasavanna</i>	343
12.4	Feeding potentiality of some important predators of the spider mite, <i>Tetranychus macfarlanei</i> , a pest of cotton <i>V.T. Jose, A.H. Shah and C.B. Patel</i>	357
12.5	The influence of natural enemy complex on the population of <i>Aceria litchii</i> (Acari: Eriophyidae) <i>P. Singh, A.K. Somchoudhury and A.B. Mukherjee</i>	361
12.6	Development of <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae) on the carmine spider mite, <i>Tetranychus cinnabarinus</i> (Acari: Tetranychidae) at two temperature regimes <i>A. Krishnamoorthy</i>	369

12.7	Potentiality of <i>Amblyseius ovalis</i> (Acari: Phytoseiidae) as a biological control agent on <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae)	375
	<i>D. C. Borah and P. S. Rai</i>	
12.8	Biological studies and host range of <i>Micromus timidus</i> (Neuroptera: Hemerobiidae), a predator of the common spider mite, <i>Tetranychus telarius</i> (Acari: Tetranychidae)	381
	<i>K. C. Bhagat and N. C. Patnaik</i>	
13	CHEMICAL AND OTHER METHODS OF CONTROL	
13.1	The use of irradiated <i>Rhipicephalus appendiculatus</i> ticks (Ixodoidea: Ixodidae) to induce resistance to infestation	387
	<i>R. M. Newson and J. J. de Castro</i>	
13.2	Treatment of the sarcoptic mange on wild boar (<i>Sus scrofa</i>) with Ivermectin (Ivomec ^R)	393
	<i>E. Kutzer</i>	
13.3	Studies on the efficacy of propetamphos against brown dog tick, <i>Rhipicephalus sanguineus</i> (Acari: Ixodidae)	401
	<i>Y. B. Rajeswari, M. S. Jagannath and S. Abdul Rahman</i>	
13.4	Sevin as an effective acaricide of livestock	407
	<i>A. K. Basu, D. P. Haldar and K. N. Banerjee</i>	
13.5	Effects of a development inhibitor on phytoseiid mites inhabiting citrus trees	411
	<i>S. Ragusa and A. M. Ciulla</i>	
13.6	Chemical control of spider mite, <i>Tetranychus macfarlanei</i> (Acari: Tetranychidae) on cotton	417
	<i>V. T. Jose and A. H. Shah</i>	
13.7	Field evaluation of tetradifon in comparison to other conventional acaricides used against mites of cotton, sorghum and okra	423
	<i>C. B. Patel, R. D. Chauhan and A. H. Shah</i>	
13.8	Use of pyrethroids on cotton and build-up of population of the carmine spider mite, <i>Tetranychus cinnabarinus</i> (Acari: Tetranychidae)	429
	<i>B. V. Patil</i>	
13.9	Field evaluation of tetradifon in comparison to conventional acaricides against mites of brinjal, redgram and Indian bean	433
	<i>A. H. Shah, B. G. Prajapati and C. B. Patel</i>	
13.10	Chemical control of <i>Eriophyes cymbopogonis</i> (Acari: Eriophyidae), a pest of citronella grass	439
	<i>V. G. Naidu and G. P. ChannaBasavanna</i>	
13.11	Control of the fruit tree red spider mite <i>Panonychus ulmi</i> (Acari: Tetranychidae) at the overwintering eggs stage	443
	<i>Zbigniew W. Suski and Stanislaw Smolarz</i>	
13.12	Toxicity of pesticides on <i>Amblyseius tetranychivorus</i> (Acari: Phytoseiidae), an effective predator of <i>Tetranychus ludeni</i> (Acari: Tetranychidae)	449
	<i>P. S. Jagadish and G. P. ChannaBasavanna</i>	

13.13	Approaches to integrated control of <i>Tetranychus cinnabarinus</i> on egg plant	453
	<i>P.K. Pal, A.K. Somchoudhury, P.K. Sarkar, A.B. Mukherjee and N. Lohar</i>	
13.14	Suitability of biphenthrin in IPM programmes on apples	461
	<i>M.T. AliNiaze</i>	
14	ACAROLOGY IN DEVELOPING COUNTRIES	
14.1	Acarology in developing countries—glimpses and prospects	469
	<i>G.P. ChannaBasavanna and Neelu Nangia</i>	
	<i>Index of authors</i>	
	<i>Index of genera and species</i>	