## Comparative Hydrology, Water Quality, and Ecology of Selected Natural and Augmented Freshwater Wetlands in West-Central Florida

By T.M. Lee, K.H. Haag, P.A. Metz, and L.A. Sacks

Prepared in cooperation with Pinellas County Southwest Florida Water Management District Tampa Bay Water

Professional Paper 1758

U.S. Department of the Interior U.S. Geological Survey

# Contents

Abstract	1
Introduction	
Purpose and Scope	
Description of Study Area	
Rainfall Patterns and Regional Ground-Water Withdrawals	
Description of Study Design	
Acknowledgments	
Wetland Hydrogeologic Setting	
Regional Hydrogeology	
Hydrogeologic Methods	
Basin Stratigraphy	
Sub-Wetland Stratigraphy	
Radium-226	
Evidence of Karst Features in Wetland Basins	
Ground-Water Flow Patterns in Wetland Basins	
Overview of Wetland Hydrogeologic Settings	
Wetland Water Budgets	
Methods of Computation	
Rainfall and Evapotranspiration	
Wetland Stage, Volume, and Area	
Wetland Leakage	
Effect of Downward Head Differences on Wetland Leakage	
Effect of Hydraulic Conductivity on Wetland Leakage	
Case Studies of Wetland Leakage	
Duck Pond Augmented Marsh	
S-63 Augmented Cypress	
W-5 Augmented Cypress	
Runoff to Wetlands	
Overview of Wetland Water Budgets	
Wetland Water Quality and Geochemistry of Wetland Basins	63

### **Contents (Continued)**

Water-Quality and Geochemical Methods	63
Water-Quality Constituents	64
Field Properties and Major Ions	64
Nutrients and Dissolved Organic Carbon	68
Stable Isotopes	69
Basin Geochemistry	
Field Properties and Major Ions	
Nutrients and Dissolved Organic Carbon	
Stable Isotopes	73
Overview of Water Quality and Geochemistry	
Wetland Flooding Characteristics	
Methods of Flooded Area Determination	
Changes in Extent of Flooded Area	
Marshes	
Cypress Wetlands	
Comparison of Recent and Historical Flooded Area Duration Distributions	
Natural Wetlands	
Augmented Wetlands	
Impaired Wetlands	
Seasonal Average Flooding Patterns	
Overview of Flooding Characteristics	
Wetland Ecology	
Methods of Ecological Data Collection and Interpretation	
Periphyton	
Wetland Vegetation	
Macroinvertebrates	
Periphyton	
Biomass and Chlorophyll-a	
Community Composition	
Wetland Vegetation	
Comparison of Vegetation Communities	
Species Richness	
Relative Abundance of Wetland Plants by Indicator Category	
Plant Biomass in Marshes	
Tree Density and Size in Cypress Wetlands	
Effects of Environmental Stressors on Wetland Plant Communities	
Macroinvertebrates	
Marsh Macroinvertebrate Communities	
Cypress Macroinvertebrate Communities	
Functional Feeding Groups	
Macroinvertebrates as Ecological Indicators in Wetlands	
Overview of Wetland Ecology	
Summary and Conclusions	
References Cited	
Glossary	
01050u1 y	143

٠

.

# Appendixes

1.	Monthly rainfall at the marsh wetlands	147
2.	Monthly rainfall inside the canopy at the cypress wetlands	148
3.	Relation between rainfall measurements inside and outside of the tree canopy at	
	the cypress wetlands	149
4.	Evapotranspiration estimates for marsh and cypress wetlands	150
5.	Bathymetric maps for the 10 study wetlands showing location of vegetation plots 1 $\bullet$	51-152

#### Figures

1.		ram showing conceptualized isolated wetland showing the changing size ne flooded area	4
2.		e showing location of study wetlands in the northern Tampa Bay area, st-central Florida	6
3-5.	Gra	aphs showing:	
	4.	Regional annual rainfall departures from the long-term average, 2000 to 2004 Annual rainfall measured at the marsh and cypress wetlands during 2001 to 2003 compared to the long-term average rainfall The average annual daily ground-water withdrawal from the 11 Tampa Bay Water well fields, 1988 to 2004	8
6-8	Diao	jrams showing:	
	6.	Approximate time line of data collection in the two wetland types Landscape features and hydrogeologic framework of mantled karst terrain in west-central Florida	
	8.	Example of dissolution and subsidence forming wetlands in mantled	
		karst terrain	
		os showing location of data-collection sites for the marsh wetlands	
	•	os showing location of data-collection sites for the cypress wetlands	.23
11-18.		eralized hydrogeologic sections and vertical head distribution for:	
		HRSP Natural Marsh at Hillsborough River State Park	
		Duck Pond Augmented Marsh at Cross Bar Well Field	
		W-3 Augmented Marsh at Cypress Creek Well Field	
		W-29 Impaired Marsh at Cypress Creek Well Field	
		S-68 Natural Cypress at Starkey Well Field	
		S-63 Augmented Cypress at Starkey Well Field	
		W-5 Augmented Cypress at Cypress Creek Well Field	
		W-19 Impaired Cypress at Cypress Creek Well Field	.31
19-22.	Grap	hs showing:	
	19.	Vertical profiles of bulk gamma density and grain size in sediment cores from GS Natural Marsh and W-29 Impaired Marsh	.33
	20.	Average, minimum, and maximum radium-226 activity from surface sediment samples collected in July 2002 and May 2004	.34
	21.	Vertical profiles of radium-226 activity in sediment cores taken from W-3 Augmented Marsh, W-29 Impaired Marsh #1, W-29 Impaired Marsh #2, and GS Natural Marsh	
	22.	Ground-penetrating radar profiles with interpreted geologic features below W-29 Impaired Marsh, Duck Pond Augmented Marsh, S-63 Augmented Cypress basin, and Duck Pond Augmented Marsh basin	

23.	Diagram showing conceptualized interactions of wetlands with ground-water recharge and ground-water flow through	27
24	•	
24.	Maps showing ground-water flow patterns around the marsh wetlands during representative dry-season conditions	38
25.	Graphs showing wetland stage and ground-water levels in selected surficial	
	and Upper Floridan aquifer wells in the marsh wetland basins	39
26.	Maps showing ground-water flow patterns around cypress wetlands during	
	representative dry-season conditions	41
27.	Graphs showing wetland stage and ground-water levels in selected surficial and	
	Upper Floridan aquifer wells in the cypress wetland basins	42
28-31.	Box plots of:	
	28. Daily linear leakage rates in the study wetlands	49
	29. Downward head differences at each wetland during its	50
	water-budget period	50
	30. Elevation differences between the bottom of the wetland and the head in the Upper Floridan aguifer at W-29 Impaired Marsh for three	
	time periods, marshes from December 2000 through September 2002,	
	and cypress wetlands from November 2002 through July 2004	51
	31. Leakance below the study wetlands	
32-36.	Graphs showing:	
	32. Annual water budget for Duck Pond Augmented Marsh in 2001	54
	33. Daily water-budget residual for Duck Pond Augmented Marsh	
	and head in the Upper Floridan aquifer during December 2000—	
	September 2002	54
	34. Daily average head in the Upper Floridan aquifer in relation to daily linear	
	leakage rate from Duck Pond Augmented Marsh	54
	35. Daily rainfall, daily water-budget residual, and head in the Upper	
	Floridan aquifer at S-63 Augmented Cypress wetland during November 2002–July 2004	55
	36. Daily average head in the Upper Floridan aquifer in relation to daily linear	
	leakage rate at S-63 Augmented Cypress wetland	55
37.	Maps showing water-table configuration at W-5 Augmented Cypress	
	wetland on May 10, 2004 before augmentation, and on June 1, 2004 after	
	23 days of augmentation	57
38-40.	Graphs showing:	
	38. Daily augmentation volume and flooded area in W-5 Augmented Cypress	
	wetland during the augmentation experiment	58
	39. Response of the water table below W-5 Augmented Cypress wetland to	<b>F</b> 0
	augmentation	58
	40. Daily linear leakage rate and flooded area in W-5 Augmented Cypress wetland during the augmentation experiment	59
/11	Stiff diagrams for surface water in marsh and cypress wetlands	
	Box plots of field properties and chemical constituents in surface waters of	00
42.	augmented and unaugmented wetlands	
43.	Plot showing organic nitrogen and dissolved organic carbon in wetland	
	surface water	69
44.	Box plot of nitrogen to phosphorus ratio in wetland surface water	70

٠

٠

45.	Plot showing delta deuterium and delta <sup>18</sup> 0 in wetland surface water and augmentation water	70
46.	Stiff diagrams for surface water and shallow ground water at selected wetlands	
47.	Plots showing delta deuterium and delta <sup>18</sup> 0 in wetland surface water, shallow ground water, and augmentation water from the Upper Floridan aquifer at W-5 Augmented Cypress, S-63 Augmented Cypress, and S-68 Natural Cypress.	
48.	Graphs showing percentage of the total wetland area flooded on average each week in the natural, augmented, and impaired marshes from December 12, 2000 to September 30, 2002	80
49.	Plot showing soil moisture content in HRSP Natural Marsh and W-29 Impaired Marsh during the same time period	81
50.	Plot showing the relation between daily average soil moisture in the top one foot of soil and the daily average water-table depth below W-29 Impaired Marsh	81
51.	Graphs showing percentage of the total wetland area flooded on average each week in the natural, augmented, and impaired cypress wetlands from December 11, 2002 to July 27, 2004	82
52.	Graph showing hourly variation in flooded area at S-63 Augmented Cypress from December 24, 2003 to December 31, 2003	
53.	Diagrams showing conceptualized wetland showing the boundary of the flooded area located in different 20-percent intervals of the total wetland area	
54-58.	Graphs showing the recent and historical flooded-area duration distributions and maps showing the shapes of these flooded areas in:	
	54. GS Natural Cypress and S-68 Natural Cypress	
	55. HRSP Natural Marsh and GS Natural Marsh	
	56. Duck Pond Augmented Marsh and W-3 Augmented Marsh	
	57. W-5 Augmented Cypress and S-63 Augmented Cypress	
	58. W-29 Impaired Marsh and W-19 Impaired Cypress	90
59-65.	Graphs showing:	
	59. Historical monthly average flooded area in the study wetlands	92
	60. Relative abundance of dominant algal groups in marsh and cypress wetlands	
	61. Relative abundance of obligate, facultative wet, facultative, and facultative	
	upland plants in marsh and cypress wetlands 62. Number of tolerant and intolerant plant species at natural, impaired, and	108
	augmented wetlands	. 110
	63. Biomass, density, and taxa richness of macroinvertebrates in marsh wetlands	
	64. Shannon diversity of macroinvertebrates in marsh and cypress wetlands	
	65. Biomass, density, and taxa richness of macroinvertebrates in cypress wetlands	. 120
66.	. Pie chart showing the proportion of macroinvertebrate functional feeding groups in marsh and cypress wetlands	
67	. Graph showing abundance of Chironomidae, all Diptera, and all macroinvertebrates	
	in marsh and cypress wetlands	.128

,

#### Tables

1.	Average ground-water withdrawal rates at selected Tampa Bay Water regional well fields during the study	9
2.	Names, locations, and physical characteristics of study wetlands	
	Well characteristics and data collected for wells used in the study	
	Water-budget characteristics and selected flux rates for the study wetlands	
*	Wetland leakage rate statistics	
6.	Regression results relating the daily rainfall volume to the daily change in wetland volume at the unaugmented wetlands	59
7.	The volume ratio of runoff to rainfall in the study wetlands	59
8.	Range and median water quality for surface water in wetlands	66
9.	Range and median water quality for ground water in wetland basins	72
10.	Description of stage data used for the historical flooding analyses	79
. 11.	Percentage of the historical time each wetland area interval was flooded	87
12.	The percentage of time that more than half of the total wetland area was flooded, based on stage data from 1996 to 2003	93
13.	Average duration of flooding at deepest point in wetland, in months per year, based on stage data from 1996 to 2003	93
14.	Median biomass of periphyton samples collected in study wetlands, 2002-04	98
15.	Median biomass and chlorophyll- <i>a</i> of periphyton samples collected in study wetlands during September–October 2003	98
16.	Median diatom species richness and most abundant diatom species in study wetlands	100
	Van Dam Ecological Indicator values for diatoms in study wetlands	101
18.	Jaccard's Similarity Index matrices (using all species greater than 1 percent of abundance) for vegetation in fixed plots in marsh wetlands, 2000–04	102
	The percentage of time that fixed vegetation plots were flooded during the recent period (2000–02 or 2002–04), based on stage data and bathymetry	103
20.	Jaccard's Similarity Index matrices (using all species greater than 1 percent of abundance) for vegetation in fixed plots in cypress wetlands, 2000–04	104
21.	Jaccard's Similarity Index comparing vegetation in fixed plots sampled during 2000-02 (the period of average rainfall) with vegetation in fixed plots sampled during 2002–04 (the period of above-average rainfall and reduced ground-water pumping).	105
22.	Plant species in fixed and randomly located plots in marsh wetlands	106
23.	Plant species in fixed and randomly located plots in cypress wetlands	107
	Biomass of vegetation in marsh wetlands	
25.	Wetland plants that tend to decrease or increase in abundance with disturbance	111
	Summary of macroinvertebrate community assessment	113
	Mean density, frequency of occurrence, and functional feeding group classification of macroinvertebrates in marsh wetlands	114-118
28.	Mean density, frequency of occurrence, and functional feeding group classification of macroinvertebrates in cypress wetlands	122-126
29.	Occurrence of fish and larval amphibians (tadpoles) in study wetlands	129

٠

•