

Discovering Statistics Using SPSS

SECOND EDITION

(and sex, drugs and rock 'n' roll)

ANDY FIELD



CONTENTS

| Pı | reface | | xxi |
|----|----------|---|--------|
| H | ow To | Use This Book | XXV |
| A | know | ledgements | xxix |
| De | edicati | ion | xxxi |
| Sy | mbols | s Used in This Book | xxxiii |
| Pı | raise fo | or the First Edition | xxxiv |
| 1 | | ything You Ever Wanted To Know ut Statistics (Well, Sort Of) | 1 |
| | 1.1. | What Will This Chapter Tell Us? ① | 1 |
| | 1.2. | Building Statistical Models ① | 1 |
| | 1.3. | Populations and Samples ① | 3 |
| | 1.4. | Simple Statistical Models ① | 4 |
| | | 1.4.1. The Mean, Sums of Squares, Variance and | |
| | | Standard Deviations ① | 4 |
| | 1.5. | Frequency Distributions ① | 8 |
| | | 1.5.1. Properties of Frequency Distributions ① | 8 |
| | | 1.5.2. The Standard Deviation and the Shape of the Distribution (1) | 10 |
| | | 1.5.3. What is The Standard Normal Distribution? ① | |
| | 1.6. | Is my Sample Representative of the Population? ① | 14 |
| | | 1.6.1. The Standard Error ① | 14 |
| | | I.6.2. Confidence Intervals 2 | 17 |
| | 1.7. | Linear Models ① | 20 |
| | 1.8. | How Can We Tell if Our Model Represents the Real World? ① | 22 |
| | | 1.8.1. Test Statistics ① | 26 |
| | | 1.8.2. One- and Two-Tailed Tests ① | 29 |
| | | 1.8.3. Type I and Type II Errors ① | 31 |
| | | 1.8.4. Effect Sizes [©] | 32 |
| | | 1.8.5. Statistical Power @ | 33 |

| 1.9. | Some Concluding Advice | 34 |
|-------|---|--|
| 1.10. | What Have We Discovered about Statistics? ① | 34 |
| 1.11. | Key Terms That We've Discovered | 35 |
| 1.12. | Smart Alex's Stats Quiz | 35 |
| 1.13. | Further Reading | 36 |
| The S | PSS Environment | 37 |
| 2.1. | ······································ | 37 |
| 2.2. | Versions of SPSS ① | 37 |
| 2.3. | Getting Started ① | 38 |
| 2.4. | The Data Editor ① | 39 |
| | 2.4.1. Entering Data into the Data Editor \oplus | 45 |
| | 2.4.2. Creating a Variable ① | 46 |
| | 2.4.3. The 'Variable View' ① | 46 |
| | 2.4.4. Creating Coding Variables ① | 49 |
| | 2.4.5. Types of Variables ① | 52 |
| | 2.4.6. Missing Values ① | 53 |
| | 2.4.7. Changing the Column Format ① | 54 |
| | 2.4.8. Quick Test ① | 54 |
| 2.5. | The Output Viewer ① | 54 |
| 2.6. | The Syntax Window ③ | 58 |
| 2.7. | Saving Files ① | 59 |
| 2.8. | Retrieving a File ① | 60 |
| 2.9. | What Have We Discovered about Statistics? ① | 61 |
| 2.10. | Key Terms That We've Discovered | 62 |
| | | 62 |
| 2.12. | Further Reading | 62 |
| Explo | oring Data | 63 |
| 3.1. | What Will This Chapter Tell Us? ① | 63 |
| 3.2. | Parametric Data ① | 63 |
| | 3.2.1. Assumptions of Parametric Data \oplus | 63 |
| 3.3. | Graphing and Screening Data \oplus | 65 |
| | 3.3.1. Step 1: Spot the Obvious Mistakes Using Histograms \oplus | 65 |
| | 3.3.2. Step 2: Descriptive Statistics and Boxplots ① | 69 |
| | 3.3.3. Step 3: Correcting problems in the Data $@$ | 78 |
| | 3.3.4. Step 4: Transforming the Data using SPSS [©] | 80 |
| 3.4. | | 87 |
| | 3.4.1. Running the Analysis for all Data \oplus | 88 |
| | 3.4.2. SPSS Output for all Data ① | 88 |
| | 3.4.3. Running the Analysis for Different Groups \oplus | 89 |
| | 3.4.4. Output for Different Groups ① | 90 |
| | Trating and at an a Distribution is Nameal (1) | |
| 3.5. | - | 93 |
| 3.5. | 3.5.1. Doing the Kolmogorov–Smirnov test on SPSS ① 3.5.2. Output from the explore Procedure ① | 93 94 94 |
| | 1.10. 1.11. 1.12. 1.13. The S 2.1. 2.2. 2.3. 2.4. 2.5. 2.6. 2.7. 2.8. 2.9. 2.10. 2.11. 2.12. Explo 3.1. 3.2. 3.3. | 2.2. Versions of SPSS ① 2.3. Getting Started ① 2.4. The Data Editor ① 2.4.1. Entering Data into the Data Editor ① 2.4.2. Creating a Variable ① 2.4.3. The 'Variable View' ① 2.4.4. Creating Coding Variables ① 2.4.5. Types of Variables ① 2.4.6. Missing Values ① 2.4.7. Changing the Column Format ① 2.4.8. Quick Test ① 2.5. The Output Viewer ① 2.6. The Syntax Window ② 2.7. Saving Files ① 2.8. Retrieving a File ① 2.9. What Have We Discovered about Statistics? ① 2.10. Key Terms That We've Discovered 2.11. Smart Alex's Task 2.12. Further Reading Exploring Data 3.1. What Will This Chapter Tell Us? ① 3.2.1. Assumptions of Parametric Data ① 3.3.1. Step 1: Spot the Obvious Mistakes Using Histograms ① 3.3.2. Step 2: Descriptive Statistics and Boxplots ① 3.3.3. Step 3: Correcting problems in the Data ② 3.3.4. Step 4: Transforming the Data using SPSS ② 3.4. Exploring Groups of Data ① 3.4.1. Running the Analysis for Different Groups ① |

| | 3.6. | Testing for Homogeneity of Variance ① | | | | | |
|---|---------------|--|------------|--|--|--|--|
| | 3.7. | Graphing Means ① | 100 | | | | |
| | 3.8. | What Have We Discovered about Statistics? ① | 105 | | | | |
| | 3.9. | Key Terms That We've Discovered | 105 | | | | |
| | 3.10. | Smart Alex's Tasks | 105 | | | | |
| | 3.11. | Further Reading | 106 | | | | |
| 4 | Corre | lation | 107 | | | | |
| | 4.1. | What Will This Chapter tell Us? ① | 107 | | | | |
| | | How do we Measure Relationships? ① | 107 | | | | |
| | | 4.2.1. A Detour into the World of Covariance ① | 107 | | | | |
| | | 4.2.2. Standardization and the Correlation Coefficient ① | 110 | | | | |
| | 4.3. | Data Entry for Correlation Analysis using SPSS ① | 112 | | | | |
| | 4.4. | Graphing Relationships: the Scatterplot ① | 113 | | | | |
| | | 4.4.1. Simple Scatterplot ① | 113 | | | | |
| | | 4.4.2. The 3-D Scatterplot ① | 117 | | | | |
| | | 4.4.3. Overlay Scatterplot ① | 118 | | | | |
| | | 4.4.4. Matrix Scatterplot ① | 120 | | | | |
| | 4.5. | | 122 | | | | |
| | | 4.5.1. Pearson's Correlation Coefficient ① | 125 | | | | |
| | | 4.5.2. A Word of Warning about | | | | | |
| | | Interpretation: Causality ① | 127 | | | | |
| | | 4.5.3. Using \mathbb{R}^2 for Interpretation \oplus | 128 | | | | |
| | | 4.5.4. Spearman's Correlation Coefficient ^① | 129 | | | | |
| | | 4.5.5. Kendall's Tau (Non-Parametric) ① | 131 | | | | |
| | | 4.5.6. Biserial and Point-Biserial Correlations ⁽²⁾ | 131 | | | | |
| | 4.6. | Partial Correlation 2 | 134 | | | | |
| | | 4.6.1. The Theory behind Part and Partial | | | | | |
| | | Correlation ® | 134 | | | | |
| | | 4.6.2. Partial Correlation Using SPSS ⁽²⁾ | 136 | | | | |
| | 4.7 | 4.6.3. Semi-Partial (or Part) Correlations ⁽²⁾ | 139 | | | | |
| | | How to Report Correlation Coefficients ① | 140 | | | | |
| | 4.8. | | 140 | | | | |
| | 4.9. 4.10. | • | 141 | | | | |
| | 4.10. | | 141 142 | | | | |
| | 4.11. | Further Reading | 144 | | | | |
| 5 | Regre | | 143 | | | | |
| | | What Will This Chapter tell Us? ① | 143 | | | | |
| | 5.2. | An Introduction to Regression ① | 144 | | | | |
| | | 5.2.1. Some Important Information about Straight Lines ① | 144 | | | | |
| | | 5.2.2. The Method of Least Squares ^① | 146 | | | | |
| | | 5.2.3. Assessing the Goodness-of-Fit: | _ | | | | |
| | | Sums of Squares, R and R^2 D | 147 | | | | |
| | | 5.2.4. Assessing Individual Predictors ① | 150 | | | | |

| 5.3. | Doing Simple Regression on SPSS ① | 152 |
|-------|--|-----|
| 5.4. | Interpreting a Simple Regression ① | 154 |
| | 5.4.1. Overall Fit of the Model ① | 154 |
| | 5.4.2. Model Parameters ① | 155 |
| | 5.4.3. Using the Model ① | 156 |
| 5.5. | Multiple Regression: The Basics @ | 157 |
| | 5.5.1. An Example of a Multiple Regression Model @ | 158 |
| | 5.5.2. Sums of Squares, R and R ² ⁽²⁾ | 159 |
| | 5.5.3. Methods of Regression [®] | 159 |
| | 5.5.3.1. Hierarchical (Blockwise Entry) @ | 160 |
| | 5.5.3.2. Forced Entry @ | 160 |
| | 5.5.3.3. Stepwise Methods @ | 160 |
| | 5.5.3.4. Choosing a Method ⁽²⁾ | 161 |
| 5.6. | How Accurate is my Regression model? ② | 162 |
| | 5.6.1. Assessing the Regression Model I: Diagnostics @ | 162 |
| | 5.6.1.1. Outliers and Residuals ⁽²⁾ | 162 |
| | 5.6.1.2. Influential Cases ③ | 164 |
| | 5.6.1.3. A Final Comment on | |
| | Diagnostic Statistics @ | 169 |
| | 5.6.2. Assessing the Regression Model II: Generalization @ | 169 |
| | 5.6.2.1. Checking Assumptions @ | 169 |
| | 5.6.2.2. Cross-Validation of the Model ③ | 171 |
| | 5.6.2.3. Sample Size in Regression ③ | 172 |
| | 5.6.2.4. Multicollinearity @ | 174 |
| 5.7. | How to Do Multiple Regression Using SPSS ② | 175 |
| | 5.7.1. Main Options @ | 175 |
| | 5.7.2. Statistics ⁽²⁾ | 178 |
| | 5.7.3. Regression Plots ⁽²⁾ | 180 |
| | 5.7.4. Saving Regression Diagnostics ⁽²⁾ | 182 |
| | 5.7.5. Further Options ⁽²⁾ | 183 |
| 5.8. | Interpreting Multiple Regression ⁽²⁾ | 184 |
| | 5.8.1. Descriptives ⁽²⁾ | 185 |
| | 5.8.2. Summary of Model @ | 187 |
| | 5.8.3. Model Parameters ⁽²⁾ | 190 |
| | 5.8.4. Excluded Variables @ | 195 |
| | 5.8.5. Assessing the Assumption of No Multicollinearity [®] | 196 |
| | 5.8.6. Casewise Diagnostics [®] | 199 |
| 5.0 | 5.8.7. Checking Assumptions ⁽²⁾ | 202 |
| 5.9. | | 207 |
| 5.10. | v 1 V | 208 |
| | 5.10.1. Dummy Coding ③ | 208 |
| e | 5.10.2. SPSS Output for Dummy Variables ③ | 212 |
| 5.11. | What Have We Discovered about Statistics? ① | 215 |

| | 5.12. | Key Terms That We've Discovered | 216 |
|---|--------|--|-----|
| | 5.13. | Smart Alex's Tasks | 217 |
| | 5.14. | Further Reading | 217 |
| 6 | Logist | tic Regression | 218 |
| | 6.1. | What Will This Chapter tell Us? ① | 218 |
| | | Background to Logistic Regression ① | 218 |
| | 6.3. | · · · | 219 |
| | | 6.3.1. Assessing the Model: The Log-Likelihood Statistic ③ | 221 |
| | | 6.3.2. Assessing the Model: R and R^2 ⁽³⁾ | 222 |
| | | 6.3.3. Assessing the Contribution of Predictors: The Wald Statistic ⁽²⁾ | 224 |
| | | 6.3.4. Exp b ③ | 225 |
| | | 6.3.5. Methods of Logistic Regression ⁽²⁾ | 226 |
| | | 6.3.5.1. The Forced Entry Method ⁽²⁾ | 226 |
| | | 6.3.5.2. Stepwise Methods @ | 226 |
| | | 6.3.5.3. How do We Select a Method? ② | 227 |
| | 6.4. | Running the Analysis: A Research Example ⁽²⁾ | 227 |
| | | 6.4.1. The Main Analysis D | 228 |
| | | 6.4.2. Method of Regression ⁽²⁾ | 229 |
| | | 6.4.3. Categorical Predictors @ | 230 |
| | | 6.4.4. Obtaining Residuals 2 | 231 |
| | | 6.4.5. Further Options @ | 232 |
| | 6.5. | 1 0 0 0 | 233 |
| | | 6.5.1. The Initial Model @ | 233 |
| | | 6.5.2. Step 1: False Belief Understanding ③ | 236 |
| | | 6.5.3. Listing Predicted Probabilities ⁽²⁾ | 244 |
| | | 6.5.4. Interpreting Residuals @ | 245 |
| | | 6.5.5. Calculating the Effect Size ⁽²⁾ | 249 |
| | | How to Report Logistic Regression ⁽²⁾ | 249 |
| | 6.7. | L | 250 |
| | | 6.7.1. Running the Analysis: Block Entry Regression ⁽²⁾ | 251 |
| | 6.0 | 6.7.2. Interpreting Output ⁽³⁾ | 252 |
| | | Testing for Multicollinearity ③ | 258 |
| | 6.9. | 6 6 6 | 263 |
| | | 6.9.1. Incomplete Information from the Predictors ④ | 263 |
| | < 10 | 6.9.2. Complete Separation ④ | 264 |
| | | What Have We Discovered about Statistics? ① | 266 |
| | | Key Terms that We've Discovered | 266 |
| | | Smart Alex's Tasks | 266 |
| | 6.13. | - | 268 |
| 7 | | paring Two Means | 269 |
| | | What Will This Chapter tell Us? ① | 269 |
| | 7.2. | Revision of Experimental Research ① | 270 |

| | | 7.2.1. Two Methods of Data Collection ① | 270 |
|---|-------|--|-----|
| | | 7.2.2. Two Types of Variation ① | 271 |
| | | 7.2.3. Randomization ① | 273 |
| | 7.3. | Inputting Data and Displaying Means | |
| | | with Error Bar Charts ① | 274 |
| | | 7.3.1. Error Bar Graphs for Between-Group Designs \oplus | 276 |
| | | 7.3.2. Error Bar Graphs for Repeated-Measures Designs [®] | 279 |
| | | 7.3.2.1. Step 1: Calculate the Mean | |
| | | for each Participant ⁽²⁾ | 281 |
| | | 7.3.2.2. Step 2: Calculate the Grand Mean @ | 281 |
| | | 7.3.2.3. Step 3: Calculate the Adjustment Factor @ | 282 |
| | | 7.3.2.4. Step 4: Create Adjusted Values for each Variable @ | 283 |
| | | 7.3.2.5. Drawing the Error Bar Graph @ | 284 |
| | 7.4. | Testing Differences between Means: The t-Test ① | 285 |
| | | 7.4.1. Rationale for the t-Test ① | 286 |
| | | 7.4.2. Assumptions of the t-Test 🛈 | 287 |
| | 7.5. | The Dependent <i>t</i> -Test $①$ | 288 |
| | | 7.5.1. Sampling Distributions and the Standard Error \oplus | 288 |
| | | 7.5.2. The Dependent t-Test Equation Explained \oplus | 289 |
| | | 7.5.3. Dependent t-Tests Using SPSS ① | 291 |
| | | 7.5.4. Output from the Dependent t-Test \oplus | 292 |
| | | 7.5.5. Calculating the Effect Size $\textcircled{0}$ | 294 |
| | | 7.5.6. Reporting the Dependent t-Test ① | 294 |
| | 7.6. | The Independent t-Test ① | 296 |
| | | 7.6.1. The Independent t-Test Equation Explained \oplus | 296 |
| | | 7.6.2. The Independent t-Test Using SPSS ① | 299 |
| | | 7.6.3. Output from the Independent t-Test ① | 300 |
| | | 7.6.4. Calculating the Effect Size ⁽²⁾ | 302 |
| | | 7.6.5. Reporting the Independent t-Test ① | 303 |
| | 7.7. | Between Groups or Repeated Measures? ① | 304 |
| | 7.8. | The t-Test as a General Linear Model ② | 304 |
| | 7.9. | What If Our Data Are Not Normally Distributed? ⁽²⁾ | 306 |
| | 7.10. | What Have We Discovered about Statistics? ① | 307 |
| | 7.11. | Key Terms that We've Discovered | 307 |
| | 7.12. | Smart Alex's Tasks | 307 |
| | 7.13. | Further Reading | 308 |
| 8 | Com | paring Several Means: ANOVA (GLM 1) | 309 |
| | 8.1. | What Will This Chapter Tell Us? ① | 309 |
| | 8.2. | The Theory Behind ANOVA ② | 309 |
| | | 8.2.1. Inflated Error Rates @ | 309 |
| | | 8.2.2. ANOVA as Regression @ | 311 |
| | | 8.2.3. Logic of the F-Ratio 2 | 316 |
| | | 8.2.4. Total Sum of Squares (SS_{τ}) @ | 319 |
| | | 8.2.5. Model Sum of Squares (SS _M) ⁽²⁾ | 320 |

| 8.2.6. Residual Sum of Squares (SS _R) $@$ | 321 |
|---|-------|
| 8.2.7. Mean Squares ⁽²⁾ | 322 |
| 8.2.8. The F-Ratio 2 | 323 |
| 8.2.9. Assumptions of ANOVA @ | 324 |
| 8.2.10. Planned Contrasts 2 | 325 |
| 8.2.10.1. Choosing which Contrasts to Do ⁽²⁾ | 325 |
| 8.2.10.2. Defining Contrasts Using Weights ③ | 329 |
| 8.2.10.3. Non-Orthogonal Comparisons ② | 336 |
| 8.2.10.4. Standard Contrasts @ | 336 |
| 8.2.10.5. Polynomial Contrasts: Trend Analysis | 2 337 |
| 8.2.11. Post Hoc Procedures @ | 339 |
| 8.2.11.1. Post Hoc Procedures and | |
| Type 1 (α) and Type II Error Rates $@$ | 340 |
| 8.2.11.2. Post Hoc procedures and Violations | |
| of Test Assumptions ② | 340 |
| 8.2.11.3. Summary of Post Hoc Procedures @ | 341 |
| 8.3. Running One-Way ANOVA on SPSS ⁽²⁾ | 341 |
| 8.3.1. Planned Comparisons Using SPSS @ | 342 |
| 8.3.2. Post Hoc Tests in SPSS @ | 345 |
| 8.3.3. Options ⁽²⁾ | 346 |
| 8.4. Output from One-Way ANOVA ② | 348 |
| 8.4.1. Output for the Main Analysis ② | 348 |
| 8.4.2. Output for Planned Comparisons ② | 352 |
| 8.4.3. Output for Post Hoc Tests 2 | 354 |
| 8.5. Calculating the Effect Size ② | 357 |
| 8.6. Reporting Results from One-Way Independent ANOVA @ | 359 |
| 8.7. Violations of Assumptions in One-Way | |
| Independent ANOVA ⁽²⁾ | 360 |
| 8.8. What Have We Discovered about Statistics? ① | 360 |
| 8.9. Key Terms that We've Discovered | 360 |
| 8.10. Smart Alex's Tasks | 361 |
| 8.11. Further Reading | 362 |
| Analysis of Covariance, ANCOVA (GLM 2) | 363 |
| 9.1. What Will This Chapter Tell Us? @ | 363 |
| 9.2. What is ANCOVA? ⁽²⁾ | 363 |
| 9.3. Conducting ANCOVA on SPSS ② | 364 |
| 9.3.1. Inputting Data ① | 366 |
| 9.3.2. Main Analysis © | 366 |
| 9.3.3. Contrasts and Other Options ⁽²⁾ | 367 |
| 9.4. Interpreting the Output from ANCOVA ② | 370 |
| 9.4.1. Main Analysis © | 370 |
| 9.4.2. Contrasts 2 | 373 |
| 9.4.3. Interpreting the Covariate ⁽²⁾ | 375 |
| sense incorporang me covariante se | 575 |

| | 9.6. | Additional Assumptions in ANCOVA ③ | 380 |
|----|--------|---|------------|
| | | 9.6.1. Homogeneity of Regression Slopes ③ | 380 |
| | | 9.6.2. Testing for Homogeneity of Regression Slopes in SPSS ③ | 382 |
| | | Calculating the Effect Size ⁽²⁾ | 384 |
| | | Reporting Results 2 | 385 |
| | | What Have We Discovered about Statistics? ② | 386 |
| | | Key Terms that We've Discovered | 386 |
| | | Smart Alex's Tasks | 386 |
| | 9.12. | Further Reading | 388 |
| 10 | Factor | ial ANOVA (GLM 3) | 389 |
| | 10.1. | What Will This Chapter Tell Us? ⁽²⁾ | 389 |
| | 10.2. | Theory of Factorial ANOVA (Between Groups) 2 | 389 |
| | | 10.2.1. Factorial Designs [®] | 389 |
| | | 10.2.2. An Example with Two Independent Variables 🗇 | 391 |
| | | 10.2.3. Total Sum of Squares (SS_T) ⁽²⁾ | 391 |
| | | 10.2.4. The Model Sum of Squares (SS_M) ⁽²⁾ | 392 |
| | | 10.2.4.1. The Main Effect of Gender (SS_A) ② | 393 |
| | | 10.2.4.2. The Main Effect of Alcohol (SS _B) ② | 394 |
| | | 10.2.4.3. The Interaction Effect $(SS_{A \times B})$ ② | 395 |
| | | 10.2.5. The Residual Sum of Squares (SS_R) \textcircled{O} | 395 |
| | | 10.2.6. The F-ratios ⁽²⁾ | 396 |
| | 10.3. | Factorial ANOVA Using SPSS @ | 397 |
| | | 10.3.1. Entering the Data and Accessing the | |
| | | Main Dialog Box [©] | 397 |
| | | 10.3.2. Custom Models ⁽²⁾ | 399 |
| | | 10.3.3. Graphing Interactions ⁽²⁾ | 400 |
| | | 10.3.4. Contrasts ⁽²⁾ | 401 |
| | | 10.3.5. Post Hoc Tests 2 | 402 |
| | 10.4 | 10.3.6. Options ⁽²⁾ | 403 |
| | 10.4. | Output from Factorial ANOVA [®] | 403 |
| | | 10.4.1. Output for the Preliminary Analysis ⁽²⁾ | 403 |
| | | 10.4.2. Levene's Test [©] 10.4.3. The Main ANOVA Table [©] | 404 405 |
| | | 10.4.3. The Main ANOVA Table @ 10.4.4. Contrasts @ | 405 |
| | | 10.4.5. Post Hoc Analysis @ | 408 |
| | 10.5 | Interpreting Interaction Graphs ⁽²⁾ | 413 |
| | | Calculating Effect Sizes ③ | 413 |
| | | Reporting the Results of Two-Way ANOVA ⁽²⁾ | 419 |
| | | Factorial ANOVA as Regression ③ | 420 |
| | | What Have We Discovered about Statistics? @ | 425 |
| | | Key Terms that We've Discovered | 425 |
| | | Smart Alex's Tasks | 425 |
| | | Further Reading | 426 |
| | | · · · · · · · · · · · · · · · · · · · | · - • |

| 11 | | | | 427 | | |
|----|-------|---|---|-----|--|--|
| | 11.1. | What W | 'ill This Chapter Tell Us? ② | 427 | | |
| | 11.2. | Introduc | tion to Repeated-Measures Designs ② | 427 | | |
| | | 11.2.1. | The Assumption of Sphericity [®] | 428 | | |
| | | 11.2.2. | How is Sphericity Measured? ⁽²⁾ | 429 | | |
| | | 11. 2.3 . | Assessing the Severity of Departures from Sphericity @ | 429 | | |
| | | 11.2.4. | What is the Effect of Violating the | | | |
| | | | Assumption of Sphericity? ③ | 430 | | |
| | | 11.2.5. | What Do We Do If We Violate Sphericity? ② | 430 | | |
| | 11.3. | Theory | of One-Way Repeated-Measures ANOVA 2 | 431 | | |
| | | 11.3.1. | The Total Sum of Squares (SS_T) ⁽²⁾ | 434 | | |
| | | 11.3.2. | The Within-Participant (SS _w) ⁽²⁾ | 434 | | |
| | | 11.3.3. | The Model Sum of Squares (SS _M) ⁽²⁾ | 436 | | |
| | | 11.3.4. | The Residual Sum of Squares (SS _R) ⁽²⁾ | 437 | | |
| | | 11.3.5. | The Mean Squares 2 | 437 | | |
| | | 11.3.6. | The F-Ratio 2 | 437 | | |
| | 11.4. | One-Wa | y Repeated-Measures ANOVA Using SPSS ⁽²⁾ | 438 | | |
| | | 11.4.1. | The Main Analysis [®] | 438 | | |
| | | 11.4.2. | Defining Contrasts for Repeated Measures ² | 439 | | |
| | | | Post Hoc Tests and Additional Options 3 | 441 | | |
| | 11.5. | Output | for One-Way Repeated-Measures ANOVA @ | 444 | | |
| | | 11.5.1. | Descriptives and other Diagnostics ① | 444 | | |
| | | 11.5.2. | Assessing and Correcting for Sphericity @ | 444 | | |
| | | 11.5.3. | The Main ANOVA @ | 445 | | |
| | | 11.5.4. | Contrasts [®] | 449 | | |
| | | 11.5.5. | Post Hoc Tests @ | 450 | | |
| | 11.6. | Effect S | Sizes for Repeated-Measures ANOVA ③ | 452 | | |
| | | . Reporting One-Way Repeated-Measures ANOVA ② | | | | |
| | | | d Measures with Several Independent Variables @ | 455 | | |
| | | - | The Main Analysis 2 | 455 | | |
| | | | Contrasts 2 | 460 | | |
| | | 11.8.3. | Graphing Interactions [®] | 463 | | |
| | | | Other Options [®] | 464 | | |
| | 11.9. | | for Factorial Repeated-Measures ANOVA @ | 465 | | |
| | | | Descriptives and Main Analysis ⁽²⁾ | 465 | | |
| | | | The Effect of Drink ⁽²⁾ | 467 | | |
| | | | The Effect of Imagery ⁽²⁾ | 469 | | |
| | | | The Interaction Effect (Drink × Imagery) ⁽²⁾ | 471 | | |
| | | 11.9.5. | Contrasts for Repeated-Measures Variables @ | 473 | | |
| | | | 11.9.5.1. Beer vs. Water, Positive vs. Neutral Imagery @ | 475 | | |
| | | | 11.9.5.2. Beer vs. Water, Negative vs. Neutral Imagery 2 | 475 | | |
| | | | 11.9.5.3. Wine vs. Water, Positive vs. Neutral Imagery @ | 476 | | |
| | | | 11.9.5.4. Wine vs. Water, Negative vs. Neutral Imagery @ | 477 | | |
| | | | 11.9.5.5. Limitations of These Contrasts ⁽²⁾ | 478 | | |
| | | | | | | |

| | 11.10. | Effect S | Sizes for Fa | ctorial Repeated-Measures ANOVA ③ | 478 |
|----|--------|----------|--------------|--|-----|
| | 11.11. | Reporti | ng the Res | ults from Factorial Repeated- | |
| | | Measur | es ANOVA | . ② | 480 |
| | 11.12. | What H | lave We Di | scovered about Statistics? ² | 481 |
| | 11.13. | Key Ter | rms that We | e've Discovered | 481 |
| | 11.14. | Smart A | Alex's Task | s | 481 |
| | 11.15. | Further | Reading | | 482 |
| 12 | Mixed | l Design | ANOVA (| GLM 5) | 483 |
| | 12.1. | What W | Vill This Cl | napter Tell Us? ② | 483 |
| | 12.2. | | | Women Look for in a Partner? ⁽²⁾ | 484 |
| | 12.3. | | ANOVA or | | 485 |
| | | 12.3.1. | The Main | Analysis [®] | 485 |
| | | 12.3.2. | Other Op | tions © | 488 |
| | 12.4. | | | Factorial ANOVA: Main Analysis ③ | 490 |
| | | | | t of Gender © | 491 |
| | | 12.4.2. | The Effect | t of Looks ② | 493 |
| | | | | t of Charisma 🛛 | 497 |
| | | 12.4.4. | The Intere | action between Gender and Looks © | 500 |
| | | | 12,4.4.1 | Looks \times Gender Interaction 1: Attractive vs. | |
| | | | | Average, Male vs. Female ② | 500 |
| | | | 12.4.4.2. | Looks \times Gender Interaction 2: Ugly vs. | |
| | | | | Average, Male vs. Female 2 | 501 |
| | | 12.4.5. | | action between Gender and Charisma © | 502 |
| | | | 12.4.5.1. | Charisma × Gender Interaction 1: High vs. | |
| | | | | Some Charisma, Male vs. Female ⁽²⁾ | 502 |
| | | | 12,4.5.2. | Charisma × Gender Interaction 2: Dullard vs. | |
| | | | | Some Charisma, Male vs. Female ⁽²⁾ | 503 |
| | | 12.4.6. | The Inter | action between Attractiveness and Charisma ${f \widehat{v}}$ | 503 |
| | | | 12.4.6.1. | Looks × Charisma Interaction 1: Attractive vs. | |
| | | | | Average, High Charisma vs. Some Charisma 🕲 | 505 |
| | | | 12.4.6.2. | Looks × Charisma Interaction 2: Attractive vs. | |
| | | | | Average, Dullard vs. Some Charisma 🕲 | 506 |
| | | | 12,4.6.3. | Looks × Charisma Interaction 3: Ugly vs. | |
| | | | | Average, High Charisma vs. Some Charisma ② | 506 |
| | | | 12.4.6.4. | Looks × Charisma Interaction 4: Ugly vs. | |
| | | | | Average, Dullard vs. Some Charisma ② | 507 |
| | | 12.4.7. | | action between Looks, | |
| | | | - | i and Gender ③ | 507 |
| | | | 12.4.7.1. | Looks \times Charisma \times Gender Interaction 1: | |
| | | | | Attractive vs. Average, High Charisma vs. | |
| | | | | Some Charisma, Male vs. Female 3 | 508 |
| | | | 12.4.7.2. | | |
| | | | | Attractive vs. Average, Dullard vs. | |
| | | | | Some Charisma, Male vs. Female 3 | 510 |

| | 12.4.7.3. Looks \times Charisma \times Gender Interaction | n 3: |
|--------|---|--------------|
| | Ugly vs. Average, High Charisma vs. | |
| | Some Charisma, Males vs. Females 3 | 511 |
| | 12.4.7.4. Looks × Charisma × Gender Interactio | n 4: |
| | Ugly vs. Average, Dullard vs. | |
| | Some Charisma, Male vs. Female ③ | 512 |
| | 12.4.8. Conclusions ③ | 513 |
| 12.5. | Calculating Effect Sizes ③ | 514 |
| 12.6. | - | 516 |
| 12.7. | 1 2 | 518 |
| 12.8. | | 519 |
| 12.9. | • | 519 |
| 12.10. | | 520 |
| Non-p | parametric Tests | 521 |
| - | What Will This Chapter Tell Us? ① | 521 |
| 13.2. | | |
| | Rank-Sum Test and Mann-Whitney Test ① | 522 |
| | 13.2.1. Theory [©] | 522 |
| | 13.2.2. Inputting Data and Provisional Analysis ① | 526 |
| | 13.2.3. Running the Analysis ① | 527 |
| | 13.2.4. Output from the Mann–Whitney Test ① | 530 |
| | 13.2.5. Calculating an Effect Size [®] | 531 |
| | 13.2.6. Writing the Results ⁽¹⁾ | 532 |
| 13.3. | - | |
| | Signed-Rank Test ① | 534 |
| | 13.3.1. Theory of Wilcoxon's Signed-Rank Test @ | 534 |
| | 13.3.2. Running the Analysis ① | 537 |
| | 13.3.3. Output for the Ecstasy Group ① | 538 |
| | 13.3.4. Output for the Alcohol Group ① | 540 |
| | 13.3.5. Calculating an Effect Size ⁽²⁾ | 541 |
| | 13.3.6. Writing and Interpreting the Results ① | 541 |
| 13.4. | . Differences between Several Independent Groups: | |
| | The Kruskal–Wallis Test ① | 542 |
| | 13.4.1. Theory of the Kruskal–Wallis Test [©] | 543 |
| | 13.4.2. Inputting Data and Provisional Analysis ① | 545 |
| | 13.4.3. Doing the Kruskal–Wallis Test on SPSS ① | 546 |
| | 13.4.4. Output from the Kruskal–Wallis Test ① | 548 |
| | 13.4.5. Post Hoc Tests for the Kruskal–Wallis Test @ | 550 |
| | 13.4.6. Testing for Trends: The Jonckheere–Terpstra Test | © 553 |
| | 13.4.7. Calculating an Effect Size 2 | 555 |
| | 13.4.8. Writing and Interpreting the Results ① | 556 |
| 13.5. | . Differences between Several Related Groups: Friedman's A | NOVA (1) 557 |
| | 13.5.1. Theory of Friedman's ANOVA 2 | 558 |
| | 13.5.2. Inputting Data and Provisional Analysis ① | 560 |

| | | 13.5.3. Doing Friedman's ANOVA on SPSS ① | 560 |
|----|-------|--|------------|
| | | 13.5.4. Output from Friedman's ANOVA ① | 562 |
| | | 13.5.5. Post Hoc Tests for Friedman's ANOVA @ | 563 |
| | | 13.5.6. Calculating an Effect Size [®] | 565 |
| | | 13.5.7. Writing and Interpreting the Results ① | 566 |
| | 13.6. | What Have We Discovered about Statistics? ① | 567 |
| | 13.7. | Key Terms that We've Discovered | 568 |
| | 13.8. | Smart Alex's Tasks | 568 |
| | 13.9. | Further Reading | 570 |
| 14 | Multi | variate Analysis of Variance (MANOVA) | 571 |
| | | What Will This Chapter tell Us? ⁽²⁾ | 571 |
| | | Introduction: Similarities and Differences to ANOVA @ | 572 |
| | | 14.2.1. Words of Warning ⁽²⁾ | 572 |
| | | 14.2.2. Current Controversies ⁽²⁾ | 573 |
| | | 14.2.3. The Example for this Chapter ⁽²⁾ | 574 |
| | 14.3. | Theory of MANOVA ③ | 575 |
| | | 14.3.1. Introduction to Matrices ③ | 575 |
| | | 14.3.2. Some Important Matrices and their Functions ③ | 577 |
| | | 14.3.3. Calculating MANOVA by Hand: A Worked Example ③ | 578 |
| | | 14.3.3.1. Univariate ANOVA for DV 1 (Actions) @ | 578 |
| | | 14.3.3.2. Univariate ANOVA for DV 2 (Thoughts) @ | 579 |
| | | 14.3.3.3. The Relationship between DVs: Cross-Products ② | 580 |
| | | 14.3.3.4. The Total SSCP Matrix (T) ③ | 584 |
| | | 14.3.3.5. The Residual SSCP Matrix (E) ③ | 585 |
| | | 14.3.3.6. The Model SSCP Matrix (H) ③ | 585 |
| | | 14.3.4. Principle of the MANOVA Test Statistic ④ | 586 |
| | | 14.3.4.1. Discriminant Function Variates ④ | 587 |
| | | 14.3.4.2. Pillai-Bartlett Trace (V) ④ | 590 |
| | | 14.3.4.3. Hotelling's T^2 ④ | 591 |
| | | 14.3.4.4. Wilks's Lambda (Λ) ④ | 591 |
| | | 14.3.4.5. Roy's Largest Root ④ | 592 |
| | 14.4. | Assumptions of MANOVA ③ | 592 |
| | | 14.4.1. Checking Assumptions ⁽³⁾ | 593 |
| | | 14.4.2. Choosing a Test Statistic ⁽³⁾ | 593 |
| | | 14.4.3. Follow-Up Analysis ③ | 594 |
| | 14.5, | MANOVA on SPSS ② | 595 |
| | | 14.5.1. The Main Analysis ⁽²⁾ | 595 595 |
| | | 14.5.2. Multiple Comparisons in MANOVA 2 | 596 |
| | 1.4.4 | 14,5.3. Additional Options ③ | 597 |
| | 14.0. | Output from MANOVA ③ | 598 |
| | | 14.6.1. Preliminary Analysis and Testing Assumptions ③ | 598 |
| | | 14.6.2. MANOVA Test Statistics ⁽³⁾ | 599 |
| | | 14.6.3. Univariate Test Statistics @ | 600 |

| | | 14.6.4. | SSCP Matrices 3 | 602 | |
|----|--|---------------------------------|--|------------|--|
| | | 14.6.5. | Contrasts 3 | 604 | |
| | 14.7 <i>.</i> | Followia | ng Up MANOVA with Discriminant Analysis ③ | 606 | |
| | 14.8. | | | | |
| | 14.9. Some Final Remarks @ | | | 614 | |
| | | 14.9.1. | The Final Interpretation ④ | 614 | |
| | | 14.9.2. | Univariate ANOVA or Discriminant Analysis? ③ | 615 | |
| | 14.10. What Have We discovered About Statistics? ② | | | 615 | |
| | | | ms that We've Discovered | 617 | |
| | 14.12. Smart Alex's Tasks | | | 617 | |
| | 14.13. | Further | Reading | 618 | |
| 15 | Exploratory Factor Analysis | | | | |
| | | | ill This Chapter Tell Us? 2 | 619 | |
| | 15.2. | • | | 620 | |
| | | 15.2.1. | Graphical Representation of Factors @ | 621 | |
| | | 15.2.2. | Mathematical Representation of Factors 2 | 623 | |
| | | 15.2.3. | Factor Scores @ | 625 | |
| | | | 15.2.3.1. The Regression Method ④ | 626 | |
| | | | 15.2.3.2. Other Methods ⁽²⁾ | 628 | |
| | | | 15.2.3.3. Uses of Factor Scores @ | 628 | |
| | 15.3. | Discove | ring Factors ② | 628 | |
| | | 15.3.1. | Choosing a Method [©] | 629 | |
| | | 15.3.2. | | 630 | |
| | | | Factor Analysis vs. Principal Component Analysis 🕲 | 630 | |
| | | | Theory behind Principal Component Analysis ③ | 631 | |
| | | | Factor Extraction: Eigenvalues and the Scree Plot ${f D}$ | 632 | |
| | | 15.3.6. | 1 0 1 | 634 | |
| | | | 15.3.6.1. Choosing a Method of Factor Rotation ③ | 636 | |
| | | | 15.3.6.2. Substantive Importance of Factor Loadings ⁽²⁾ | 637 | |
| | 15.4. | | h Example ② | 638 | |
| | | 15.4.1. | | 638 | |
| | | | 15.4.1.1. Sample Size ⁽²⁾ | 638 | |
| | | | 15.4.1.2. Data Screening ⁽²⁾ | 640 641 | |
| | 15.5. | | Running the Analysis ② | | |
| | | | Factor Extraction on SPSS © | 643 | |
| | | | Rotation ⁽²⁾ | 644 | |
| | | | Scores @ | 645 | |
| | | Options ⁽²⁾ | 646 | | |
| | 15.6. | Interpreting Output from SPSS @ | | 647 | |
| | | | Preliminary Analysis © | 647 | |
| | | | Factor Extraction @ | 652 | |
| | | 15.6.3. | Factor Rotation [©] | 659 | |

• .

•

: . .

| | 15.6.3.1. Orthogonal Rotation (Varimax) 2 | 659 | |
|-----------|--|------------|--|
| | 15.6.3.2. Oblique Rotation 2 | 660 | |
| | 15.6.4. Factor Scores 2 | 664 | |
| | 15.6.5. Summary ⁽²⁾ | 666 | |
| 15.7. | Reliability Analysis ② | 666 | |
| | 15.7.1. Measures of Reliability 3 | 666 | |
| | 15.7.2. Interpreting Cronbach's α | | |
| | (some cautionary tales) ② | 668 | |
| | 15.7.3. Reliability Analysis on SPSS © | 670 | |
| | 15.7.4. Interpreting the Output ⁽²⁾ | 672 | |
| 15.8. | What Have We Discovered about Statistics? 2 | 676 | |
| 15.9. | Key Terms that We've Discovered | 677 678 | |
| 15.10. | Smart Alex's Task | | |
| 15.11. | Further Reading | 679 | |
| 16 Catego | orical Data | 681 | |
| - | What Will This Chapter Tell Us? ① | 681 | |
| 16.2. | Theory of Analysing Categorical Data ① | 682 | |
| | 16.2.1. Pearson's Chi-Square Test ① | 682 | |
| | 16.2.2. The Likelihood Ratio [©] | 684 | |
| | 16.2.3. Yates's Correction @ | 685 | |
| 16.3. | Assumptions of the Chi-Square Test ① | 686 | |
| | Doing Chi-Square on SPSS ① | 686 | |
| | 16.4.1. Entering Data: Raw Scores ① | 686 | |
| | 16.4.2. Entering Data: Weight Cases ① | 687 | |
| | 16.4.3. Running the Analysis ① | 688 | |
| | 16.4.4. Output for the Chi-Square Test ① | 689 | |
| | 16.4.5. Calculating an Effect Size ⁽²⁾ | 693 | |
| | 16.4.6. Reporting the Results of Chi-Square D | 694 | |
| 16.5. | Several Categorical Variables: Log Linear Analysis ③ | 695 | |
| | 16.5.1. Chi-Square as Regression @ | 695 | |
| | 16.5.2. LogLinear Analysis ③ | 702 | |
| 16.6. | Assumptions in Loglinear Analysis ② | 705 | |
| 16.7. | Loglinear Analysis Using SPSS ⁽²⁾ | 705 | |
| | 16.7.1. Initial Considerations 2 | 705 | |
| | 16.7.2. The Loglinear Analysis ⁽²⁾ | 707 | |
| 16.8. | Output from Loglinear Analysis ③ | 709 | |
| 16.9. | Following up Loglinear Analysis 2 | 716 | |
| 16.10. | Effect Sizes in Loglinear Analysis @ | 717 | |
| 16.11. | Reporting the Results of Loglinear Analysis ⁽²⁾ | 718 | |
| 16.12. | What Have We Discovered about Statistics? ① | 719 | |
| 16.13. | Key Terms that We've Discovered | 719 719 | |
| 16.14. | | | |
| 16.15. | . Further Reading | | |

| 17 | Epilogue | | 721 |
|-----|----------|--|-----|
| | Glos | 723 | |
| | Арре | 751 | |
| | A.1. | Table of the Standard Normal Distribution | 751 |
| | A.2. | Critical Values of the t-Distribution | 755 |
| | A.3. | Critical Values of the F-Distribution | 756 |
| | A.4. | Critical Values of the Chi-Square Distribution | 760 |
| | A.5. | The Welch F-Test | 760 |
| | A.6. | Calculating Simple Effects | 760 |
| | A.7. | Jonckheere's Trend Test | 760 |
| | A.8. | Chapter 14 | 761 |
| | A.9. | Calculation of Factor Score Coefficients | 761 |
| Re | ferenc | 762 | |
| Inc | 771 | | |