

# **Handbook of Machine and Computer Vision**

The Guide for Developers and Users

*Edited by Alexander Hornberg*

*Second, Revised and Updated Edition*

**WILEY-VCH**

## Contents

**Preface Second Edition** *xxiii*

**Preface First Edition** *xxv*

**List of Contributors** *xxvii*

<b>1</b>	<b>Processing of Information in the Human Visual System</b>	<b>1</b>
	<i>Frank Schaeffel</i>	
1.1	Preface	1
1.2	Design and Structure of the Eye	1
1.3	Optical Aberrations and Consequences for Visual Performance	3
1.4	Chromatic Aberration	10
1.5	Neural Adaptation to Monochromatic Aberrations	11
1.6	Optimizing Retinal Processing with Limited Cell Numbers, Space, and Energy	11
1.7	Adaptation to Different Light Levels	12
1.8	Rod and Cone Responses	14
1.9	Spiking and Coding	16
1.10	Temporal and Spatial Performance	17
1.11	ON/OFF Structure, Division of the Whole Illuminance Amplitude	18
1.12	Consequences of the Rod and Cone Diversity on Retinal Wiring	18
1.13	Motion Sensitivity in the Retina	19
1.14	Visual Information Processing in Higher Centers	20
1.14.1	Morphology	21
1.14.2	Functional Aspects – Receptive Field Structures and Cortical Modules	22
1.15	Effects of Attention	23
1.16	Color Vision, Color Constancy, and Color Contrast	23
1.17	Depth Perception	25
1.18	Adaptation in the Visual System to Color, Spatial, and Temporal Contrast	26
1.19	Conclusions	26
	Acknowledgements	28
	References	28

<b>2</b>	<b>Introduction to Building a Machine Vision Inspection</b>	<b>31</b>
	<i>Axel Telljohann</i>	
2.1	Preface	31
2.2	Specifying a Machine Vision System	32
2.2.1	Task and Benefit	32
2.2.2	Parts	33
2.2.2.1	Different Part Types	33
2.2.3	Part Presentation	33
2.2.4	Performance Requirements	34
2.2.4.1	Accuracy	34
2.2.4.2	Time Performance	34
2.2.5	Information Interfaces	34
2.2.6	Installation Space	35
2.2.7	Environment	35
2.2.8	Checklist	35
2.3	Designing a Machine Vision System	36
2.3.1	Camera Type	36
2.3.2	Field of View	37
2.3.3	Resolution	38
2.3.3.1	Camera Sensor Resolution	38
2.3.3.2	Spatial Resolution	38
2.3.3.3	Measurement Accuracy	38
2.3.3.4	Calculation of Resolution	39
2.3.3.5	Resolution for a Line Scan Camera	39
2.3.4	Choice of Camera, Frame Grabber, and Hardware Platform	40
2.3.4.1	Camera Model	40
2.3.4.2	Frame Grabber	40
2.3.4.3	Pixel Rate	40
2.3.4.4	Hardware Platform	41
2.3.5	Lens Design	41
2.3.5.1	Focal Length	42
2.3.5.2	Lens Flange Focal Distance	43
2.3.5.3	Extension Tubes	43
2.3.5.4	Lens Diameter and Sensor Size	43
2.3.5.5	Sensor Resolution and Lens Quality	43
2.3.6	Choice of Illumination	44
2.3.6.1	Concept: Maximize Contrast	44
2.3.6.2	Illumination Setups	44
2.3.6.3	Light Sources	45
2.3.6.4	Approach to the Optimum Setup	45
2.3.6.5	Interfering Lighting	46
2.3.7	Mechanical Design	46
2.3.8	Electrical Design	46
2.3.9	Software	46
2.3.9.1	Software Library	47
2.3.9.2	Software Structure	47
2.3.9.3	General Topics	48
2.4	Costs	48

2.5	Words on Project Realization	49
2.5.1	Development and Installation	49
2.5.2	Test Run and Acceptance Test	49
2.5.3	Training and Documentation	50
2.6	Examples	50
2.6.1	Diameter Inspection of Rivets	50
2.6.1.1	Task	50
2.6.1.2	Specification	51
2.6.1.3	Design	51
2.6.2	Tubing Inspection	55
2.6.2.1	Task	55
2.6.2.2	Specification	55
2.6.2.3	Design	56
<b>3</b>	<b>Lighting in Machine Vision</b>	<b>63</b>
	<i>Irmgard Jahr</i>	
3.1	Introduction	63
3.1.1	Prologue	63
3.1.2	The Involvement of Lighting in the Complex Machine Vision Solution	63
3.2	Demands on Machine Vision lighting	67
3.3	Light used in Machine Vision	70
3.3.1	What is Light? Axioms of Light	70
3.3.2	Light and Light Perception	73
3.3.3	Light Sources for Machine Vision	76
3.3.3.1	Incandescent Lamps/Halogen Lamps	77
3.3.3.2	Metal Vapor Lamps	78
3.3.3.3	Xenon Lamps	79
3.3.3.4	Fluorescent Lamps	81
3.3.3.5	LEDs (Light Emitting Diodes)	82
3.3.3.6	Lasers	85
3.3.4	The Light Sources in Comparison	86
3.3.5	Considerations for Light Sources: Lifetime, Aging, Drift	86
3.3.5.1	Lifetime	86
3.3.5.2	Aging and Drift	88
3.4	Interaction of Test Object and Light	91
3.4.1	Risk Factor Test Object	91
3.4.1.1	What Does the Test Object do With the Incoming Light?	92
3.4.1.2	Reflection/Reflectance/Scattering	92
3.4.1.3	Total Reflection	95
3.4.1.4	Transmission/Transmittance	96
3.4.1.5	Absorption/Absorbance	97
3.4.1.6	Diffraction	99
3.4.1.7	Refraction	100
3.4.2	Light Color and Part Color	101
3.4.2.1	Visible Light (VIS) – Monochromatic Light	101
3.4.2.2	Visible Light (VIS) – White Light	103
3.4.2.3	Infrared Light (IR)	104
3.4.2.4	Ultraviolet (UV) Light	106

3.4.2.5	Polarized Light	107
3.5	Basic Rules and Laws of Light Distribution	109
3.5.1	Basic Physical Quantities of Light	110
3.5.2	The Photometric Inverse Square Law	111
3.5.3	The Constancy of Luminance	113
3.5.4	What Light Arrives at the Sensor – Light Transmission Through the Lens	114
3.5.5	Light Distribution of Lighting Components	115
3.5.6	Contrast	118
3.5.7	Exposure	120
3.6	Light Filters	121
3.6.1	Characteristic Values of Light Filters	121
3.6.2	Influences of Light Filters on the Optical Path	123
3.6.3	Types of Light Filters	124
3.6.4	Anti-Reflective Coatings (AR)	126
3.6.5	Light Filters for Machine Vision	127
3.6.5.1	UV Blocking Filter	127
3.6.5.2	Daylight Suppression Filter	128
3.6.5.3	IR Suppression Filter	128
3.6.5.4	Neutral Filter/Neutral Density Filter/Gray Filter	129
3.6.5.5	Polarization Filter	130
3.6.5.6	Color Filters	130
3.6.5.7	Filter Combinations	131
3.7	Lighting Techniques and Their Use	131
3.7.1	How to Find a Suitable Lighting?	131
3.7.2	Planning the Lighting Solution – Influence Factors	133
3.7.3	Lighting Systematics	135
3.7.3.1	Directional Properties of the Light	135
3.7.3.2	Arrangement of the Lighting	138
3.7.3.3	Properties of the Illuminated Field	138
3.7.4	The Lighting Techniques in Detail	140
3.7.4.1	Diffuse Bright Field Incident Light (No. 1, Table 3.14)	140
3.7.4.2	Directed Bright Field Incident Light (No. 2, Table 3.14)	142
3.7.4.3	Telecentric Bright Field Incident Light (No. 3, Table 3.14)	143
3.7.4.4	Structured Bright Field Incident Light (No. 4, Table 3.14)	145
3.7.4.5	Diffuse Directed Partial Bright Field Incident Light (Nos. 1 and 2, Table 3.14)	148
3.7.4.6	Diffuse/Directed Dark Field Incident Light (Nos. 5 and 6, Table 3.14)	152
3.7.4.7	The Limits of the Incident Lighting	154
3.7.4.8	Diffuse Bright Field Transmitted Lighting (No. 7, Table 3.14)	155
3.7.4.9	Directed Bright Field Transmitted Lighting (No. 8, Table 3.14)	157
3.7.4.10	Telecentric Bright Field Transmitted Lighting (No. 9, Table 3.14)	158
3.7.4.11	Diffuse/Directed Transmitted Dark Field Lighting (Nos. 10 and 11, Table 3.14)	161
3.7.5	Combined Lighting Techniques	162
3.8	Lighting Control	163

- 3.8.1 Reasons for Light Control – The Environmental Industrial Conditions 164
- 3.8.2 Electrical Control 164
  - 3.8.2.1 Stable Operation 164
  - 3.8.2.2 Brightness Control 166
  - 3.8.2.3 Temporal Control: Static-Pulse-Flash 167
  - 3.8.2.4 Some Considerations for the Use of Flash Light 168
  - 3.8.2.5 Temporal and Local Control: Adaptive Lighting 171
- 3.8.3 Geometrical Control 173
  - 3.8.3.1 Lighting from Large Distances 173
  - 3.8.3.2 Light Deflection 175
- 3.8.4 Suppression of Ambient and Extraneous Light – Measures for a Stable Lighting 175
- 3.9 Lighting Perspectives for the Future 176
  - References 177
- 4 Optical Systems in Machine Vision 179**
  - Karl Lenhardt*
  - 4.1 A Look at the Foundations of Geometrical Optics 179
    - 4.1.1 From Electrodynamics to Light Rays 179
    - 4.1.2 Basic Laws of Geometrical Optics 181
  - 4.2 Gaussian Optics 183
    - 4.2.1 Reflection and Refraction at the Boundary between two Media 183
    - 4.2.2 Linearizing the Law of Refraction – The Paraxial Approximation 185
    - 4.2.3 Basic Optical Conventions 186
      - 4.2.3.1 Definitions for Image Orientations 186
      - 4.2.3.2 Definition of the Magnification Ratio  $\beta$  186
      - 4.2.3.3 Real and Virtual Objects and Images 187
      - 4.2.3.4 *Tilt Rule* for the Evaluation of Image Orientations by Reflection 188
    - 4.2.4 Cardinal Elements of a Lens in Gaussian Optics 189
      - 4.2.4.1 Focal Lengths  $f$  and  $f'$  192
      - 4.2.4.2 Convention 192
    - 4.2.5 Thin Lens Approximation 193
    - 4.2.6 Beam-Converging and Beam-Diverging Lenses 193
    - 4.2.7 Graphical Image Constructions 195
      - 4.2.7.1 Beam-Converging Lenses 195
      - 4.2.7.2 Beam-Diverging Lenses 195
    - 4.2.8 Imaging Equations and Their Related Coordinate Systems 195
      - 4.2.8.1 Reciprocity Equation 196
      - 4.2.8.2 Newton's Equations 197
      - 4.2.8.3 General Imaging Equation 198
      - 4.2.8.4 Axial Magnification Ratio 200
    - 4.2.9 Overlapping of Object and Image Space 200
    - 4.2.10 Focal Length, Lateral Magnification, and the Field of View 200
    - 4.2.11 Systems of Lenses 202
    - 4.2.12 Consequences of the Finite Extension of Ray Pencils 205

- 4.2.12.1 Effects of Limitations of the Ray Pencils 205
- 4.2.12.2 Several Limiting Openings 207
- 4.2.12.3 Characterizing the Limits of Ray Pencils 210
- 4.2.12.4 Relation to the Linear Camera Model 212
- 4.2.13 Geometrical Depth of Field and Depth of Focus 214
- 4.2.13.1 Depth of Field as a Function of the Object Distance  $p$  215
- 4.2.13.2 Depth of Field as a Function of  $\beta$  216
- 4.2.13.3 Hyperfocal Distance 217
- 4.2.13.4 Permissible Size for the Circle of Confusion  $d'$  218
- 4.2.14 Laws of Central Projection—Telecentric System 219
- 4.2.14.1 Introduction to the Laws of Perspective 219
- 4.2.14.2 Central Projection from Infinity – Telecentric Perspective 228
- 4.3 Wave Nature of Light 235
- 4.3.1 Introduction 235
- 4.3.2 Rayleigh–Sommerfeld Diffraction Integral 236
- 4.3.3 Further Approximations to the Huygens–Fresnel Principle 238
- 4.3.3.1 Fresnel's Approximation 239
- 4.3.4 Impulse Response of an Aberration-Free Optical System 241
- 4.3.4.1 Case of Circular Aperture, Object Point on the Optical Axis 243
- 4.3.5 Intensity Distribution in the Neighborhood of the Geometrical Focus 244
- 4.3.5.1 Special Cases 246
- 4.3.6 Extension of the Point Spread Function in a Defocused Image Plane 248
- 4.3.7 Consequences for the Depth of Field Considerations 249
- 4.3.7.1 Diffraction and Permissible Circle of Confusion 249
- 4.3.7.2 Extension of the Point Spread Function at the Limits of the Depth of Focus 250
- 4.3.7.3 Useful Effective  $f$ -Number 251
- 4.4 Information Theoretical Treatment of Image Transfer and Storage 252
- 4.4.1 Physical Systems as Linear Invariant Filters 252
- 4.4.1.1 Invariant Linear Systems 255
- 4.4.1.2 Note to the Representation of Harmonic Waves 259
- 4.4.2 Optical Transfer Function (OTF) and the Meaning of Spatial Frequency 260
- 4.4.2.1 Note on the Relation Between the Elementary Functions in the Two Representation Domains 261
- 4.4.3 Extension to the Two-Dimensional Case 261
- 4.4.3.1 Interpretation of Spatial Frequency Components  $(r, s)$  261
- 4.4.3.2 Reduction to One-Dimensional Representations 262
- 4.4.4 Impulse Response and MTF for Semiconductor Imaging Devices 265
- 4.4.5 Transmission Chain 267
- 4.4.6 Aliasing Effect and the Space-Variant Nature of Aliasing 267
- 4.4.6.1 Space-Variant Nature of Aliasing 274
- 4.5 Criteria for Image Quality 277

- 4.5.1 Gaussian Data 277
- 4.5.2 Overview on Aberrations of the Third Order 277
- 4.5.2.1 Monochromatic Aberrations of the Third Order (Seidel Aberrations) 278
- 4.5.2.2 Chromatic Aberrations 278
- 4.5.3 Image Quality in the Space Domain: PSF, LSF, ESF, and Distortion 278
- 4.5.3.1 Distortion 280
- 4.5.4 Image Quality in the Spatial Frequency Domain: MTF 281
- 4.5.4.1 Parameters that Influence the Modulation Transfer Function 282
- 4.5.5 Other Image Quality Parameters 283
- 4.5.5.1 Relative Illumination (Relative Irradiance) 283
- 4.5.5.2 Deviation from Telecentricity (for Telecentric Lenses only) 284
- 4.5.6 Manufacturing Tolerances and Image Quality 284
- 4.5.6.1 Measurement Errors due to Mechanical Inaccuracies of the Camera System 285
- 4.6 Practical Aspects: How to Specify Optics According to the Application Requirements? 285
- 4.6.1 Example for the Calculation of an Imaging Constellation 287
- References 289
- 5 Camera Calibration 291**
- Robert Godding*
- 5.1 Introduction 291
- 5.2 Terminology 292
- 5.2.1 Camera, Camera System 292
- 5.2.2 Coordinate Systems 292
- 5.2.3 Interior Orientation and Calibration 293
- 5.2.4 Exterior and Relative Orientation 293
- 5.2.5 System Calibration 293
- 5.3 Physical Effects 293
- 5.3.1 Optical System 293
- 5.3.2 Camera and Sensor Stability 294
- 5.3.3 Signal Processing and Transfer 294
- 5.4 Mathematical Calibration Model 295
- 5.4.1 Central Projection 295
- 5.4.2 Camera Model 295
- 5.4.3 Focal Length and Principal Point 297
- 5.4.4 Distortion and Affinity 297
- 5.4.5 Radial Symmetrical Distortion 297
- 5.4.6 Radial Asymmetrical and Tangential Distortion 299
- 5.4.7 Affinity and Nonorthogonality 299
- 5.4.8 Variant Camera Parameters 299
- 5.4.9 Sensor Flatness 301
- 5.4.10 Other Parameters 301
- 5.5 Calibration and Orientation Techniques 302
- 5.5.1 In the Laboratory 302



5.5.2	Using Bundle Adjustment to Determine Camera Parameters	302
5.5.2.1	Calibration Based Exclusively on Image Information	302
5.5.2.2	Calibration and Orientation with Additional Object Information	304
5.5.2.3	Extended System Calibration	307
5.5.3	Other Techniques	307
5.6	Verification of Calibration Results	308
5.7	Applications	309
5.7.1	Applications with Simultaneous Calibration	309
5.7.2	Applications with Precalibrated Cameras	311
5.7.2.1	Tube Measurement within a Measurement Cell	311
5.7.2.2	Online Measurements in the Field of Car Safety	312
5.7.2.3	High Resolution 3D Scanning with White Light Scanners	312
5.7.2.4	Other Applications	313
	References	314
<b>6</b>	<b>Camera Systems in Machine Vision</b>	<b>317</b>
	<i>Horst Mattfeldt</i>	
6.1	Camera Technology	317
6.1.1	History in Brief	317
6.1.2	Machine Vision versus Closed Circuit TeleVision (CCTV)	317
6.2	Sensor Technologies	319
6.2.1	Spatial Differentiation: 1D and 2D	319
6.2.2	CCD Technology	320
6.2.2.1	Interline Transfer	321
6.2.2.2	Progressive Scan Interline Transfer	321
6.2.2.3	Interlaced Scan Readout	322
6.2.2.4	Enhancing Frame Rate by Multitap Sensors	324
6.2.2.5	SONY HAD Technology	325
6.2.2.6	SONY SuperHAD (II) and ExViewHAD (II) Technology	325
6.2.2.7	CCD Image Artifacts	326
6.2.2.8	Blooming	326
6.2.2.9	Smear	326
6.2.3	CMOS Image Sensor	328
6.2.3.1	Advantages of CMOS Sensor	328
6.2.3.2	CMOS Sensor Shutter Concepts	331
6.2.3.3	Performance Comparison of CMOS versus CCD	336
6.2.3.4	Integration Complexity of CCD versus CMOS Camera Technology	336
6.2.3.5	CMOS Sensor Sensitivity Enhancements	337
6.2.4	MATRIX VISION Available Cameras	338
6.2.4.1	Why So Many Different Models? How to Choose Among These?	338
6.2.4.2	Resolution and Video Standards	338
6.2.4.3	Sensor Sizes and Dimensions	344
6.3	Block Diagrams and Their Description	344
6.3.1	Block Diagram of SONY Progressive Scan Analog Camera	345

- 6.3.1.1 CCD Read Out Clocks 345
- 6.3.1.2 CCD Binning Mode 345
- 6.3.1.3 Spectral Sensitivity 348
- 6.3.1.4 Analog Signal Processing 348
- 6.3.1.5 Camera and Frame Grabber 350
- 6.3.2 Block Diagram of Color Camera with Digital Image Processing 350
- 6.3.2.1 Bayer™ Complementary Color Filter Array 351
- 6.3.2.2 Complementary Color Filters Spectral Sensitivity 351
- 6.3.2.3 Generation of Color Signals 351
- 6.4 mvBlueCOUGAR-X Line of Cameras 354
- 6.4.1 Black and White Digital Camera mvBlueCOUGAR-X Camera Series 355
- 6.4.1.1 Gray Level Sensor and Processing 355
- 6.4.2 Color Camera mvBlueCOUGAR-X Family 356
- 6.4.2.1 Analog Processing 356
- 6.4.2.2 Analog Front End (AFE) 357
- 6.4.2.3 A/D Conversion 357
- 6.4.2.4 One-Chip Color Processing 359
- 6.4.2.5 Inputting Time Stamp Data into Data Stream 361
- 6.4.2.6 Statistics Engine for White Balance and Auto Features 361
- 6.4.2.7 Image Memory 361
- 6.4.2.8 Lookup Table (LUT) and Gamma Function 362
- 6.4.2.9 Shading Correction 365
- 6.4.2.10 Reducing Noise by Adaptive Recursive Frame Averaging 366
- 6.4.2.11 Color Interpolation 367
- 6.4.2.12 Color Correction 368
- 6.4.2.13 RGB → YUV Conversion 370
- 6.4.3 Controlling Image Capture 371
- 6.4.4 Acquisition and Trigger Modes 371
- 6.4.4.1 Sequencer 374
- 6.4.4.2 Latency and Jitter Aspects 375
- 6.4.4.3 Action Commands 375
- 6.4.4.4 Scheduled Action Command 377
- 6.4.5 Data Transmission 377
- 6.4.5.1 GigE Vision and GVSP 378
- 6.4.5.2 USB3 Vision 380
- 6.4.6 Pixel Data 380
- 6.4.7 Camera Connection 381
- 6.4.8 Operating the Camera 381
- 6.4.9 HiRose Jack Pin Assignment 382
- 6.4.10 Sensor Frame Rates and Bandwidth 382
- 6.5 Configuration of a GigE Vision Camera 384
- 6.6 Qualifying Cameras and Noise Measurement (Dr. Gert Ferraro MV) 386
- 6.6.1 Explanation of the Most Important Measurements 388
- 6.6.1.1 Linearity Curve 388
- 6.6.1.2 Photon Transfer Curve 388

6.7	Camera Noise (by Henning Haider AVT, Updated by Author)	391
6.7.1	Photon Noise	391
6.7.2	Dark Current Noise	391
6.7.3	Fixed Pattern Noise (FPN)	392
6.7.4	Photo Response Non Uniformity (PRNU)	392
6.7.5	Reset Noise	392
6.7.6	1/f Noise (Amplifier Noise)	392
6.7.7	Quantization Noise	392
6.7.8	Noise Floor	393
6.7.9	Dynamic Range	393
6.7.10	Signal to Noise Ratio	393
6.7.11	Example 1: SONY IMX-174 Sensor (mvBlueFOX3-2024)	394
6.7.12	Example 2: CMOSIS CMV2000 (mvBlueCOUGAR-X104)	394
6.8	Useful Links and Literature	394
6.9	Digital Interfaces	395
<b>7</b>	<b>Smart Camera and Vision Systems Design</b>	<b>399</b>
	<i>Howard D. Gray and Nate Holmes</i>	
7.1	Introduction to Vision System Design	399
7.2	Definitions	400
7.3	Smart Cameras	403
7.3.1	Applications	403
7.3.2	Component Parts	404
7.3.2.1	Processors	404
7.3.2.2	FPGA Processing	406
7.3.2.3	Memory and Storage	407
7.3.2.4	Operating Systems	408
7.3.2.5	Image Sensors	409
7.3.2.6	Inputs and Outputs	410
7.3.2.7	Other Interfaces	412
7.3.2.8	Timers and Counters	413
7.3.3	Programming and Configuring	413
7.3.3.1	Scripting	413
7.3.3.2	High-Level Languages	414
7.3.3.3	Third-Party Tools	416
7.3.4	Environment	416
7.3.4.1	Power Dissipation	416
7.3.4.2	Ingress Protection	417
7.4	Vision Sensors	418
7.4.1	Applications	419
7.4.2	Component Parts	420
7.4.3	Programming and Configuring	420
7.4.4	Environment	421
7.5	Embedded Vision Systems	421
7.5.1	Applications	424
7.5.1.1	Multi-Camera Applications	424

- 7.5.1.2 Closed Loop Control Applications 424
- 7.5.2 Component Parts 425
- 7.5.3 Programming and Configuring 425
- 7.5.4 Environment 425
- 7.6 Conclusion 425
- References 426
- Further Reading 429
  
- 8 Camera Computer Interfaces 431**  
*Nate Holmes*
- 8.1 Overview 431
- 8.2 Camera Buses 432
- 8.2.1 Software Standards 433
- 8.2.1.1 GenICam 433
- 8.2.1.2 IIDC2 434
- 8.2.2 Analog Camera Buses (Legacy) 435
- 8.2.2.1 Analog Video Signal 436
- 8.2.2.2 Interlaced Video 436
- 8.2.2.3 Progressive Scan Video 436
- 8.2.2.4 Timing Signals 437
- 8.2.2.5 Analog Image Acquisition 437
- 8.2.2.6 S-Video 438
- 8.2.2.7 RGB 438
- 8.2.2.8 Analog Connectors 439
- 8.2.3 Parallel Digital Camera Buses (Legacy) 439
- 8.2.3.1 Digital Video Transmission 439
- 8.2.3.2 Taps 440
- 8.2.3.3 Differential Signaling 441
- 8.2.3.4 Line Scan 441
- 8.2.3.5 Parallel Digital Connectors 441
- 8.2.4 IEEE 1394 (FireWire) (Legacy) 442
- 8.2.4.1 IEEE 1394 for Machine Vision 445
- 8.2.5 Camera Link 449
- 8.2.5.1 Camera Link Signals 450
- 8.2.5.2 Camera Link Connectors 451
- 8.2.6 Camera Link HS 451
- 8.2.7 CoaXPress 452
- 8.2.8 USB (USB3 Vision) 452
- 8.2.8.1 USB for Machine Vision 454
- 8.2.9 Gigabit Ethernet (GigE Vision) 455
- 8.2.9.1 Gigabit Ethernet for Machine Vision 456
- 8.2.9.2 GigE Vision Device Discovery 456
- 8.2.9.3 GigE Vision Control Protocol (GVCP) 456
- 8.2.9.4 GenICam 457
- 8.2.9.5 GigE Vision Stream Protocol (GVSP) 457
- 8.2.9.6 Packet Loss and Resends 457
- 8.2.10 Future Standards Development 458

- 8.3 Choosing a Camera Bus 459
  - 8.3.1 Bandwidth 459
  - 8.3.2 Resolution 459
  - 8.3.3 Frame Rate 460
  - 8.3.4 Cables 460
  - 8.3.5 Line Scan 460
  - 8.3.6 Reliability 460
  - 8.3.7 Summary of Camera Bus Specifications 461
  - 8.3.8 Sample Use Cases 461
    - 8.3.8.1 Manufacturing Inspection 461
    - 8.3.8.2 LCD Inspection 462
    - 8.3.8.3 Security 463
- 8.4 Computer Buses 463
  - 8.4.1 ISA/EISA 463
  - 8.4.2 PCI/CompactPCI/PXI 464
  - 8.4.3 PCI-X 466
  - 8.4.4 PCI Express/CompactPCI Express/PXI Express 467
  - 8.4.5 Throughput 469
  - 8.4.6 Prevalence and Lifetime 471
    - 8.4.6.1 Cost 471
- 8.5 Choosing a Computer Bus 471
  - 8.5.1 Determine Throughput Requirements 471
  - 8.5.2 Applying the Throughput Requirements 473
- 8.6 Driver Software 473
  - 8.6.1 Application Programming Interface 475
  - 8.6.2 Supported Platforms 477
  - 8.6.3 Performance 477
  - 8.6.4 Utility Functions 478
  - 8.6.5 Acquisition Mode 479
    - 8.6.5.1 Snap 479
    - 8.6.5.2 Grab 479
    - 8.6.5.3 Sequence 480
    - 8.6.5.4 Ring 481
  - 8.6.6 Image Representation 482
    - 8.6.6.1 Image Representation in Memory 482
    - 8.6.7 Bayer Color Encoding 485
      - 8.6.7.1 Image Representation on Disk 487
    - 8.6.8 Image Display 487
      - 8.6.8.1 Understanding Display Modes 488
      - 8.6.8.2 Palettes 489
      - 8.6.8.3 Nondestructive Overlays 490
- 8.7 Features of a Machine Vision System 491
  - 8.7.1 Image Reconstruction 491
  - 8.7.2 Timing and Triggering 492
  - 8.7.3 Memory Handling 494
  - 8.7.4 Additional Features 496
    - 8.7.4.1 Look-Up Tables 497

8.7.4.2	Region of Interest	499
8.7.4.3	Color Space Conversion	499
8.7.4.4	Shading Correction	501
8.8	Summary	501
	References	502
<b>9</b>	<b>Machine Vision Algorithms</b>	<b>505</b>
	<i>Carsten Steger</i>	
9.1	Fundamental Data Structures	505
9.1.1	Images	505
9.1.2	Regions	506
9.1.3	Subpixel-Precise Contours	508
9.2	Image Enhancement	509
9.2.1	Gray Value Transformations	509
9.2.2	Radiometric Calibration	512
9.2.3	Image Smoothing	517
9.2.4	Fourier Transform	528
9.3	Geometric Transformations	532
9.3.1	Affine Transformations	532
9.3.2	Projective Transformations	533
9.3.3	Image Transformations	534
9.3.4	Polar Transformations	538
9.4	Image Segmentation	540
9.4.1	Thresholding	540
9.4.2	Extraction of Connected Components	548
9.4.3	Subpixel-Precise Thresholding	550
9.5	Feature Extraction	552
9.5.1	Region Features	552
9.5.2	Gray Value Features	556
9.5.3	Contour Features	559
9.6	Morphology	560
9.6.1	Region Morphology	561
9.6.2	Gray Value Morphology	575
9.7	Edge Extraction	579
9.7.1	Definition of Edges in One and Two Dimensions	579
9.7.2	1D Edge Extraction	583
9.7.3	2D Edge Extraction	589
9.7.4	Accuracy of Edges	596
9.8	Segmentation and Fitting of Geometric Primitives	602
9.8.1	Fitting Lines	603
9.8.2	Fitting Circles	607
9.8.3	Fitting Ellipses	608
9.8.4	Segmentation of Contours into Lines, Circles, and Ellipses	609
9.9	Camera Calibration	613
9.9.1	Camera Models for Area Scan Cameras	614
9.9.2	Camera Model for Line Scan Cameras	618
9.9.3	Calibration Process	622

- 9.9.4 World Coordinates from Single Images 626
- 9.9.5 Accuracy of the Camera Parameters 629
- 9.10 Stereo Reconstruction 631
- 9.10.1 Stereo Geometry 632
- 9.10.2 Stereo Matching 639
- 9.11 Template Matching 643
- 9.11.1 Gray-Value-Based Template Matching 644
- 9.11.2 Matching Using Image Pyramids 649
- 9.11.3 Subpixel-Accurate Gray-Value-Based Matching 652
- 9.11.4 Template Matching with Rotations and Scalings 653
- 9.11.5 Robust Template Matching 654
- 9.12 Optical Character Recognition 672
- 9.12.1 Character Segmentation 672
- 9.12.2 Feature Extraction 674
- 9.12.3 Classification 676
- References 690
  
- 10 Machine Vision in Manufacturing 699**  
*Peter Waszkewitz*
- 10.1 Introduction 699
- 10.1.1 The Machine Vision Market 699
- 10.2 Application Categories 701
- 10.2.1 Types of Tasks 701
- 10.2.2 Types of Production 703
- 10.2.2.1 Discrete Unit Production Versus Continuous Flow 703
- 10.2.2.2 Job-Shop Production Versus Mass Production 704
- 10.2.3 Types of Evaluations 704
- 10.2.4 Value-Adding Machine Vision 705
- 10.3 System Categories 706
- 10.3.1 Common Types of Systems 707
- 10.3.2 Sensors 707
- 10.3.3 Vision Sensors 708
- 10.3.4 Compact Systems 709
- 10.3.5 Vision Controllers 710
- 10.3.6 PC-Based Systems 710
- 10.3.6.1 Library-Based Systems 711
- 10.3.6.2 Application-Package-Based Systems 712
- 10.3.6.3 Library-Based Application Packages 713
- 10.3.7 Excursion: Embedded Image Processing 713
- 10.3.8 Summary 714
- 10.4 Integration and Interfaces 715
- 10.4.1 Standardization 715
- 10.4.2 Interfaces 716
- 10.5 Mechanical Interfaces 716
- 10.5.1 Dimensions and Fixation 717
- 10.5.2 Working Distances 718
- 10.5.3 Position Tolerances 718

- 10.5.4 Forced Constraints 719
- 10.5.5 Additional Sensor Requirements 719
- 10.5.6 Additional Motion Requirements 720
- 10.5.7 Environmental Conditions 721
- 10.5.8 Reproducibility 722
- 10.5.9 Gauge Capability 723
- 10.6 Electrical Interfaces 725
  - 10.6.1 Wiring and Movement 726
  - 10.6.2 Power Supply 726
  - 10.6.3 Internal Data Connections 727
  - 10.6.4 External Data Connections 729
- 10.7 Information Interfaces 729
  - 10.7.1 Interfaces and Standardization 730
  - 10.7.2 Traceability 730
  - 10.7.3 Types of Data and Data Transport 731
  - 10.7.4 Control Signals 731
  - 10.7.5 Result and Parameter Data 732
  - 10.7.6 Mass Data 733
  - 10.7.7 Digital I/O 733
  - 10.7.8 Field Bus 733
  - 10.7.9 Serial Interfaces 734
  - 10.7.10 Network 734
    - 10.7.10.1 Standard Ethernet–TCP/IP 734
    - 10.7.10.2 OPC UA and Industry 4.0 735
    - 10.7.10.3 Ethernet-Based Field Bus/Real-Time Ethernet 735
  - 10.7.11 Files 736
  - 10.7.12 Time and Integrity Considerations 736
- 10.8 Temporal Interfaces 738
  - 10.8.1 Discrete Motion Production 738
  - 10.8.2 Continuous Motion Production 740
  - 10.8.3 Line-Scan Processing 743
- 10.9 Human–Machine Interfaces 745
  - 10.9.1 Interfaces for Engineering Vision Systems 746
  - 10.9.2 Runtime Interface 747
    - 10.9.2.1 Using the PLC HMI for Machine Vision 749
  - 10.9.3 Remote Maintenance 750
    - 10.9.3.1 Safety Precaution: No Movements 751
- 10.9.4 Offline Setup 751
- 10.10 3D Systems 753
  - 10.10.1 Dimensionality and Representation 753
    - 10.10.1.1 Dimensionality 753
    - 10.10.1.2 2.5D and 3D 754
    - 10.10.1.3 Point Clouds and Registration 755
    - 10.10.1.4 Representation 757
  - 10.10.2 3D Data Acquisition 757
    - 10.10.2.1 Passive Methods 758
    - 10.10.2.2 Active Methods 759



10.10.3	Applications	764
10.10.3.1	Identification	765
10.10.3.2	Completeness Check	765
10.10.3.3	Object and Pose Recognition	766
10.10.3.4	Shape and Dimension Applications	767
10.10.3.5	Surface Inspection	769
10.10.3.6	Robotics	770
10.10.4	Conclusion	771
10.11	Industrial Case Studies	772
10.11.1	Glue Check Under UV Light	772
10.11.1.1	Task	772
10.11.1.2	Solution	773
10.11.1.3	Equipment	773
10.11.1.4	Algorithms	774
10.11.1.5	Key Points	774
10.11.2	Completeness Check	774
10.11.2.1	Task	774
10.11.2.2	Solution	774
10.11.2.3	Key Point: Mechanical Setup	775
10.11.2.4	Equipment	775
10.11.2.5	Algorithms	775
10.11.3	Multiple Position and Completeness Check	776
10.11.3.1	Task	776
10.11.3.2	Solution	776
10.11.3.3	Key Point: Cycle Time	778
10.11.3.4	Equipment	778
10.11.3.5	Algorithms	779
10.11.4	Pin-Type Verification	779
10.11.4.1	Task	779
10.11.4.2	Solution	779
10.11.4.3	Key Point: Self-Test	781
10.11.4.4	Equipment	781
10.11.4.5	Algorithms	781
10.11.5	Robot Guidance	781
10.11.5.1	Task	781
10.11.5.2	Solution	782
10.11.5.3	Key Point: Calibration	782
10.11.5.4	Key Point: Communication	783
10.11.5.5	Equipment	784
10.11.5.6	Algorithms	784
10.11.6	Type and Result Data Management	784
10.11.6.1	Task	784
10.11.6.2	Solution	785
10.11.6.3	Key Point: Type Data	785
10.11.6.4	Key Point: Result Data	785
10.11.6.5	Equipment	786
10.11.7	Dimensional Check for Process Control	786

10.11.7.1	Task	786
10.11.7.2	Solution	787
10.11.7.3	Equipment	787
10.11.7.4	Algorithms	788
10.11.8	Ceramic Surface Check	788
10.11.8.1	Task	788
10.11.8.2	Solution	788
10.11.8.3	Equipment	789
10.12	Constraints and Conditions	789
10.12.1	Inspection Task Requirements	789
10.12.2	Circumstantial Requirements	790
10.12.2.1	Cost	791
10.12.2.2	Automation Environment	791
10.12.2.3	Organizational Environment	792
10.12.3	Refinements	793
10.12.4	Limits and Prospects	794
	References	796
	<b>Appendix</b>	<b>801</b>
	<b>Index</b>	<b>805</b>