

Sampling Systems for Process Analysers

Second Edition

K. G. Carr-Brion, BSc, CEng, FInstMC

Department of Fluid Engineering and Instrumentation, Cranfield University, Cranfield

J. R. R Clarke, MA, DPhil, CChem, FRSC, CEng, FInstMC

Department of Instrumentation and Analytical Science, UMIST, Manchester

BUTTERWORTH
H E I N E M A N N

Contents

PREFACE TO THE SECOND EDITION xv

PREFACE TO THE FIRST EDITION xvii

ACKNOWLEDGEMENTS xix

1 INTRODUCTION 1

1.1 Increased use of process analytical instruments

1.2 Definitions 1

1.3 Objectives of this book 2

1.4 Current situation in on-line sampling 3

1.5 How to use this book 4

References 5

Background reading 5

2 GENERAL SAMPLING THEORY AND STATISTICS 6

2.1 Introduction 6

2.2 Variability of process material 7

2.2.1 Homogeneous and heterogeneous material 7

2.2.2 Heterogeneous material 8

2.3 Representing variability - basic statistics 8

2.3.1 Histograms and distributions for measurements 8

2.3.2 Sample and 'population' 9

2.3.3 Mean, standard deviation, and other characteristics of a distribution

2.3.4 Estimating the characteristics of a sample or distribution 10

2.3.5 Goodness of fit and the χ^2 test; statistical tests 11

2.3.6 Calculation of predicted numbers £,- 11

2.3.7 Other tests of goodness of fit 12

2.3.8 Precision and accuracy of estimation; confidence intervals 12

2.3.9 The basic discrete distributions 13

2.3.10 Other continuous distributions 14

2.3.11 Bivariate data 15

2.4	Sample size determination	17
2.4.1	Confidence interval and hypothesis testing approaches	17
2.4.2	Effect of particle size	19
2.4.3	Effect of sample conditioning	19
2.4.4	Intermittent sampling	19
2.4.5	Effect of mixing or segregation on sample size	20
2.4.6	Measurement of degree of mixing by analysing a number of small samples	20
2.4.7	Modification of idealised random distribution model	22
2.4.8	Effect of segregation	23
2.4.9	Use of spatial information in selecting sample sizes	24
2.5	Number of samples	26
2.5.1	Minimum number of increments specified by standards	26
2.5.2	Balancing probabilities with economics when specifying a sampling system	27
2.6	Errors incurred in an on-line sampling and analysis system for particulate material	28
2.6.1	Separation of errors incurred at the various stages of a sampling system	28
2.6.2	Gy's examination of sampling model errors	28
2.6.3	Separating errors due to different sources	30
2.7	Optimum sampling frequency related to control needs	30
2.7.1	Deviation control	31
2.7.2	Threshold control	32
2.7.3	Sampling intervals for cyclic processes	32
	Checklist	33
	References	35

3 SAMPLING OF GASES AND LIQUIDS 37

3.1	General considerations	37
3.1.1	Introduction	37
3.1.2	Representative sampling	38
3.1.3	Design of sampling systems	40
3.1.4	Basic approach to gas and liquid sampling	43
3.1.5	Multistream sampling systems	47
3.1.6	Maintaining proper flow	50
3.1.7	Constructional materials	53
	Checklist	56
3.2	Sample point	57
3.2.1	Basic types of sampler	57
3.2.2	Location of sample point	58
3.2.3	Sampling of two-phase systems—isokinetic sampling	59
3.2.4	Design of special sampling probes for difficult conditions of use	61
3.2.5	Constructional materials	64
3.2.6	Driving pressure for sample extraction	65
3.2.7	Multipoint sampling	69
3.2.8	Batch sampling	70
	Checklist	70
3.3	Sample transfer	71
3.3.1	Introduction	71
3.3.2	Single-stream sampling systems	72
3.3.3	Fast loop bypass with return to plant	72
3.3.4	Fast loop to waste	73
3.3.5	Transport lines	73
3.3.6	Heat tracing	74

3.3.7	Leaks	77
3.3.8	Time delays and time lags in single-stream sampling systems	78
3.3.9	Time delays in multistream sampling systems	81
3.3.10	Sizing of liquid sampling lines	83
3.3.11	Sizing of gas sampling lines	83
3.3.12	Sizing of bursting discs	84
3.3.13	Effect of dead space on sampling systems	84
3.3.14	Pumps	85
3.3.15	Valves	90

Checklist 94

3.4	Sample conditioning	96
3.4.1	Introduction	96
3.4.2	Removal of entrained material	96
3.4.3	Temperature adjustment	107
3.4.4	Pressure adjustment	109
3.4.5	Mixing	112
3.4.6	Other components	113

Checklist 113

3.5	Sample disposal	114
3.5.1	Disposal of gases	115
3.5.2	Disposal of liquids	116

Checklist 117

References 117

4 SAMPLING OF HETEROGENEOUS MATERIALS: GENERAL CONSIDERATIONS 123

4.1	Process stream analysis	123
4.2	Variability of heterogeneous material systems	124
4.2.1	Homogeneous material	124
4.2.2	Heterogeneous material	124
4.2.3	Heterogeneity, at the particulate level	125
4.2.4	Analytical heterogeneities	125
4.3	Classification of particulate systems according to materials-handling properties	126
4.3.1	Solids systems	126
4.3.2	Solid-in-liquid systems	127
4.3.3	Liquid-in-liquid systems	127
4.3.4	Dispersions of fine solids and gases in liquids	128
4.3.5	Solid-in-gas systems	128
4.4	Factors affecting design of heterogeneous sampling systems	128
4.4.1	Compromise between continuous and representative sampling	128
4.4.2	Practical approaches to representative sampling	128
4.4.3	Sample integrity of heterogeneous material	129
4.4.4	Location of sampling system	129
4.4.5	Location of analyser	130
4.4.6	Materials handling, sampling and sample transfer	130
4.4.7	Maintenance	130
4.4.8	Sample conditioning	131
4.4.9	Sample disposal	131
4.5	Practical sampling techniques	131
4.5.1	Point sampling	132
4.5.2	Line sampling	132
4.5.3	Cross-sectional sampling	132

viii CONTENTS

4.5.4	Minimum size of sampling aperture	133
4.5.5	General comparisons of the three techniques	133
4.5.6	Sample source	134
4.5.7	Sample condition	134
4.6	Design of sample point to achieve representative sample	135
4.6.1	Point sampling	135
4.6.2	Line sampling	136
4.6.3	Cross-sectional sampling	136
4.7	Calibration and validation of sampling systems	136
4.7.1	Checking the bias of samplers	138
4.7.2	Checking for correct mechanical operation	139
4.8	Constructional materials for heterogeneous sampling systems	139
4.8.1	Wear produced on surfaces by solids process materials	140
4.8.2	Wear produced on surfaces by slurries	141
4.8.3	Wear produced on surfaces by flowing suspensions of solids in gas	143
	Checklist	144
	References	146

5 SAMPLING OF HETEROGENEOUS MATERIALS: THE SAMPLING OPERATION 148

5.1	Basic geometrical sampling techniques	148
5.1.1	Subdivision of sample material and preparation for analysis	150
5.1.2	Size of sampling orifice	151
	<i>Sampling particulate solids</i>	
5.2	Point sampling	151
5.2.1	Samplers for use on stationary bulk material	151
5.2.2	Samplers for use on streams and vessels containing flowing process materials	153
5.3	Line sampling	156
5.3.1	Tubular line probes (in-stream)	156
5.4	Cross-sectional sampling	157
5.4.1	Application of similar basic conditions to representative sampling of solids-in-gas suspensions	163
5.4.2	Sizing an incremental sampling system that uses cross-sectional sampling techniques	164
5.4.3	Mass-basis sampling	164
5.4.4	Overall precision	164
5.4.5	Mass of increment (step 3)	164
5.4.6	Quality variation (step 4)	166
5.4.7	Number of increments (step 5)	166
5.4.8	Sampling interval (step 6)	167
5.4.9	Sample division (step 9)	167
5.4.10	Final condition of samples required for off-line analysis (steps 9 and 10)	167
5.4.11	Time-basis sampling	167
5.4.12	Extension of mass-basis or time-basis procedures for on-line sampling and analysis	168
5.5	Cross-sectional samplers	168
5.5.1	Straight-path samplers	169
5.5.2	Free-stream samplers	170
5.5.3	Determining cutter width and speeds for mechanical samplers	174
5.5.4	Swinging or oscillating-path samplers	174
5.5.5	Bounded-stream samplers (action in a vertical plane)	175
5.5.6	Free-stream samplers (action in a vertical plane)	176

5.5.7	Free-stream samplers (action in a horizontal plane)	177
5.5.8	Rotary-path samplers: free-stream sampling	177
5.5.9	Continuous-stream samplers (in-stream and cross-stream)	180

Sampling solids in liquids

5.6	Sample source and condition	181
5.6.1	Position of sample point	182
5.7	Point sampling	182
5.7.1	Bounded-stream sampling	182
5.8	Line sampling	184
5.8.1	Bounded-stream sampling	184
5.9	Cross-sectional sampling	184
5.9.1	Bounded-stream sampling	184
5.9.2	Free-stream sampling	185
5.10	Design of sample point to achieve representative sampling	186

Sampling liquids in liquids

5.11	Material types and sampling requirements	188
------	--	-----

Sampling solids in gas

5.12	Sample source and condition	189
5.12.1	Dense-phase systems	190
5.12.2	Medium-phase systems	190
5.12.3	Dilute-phase systems	190
5.13	Development of available monitoring techniques for use in on-line analytical systems	191
5.14	Sample condition	192
5.15	Location of sample point	192
5.15.1	Establishing the velocity profile of the gas flow	195
5.15.2	Effect of turbulence on the sampling location	196
5.16	Design of sample point to achieve representative sampling	197
5.16.1	Nozzle design	199
5.16.2	Methods of operating isokinetically	200
5.17	Sub-sampling	202
	Checklist	202
	References	204

6 SAMPLING OF HETEROGENEOUS MATERIALS: SAMPLE TRANSFER 207

Transfer of solids

6.1	Materials handling	208
6.2	Sample gravity chutes	208
6.2.1	Gravity chutes used for coal sampling	208
6.2.2	Live sample chutes at several stages of a sampling and conditioning train	209
6.2.3	General design points for on-line analysis	210
6.2.4	Check of operating bias	210
6.3	Hoppers	210
6.3.1	Testing of solid materials for flow characteristics and hopper design	210
6.3.2	Design of hoppers from flow data on dry solids	211
6.3.3	Design of hoppers from flow data on wet solids	212
6.3.4	Properties involved in the contact of particulate material with surfaces	213
6.3.5	Determination of the free discharge flowrate of a hopper	214

x CONTENTS

6.3.6	Practical design to maintain integrity and produce controlled discharge	215
6.3.7	Basic flow patterns for solids moving through hoppers	216
6.3.8	Arrangements for discharge of material	218
6.3.9	Alternatives in hopper design	219
6.3.10	Hoppers for wet solids and pastes	219
6.4	Feeders and conveyors	219
6.4.1	Volumetric feeders and conveyors	220
6.4.2	Mass feeders	225
6.4.3	Treatment of feed material to improve flow and regulating properties	225
6.4.4	Bucket conveyors and elevators	225
6.4.5	En-masse conveyors	225
6.5	Ancillary equipment	226
6.5.1	Valves	226
6.5.2	Equipment for the presentation of solids to an analyser	226
<i>Transfer of solids in liquid and liquids in liquid</i>		
6.6	Testing of material systems for flow characterisation	226
6.6.1	Instruments for fluid characterisation	227
6.7	Characterisation of solid-liquid systems in practical flow conditions	228
6.7.1	Material with homogeneous distribution of suspended solids	228
6.7.2	Material with uneven dispersion of suspended solids	229
6.8	Design of slurry transport lines	230
6.8.1	Estimation of pressure drop	230
6.8.2	Pressure drop due to pipeline fittings	231
6.8.3	Pressure drop for materials that are difficult to handle	231
6.8.4	Methods of reducing pressure drop	231
6.9	Piping system design for minimum maintenance	231
6.10	Overall design of solids-liquid suspension feeding and pumping systems	232
6.10.1	Selection of pumps for sample transfer	232
6.11	Ancillary equipment	234
6.11.1	Valves	234
6.11.2	Instruments	235
6.11.3	Sample presentation	235
<i>Transfer of liquids in liquids</i>		
<i>Transfer of solids in gas</i>		
6.12	Suspension flow in sampling trains	235
6.13	Transfer of dilute solids-gas suspension sample stream	236
6.13.1	Loss of solids from suspension flow	236
6.13.2	Scale of losses	236
6.14	Engineering of solids-gas suspension transfer systems	237
6.14.1	Basic suspension conveying systems	237
6.15	Sizing solids-gas suspension systems	240
6.15.1	Pressure requirements	240
6.15.2	Velocity requirements	240
6.16	Design of feeders for solids-gas suspension systems	240
6.16.1	Enhanced semi-fluidised transport	241
6.16.2	Dense-phase suspension	241
6.16.3	Medium-phase suspension	242
6.16.4	Dilute-phase suspension	243
6.16.5	Associated hopper design	244

6.17	Air or gas movers	244
6.17.1	Rotary positive displacement blowers	244
6.17.2	Centrifugal fans	245
6.17.3	Jets and flow inducers	246
6.18	Ancillary equipment	246
6.18.1	Rotary valves	246
6.18.2	Line valves	246
6.18.3	Diverter valves	246
6.18.4	Pipe configurations	248
6.18.5	Separators	248
6.18.6	Sample presentation	248
	Checklist	248
	References	250

7 SAMPLING OF HETEROGENEOUS MATERIALS: SAMPLE CONDITIONING 253

Conditioning solid samples

7.1	Conditioning operations	253
7.2	Sampling stages following primary sampling: subsampling	254
7.2.1	Secondary sampling	255
7.2.2	Tertiary sampling	255
7.2.3	Sample material division	255
7.3	Comminution equipment	259
7.3.1	Classification of equipment	259
7.3.2	Selection of equipment	259
7.3.3	Scale-down rules for equipment	262
7.3.4	Feeders used in conjunction with comminution equipment	262
7.3.5	Sample crushers for coal	262
7.3.6	Sample crushers for iron ore	263
7.4	Screening	263
7.4.1	Range of equipment	263
7.4.2	Capacity of equipment	264
7.5	Solid-solid separation	264
7.6	Mixing of solids	264
7.7	Maintaining integrity of composition quality in sample stream	265
7.7.1	Separation of components of sample material which possesses wide property variations	265
7.8	Presentation of solids to analyser or sensor	265
7.8.1	Probes for in-stream analysis	265
7.8.2	Jets (on-stream analysis)	266
7.8.3	Belts (on-stream analysis)	266
7.8.4	Compression wheels (on-stream analysis)	269
7.8.5	Automatic pelleting of samples (on-line analysis)	269
7.8.6	Large loose-packed samples (on-line analysis)	269
7.8.7	Automatic solution of samples (on-line analysis)	269
7.8.8	Recirculated sample material	270
7.8.9	Calibration and validation	270

Conditioning solids-liquid samples

7.9	Conditioning operations	270
7.10	Sampling at secondary and later stages	271

7.11	Maintaining a state of dispersion	273
7.11.1	High-speed agitators for non-settling suspensions	273
7.11.2	High-speed agitators for settling suspensions	274
7.11.3	Low-speed agitators for non-settling suspensions and pastes	275
7.11.4	Mixing	276
7.12	Solid-liquid separation	276
7.12.1	Separation when the particles are constrained	277
7.12.2	Filtration	277
7.12.3	Pretreatment of slurries	277
7.12.4	Separation when the particles can move freely	277
7.12.5	Centrifugal separation	277
7.12.6	Additional treatments that assist separation	281
7.13	Presentation of solid in liquid to analyser or sensor	282
7.13.1	Immersible probes (in-stream analysis)	282
7.13.2	Jets (on-stream analysis)	282
7.13.3	Flow cells (on-stream analysis)	282
7.13.4	Concentration of solid content in the liquid	283
7.13.5	Removal of liquid and presentation as pellets (on-line analysis)	283
7.13.6	Calibration	283
7.14	Conditioning liquids in liquid samples	283
	<i>Conditioning solids-gas samples</i>	
7.15	Conditioning operations	284
7.16	Sampling at secondary and later stages	284
7.17	Primary conditioning	286
7.17.1	Concentration or dilution	286
7.17.2	De-pressurisation	287
7.17.3	Control of temperature	287
7.17.4	Chemical conditioning	287
7.18	Solid-gas preparation	287
7.18.1	Filtration	288
7.18.2	Impingement or impactor collection	289
7.18.3	Inertial separation	289
7.18.4	Cyclone separation	289
7.18.5	Gravity settling	297
7.18.6	Electrostatic precipitation	297
7.18.7	Thermal precipitation	297
7.18.8	Coagulation of aerosols	297
7.18.9	Phase change	298
7.19	Sample presentation	298
7.19.1	Presentation of a solids-gas suspension directly to a sensor	298
7.19.2	Presentation of separated solids to a sensor	298
7.19.3	Calibration of sampling probes and sampling trains	299
	Checklist	300
7.20	Sample disposal	302
7.20.1	Waste material	302
7.20.2	Return of sample material to process stream	302
7.20.3	Disposal of solid materials	303
7.20.4	Disposal of solid-in-liquid materials	303
7.20.5	Disposal of solid-in-gas materials	304
	Checklist	304
	References	304

8 MAINTENANCE 309

- 8.1 Design considerations 310
 - 8.1.1 Accessibility and working conditions 310
 - 8.1.2 Shut-down of sampling system and safety factors 310
 - 8.1.3 Minimum number of components 310
 - 8.1.4 Layout of components 311
 - 8.1.5 Dual systems on dirty-fluid process streams 311
 - 8.1.6 Use of flowmeters 311
 - 8.1.7 Solids and slurry handling sampling systems 311
 - 8.1.8 Manual sampling point 312
- 8.2 Maintenance personnel 312
- 8.3 Test equipment and spares 312
- 8.4 Maintenance routines 313
 - 8.4.1 Regular inspection routine 313
 - 8.4.2 Analyser system calibration 313
 - 8.4.3 Routine and breakdown servicing 313
- 8.5 Documentation and records 314
 - Selected bibliography 314
- Checklist** 314
- References** 315

9 SAFETY PRACTICE 316

- 9.1 General recommendations for safety in sampling 317
 - 9.1.1 Design and construction stages 317
 - 9.1.2 Personnel on site 318
- 9.2 Electrical safety, fire, and explosion hazards 319
 - 9.2.1 Introduction 319
 - 9.2.2 Regulations concerning electricity, fire and flammable atmospheres 320
 - 9.2.3 Methods of protection against explosion when using electrical equipment 323
 - 9.2.4 Methods of protection for analysers and instruments into which flammable gases, vapours or liquids are deliberately introduced 325
 - Selected bibliography 327
- 9.3 Dust explosion hazards 327
 - 9.3.1 Introduction 327
 - 9.3.2 Precautions 327
 - Selected bibliography 328
- 9.4 Chemical and material processing hazards 329
 - 9.4.1 Toxicity hazards 329
 - 9.4.2 Explosive material hazards 330
 - 9.4.3 Corrosive material hazards 330
 - 9.4.4 Radioactive materials hazards 331
 - Selected bibliography 331
- 9.5 Machinery hazards 331
 - Checklist** 332
 - References** 332

10	COMPONENT AVAILABILITY AND SOURCES OF HELP	334
10.1	Suppliers of selected components for sampling systems	335
10.2	Suppliers of samplers and sampling systems	338
10.3	Sources of information or assistance	340
11	PROJECT MANAGEMENT FOR SYSTEM DESIGN AND INSTALLATION	341
11.1	Flowcharts of procedures involved	341
11.2	Starting points in design of sampling systems	341
11.2.1	Purpose of sampling and analysis	341
11.2.2	Variability within populations of process material	350
11.2.3	Overall principles of sampling system design	350
11.2.4	Design for representative sampling	351
11.2.5	Effect of velocity profile on design	351
11.2.6	Other effects of non-Newtonian properties on design	352
11.2.7	Practical methods of sampling	353
11.3	Single-phase material systems	355
11.4	Multiphase material systems	356
	References	358
12.1	GLOSSARY OF TERMS	359
	Source references	374
	References	374
12.2	GLOSSARY OF SYMBOLS	375
	References	380
	INDEX	381