

Proteomics in Practice

A Laboratory Manual of
Proteome Analysis

*Reiner Westermeier,
Tom Haven*

WILEY-VCH

Contents

Preface *IX*

Foreword *XI*

Abbreviations, symbols, units *XIII*

Glossary of terms *XVII*

Part I: Proteomics Technology 1

1 Introduction 1

- 1.1 Applications of proteomics 6
- 1.2 Separation of the protein mixtures 6
- 1.3 Detection 7
- 1.4 Image analysis 7
- 1.5 Identification of proteins 8
- 1.6 Characterization of proteins 9
- 1.7 Functional proteomics 9

2 Expression proteomics 11

- 2.1 Two-dimensional Electrophoresis 11
 - 2.1.1 Evolution of the 2-D methodology 22
 - 2.1.2 Sample preparation 35
 - 2.1.3 First Dimension: Isoelectric focusing 27
 - 2.1.4 Second dimension: SDS-PAGE 57
 - 2.1.5 Detection of protein spots 79
 - 2.1.6 Image analysis 87
- 2.2 Spot handling 97
 - 2.2.1 Spot cutting 98
 - 2.2.2 Protein cleavage 100
- 2.3 Mass spectrometry 108
 - 2.3.1 Ionisation 112
 - 2.3.2 Ion separation 118

2.3.3	Tandem mass spectrometry (MS/MS)	125
2.4	Protein identification by database searching	135
2.4.1	Peptide mass fingerprint	136
2.4.2	Peptide mass fingerprinting combined with composition information	138
2.4.3	Peptide mass fingerprint combined with partial sequence information	139
2.4.4	Product ion MS/MS sequence data	143
2.4.5	De novo sequencing	145
2.5	Methods of proteome analysis	154
2.5.1	2D-MS	154
2.5.2	LC-MS/MS	157
2.5.3	Quantitative proteomics	159

Part II Course Manual 161

Equipment, Consumables, Reagents 163

Step 1: Sample preparation 169

1	Stock solutions	270
2	Examples	272
3	Microdialysis	275
4	Precipitation	277
5	Basic proteins	282
6	Very hydrophobic proteins	282
7	Quantification	284
8	SDS samples for HMW proteins separation	286

Step 2: Isoelectric focusing 287

1	Reswelling tray	288
2	Rehydration loading and IEF in IPGphor strip holders	290
3	IEF in the cup loading strip holder (rehydration loaded strips)	292
4	Cup loading IEF	294
5	Staining of IPG strips	296

Step 3: SDS Polyacrylamide Gel Electrophoresis 299

1	Casting of SDS polyacrylamide gels	299
1.1	Stock solutions	299
1.2	Cassettes for laboratory made gels	202
1.3	Multiple Gel Caster (up to 14 gels)	203
1.3.2	Homogeneous gels	204
1.3.3	Gradient gels	207
1.4	Gel Caster for up to six gels	222
2	Inserting ready-made gels into cassettes	229
3	Preparation of the SDS electrophoresis equipment	222

- 3.1 Stock solutions for the running buffers 222
- 3.2 Setting up the integrated high-throughput instrument 223
- 3.3 Setting up the six gel instrument 223
- 4 Equilibration of the IPG strips and transfer to the SDS gels 224
 - 4.1 Equilibration 224
 - 4.2 Application of the IPG strips onto the SDS gels 224
 - 4.3 Application of molecular weight marker proteins and 1-D samples 226
 - 4.4 Seal the IPG strip and the SDS gel 226
- 5 The SDS electrophoresis run 227
 - 5.1 The integrated high-throughput instrument 227
 - 5.2 The six-gel instrument with standard power supply 229

Step 4: Staining of the gels 233

- 1 Colloidal Coomassie Brilliant Blue staining 233
 - 1.1 Solutions 233
 - 1.2 Staining 234
- 2 Hot Coomassie Brilliant Blue staining 234
- 3 Silver staining 235
- 4 Fluorescence staining 238
- 5 Preserving and drying of gels 238

Step 5: Scanning of gels and image analysis 239

- 1 Scanning 239
 - 1.1 Gels stained with visible dyes 239
 - 1.2 Scanning fluorescent dyes 242
- 2 Spot detection and background parameters 242
 - 2.1 Automated spot detection 242
 - 2.2 Spot filtering 242
 - 2.3 Spot editing 242
 - 2.4 Background correction 243
- 3 Evaluation of 2-D patterns 243
 - 3.1 Reference gel 243
 - 3.2 Automatic gel matching 244
 - 3.3 Normalisation 245
 - 3.4 p_i and M_r calibration 245
 - 3.5 Difference maps 246
 - 3.6 Averaged gels 247
 - 3.7 Quantification 247
 - 3.8 Creating reports 247
- 3.9** Spot picking 247

Step 6: Fluorescence difference gel electrophoresis 249

- Preparing a cell lysate compatible with CyDye labelling 250
- Reconstituting the stock CyDye in Dimethylformamide (DMF) 252
- Preparing CyDye solution used to label proteins 252

VIII I Contents

Step 7: Spot excision 255

Step 8: Sample destaining 259

Step 9: In-gel digestion 262

Step 10: Microscale desalting and concentration of sample 263

Step 11: Chemical derivatisation of the peptide digest 265

Step 12: MS analysis 269

Step 13: Calibration of the MALDI-ToF MS 273

Step 14: Preparing for a database search 277

Step 15: PMF database search unsuccessful 282

A Trouble shooting 283

- 1 Two-dimensional Electrophoresis 283
- 1.1 Isoelectric focusing in IPG strips 283
- 1.2 SDS PAGE 285
- 1.3 Staining 286
- 1.4 DIGE fluorescence labelling 287
- 1.5 Results in 2-D electrophoresis 288
- 2 Mass spectrometry 292

References 295

Index 322