

# **CryENGINE 3 Game Development Beginner's Guide**

Discover how to use the CryENGINE 3 free SDK, the next-generation, real-time game development tool

**Sean Tracy**

**Paul Reindell**

**[PACKT]**  
PUBLISHING

BIRMINGHAM - MUMBAI

# Table of Contents

|   |           |
|---|-----------|
| <b>Preface</b>  | <b>1</b>  |
| <b>Chapter 1: Introducing the CryENGINE 3 Free SDK</b>                | <b>7</b>  |
| <b>What is the CryENGINE?</b>   | <b>8</b>  |
| <b>Applying your vision</b>   | <b>8</b>  |
| Far Cry by Crytek – first-person shooter                              | 9         |
| Aion by NCsoft – massively online role-playing game                   | 10        |
| Crysis by Crytek – first-person shooter                               | 11        |
| Crysis Warhead by Crytek – first-person shooter                       | 12        |
| Crysis 2 by Crytek – first-person shooter                             | 12        |
| <b>CryENGINE 3 Free SDK</b>   | <b>13</b> |
| What's in it for me?  | 14        |
| Do I need a full team to develop with the CryENGINE?                  | 14        |
| <b>Learning by example</b>  | <b>16</b> |
| <b>Time for action – installing the CryENGINE 3 Free SDK</b>          | <b>16</b> |
| Come in...stay awhile   | 18        |
| <b>Time for action – load the sample map in the launcher</b>          | <b>18</b> |
| <b>Visual Studio Express and C++ game code</b>                        | <b>20</b> |
| <b>Acquiring the sample source assets</b>                             | <b>20</b> |
| <b>Time for action – installation of the 3ds Max exporter Plugin</b>  | <b>20</b> |
| <b>Time for action – downloading and opening the sample assets</b>    | <b>21</b> |
| <b>Time for action – installing the Adobe Photoshop plugin-CryTif</b> | <b>22</b> |
| <b>CryENGINE 3 Sandbox</b>  | <b>23</b> |
| <b>Time for action – starting Sandbox and WYSIWYP</b>                 | <b>23</b> |
| <b>Getting around in the Sandbox Editor</b>                           | <b>25</b> |
| <b>Time for action – manipulating the perspective camera</b>          | <b>26</b> |
| <b>Handling level objects</b>   | <b>28</b> |
| <b>Time for action – selecting and browsing objects</b>               | <b>29</b> |
| <b>Time for action – saving our work</b>                              | <b>32</b> |
| <b>Summary</b>  | <b>33</b> |

|  |           |
|--|-----------|
| <b>Chapter 2: Breaking Ground with Sandbox</b>                           | <b>35</b> |
| <b>What makes a game?</b>  | <b>35</b> |
| Reducing, reusing, recycling   | 36        |
| <b>Developing out of the box</b>   | <b>36</b> |
| <b>Time for action - creating a new level</b>                            | <b>37</b> |
| Using the right Heightmap Resolution                                     | 38        |
| Scaling your level with Meters Per Unit                                  | 39        |
| Calculating the real-world size of the terrain                           | 40        |
| Using or not using terrain   | 40        |
| <b>Time for action - creating your own heightmap</b>                     | <b>41</b> |
| <b>Using alternative ways for creating terrain</b>                       | <b>47</b> |
| Generating procedural terrain  | 47        |
| Importing a pre-made heightmap   | 48        |
| Creating terrain textures  | 49        |
| <b>Time for action - creating some basic terrain texture layers</b>      | <b>50</b> |
| Adding altitude and slope  | 56        |
| Adjusting the tile resolution  | 56        |
| Creating vegetation  | 57        |
| <b>Time for action - creating some flora for your level</b>              | <b>58</b> |
| <b>Time for action - setting up time of day and its basic parameters</b> | <b>62</b> |
| Adding Atmosphere  | 69        |
| <b>Summary</b>   | <b>69</b> |
| <b>Chapter 3: Playable Levels in No Time</b>                             | <b>71</b> |
| <b>Building levels with entities and objects</b>                         | <b>71</b> |
| <b>Starting a level</b>  | <b>72</b> |
| Creating a spawn point   | 72        |
| <b>Time for action - creating a spawn point</b>                          | <b>72</b> |
| <b>Landmarks to guide the player</b>                                     | <b>74</b> |
| Using roads in levels  | 74        |
| <b>Time for action - creating a road object</b>                          | <b>74</b> |
| Utilizing layers to organize level objects                               | 79        |
| <b>Time for action - creating and managing layers</b>                    | <b>79</b> |
| Adding objects using the asset browser                                   | 81        |
| <b>Time for action - adding brushes to the level</b>                     | <b>82</b> |
| <b>White boxing</b>  | <b>84</b> |
| White boxing using Constructive Solid Geometry (CSG)                     | 84        |
| <b>Time for action - creating constructive solid geometry</b>            | <b>84</b> |
| Adding characters with Artificial Intelligence (AI)                      | 90        |
| <b>Time for action - place a basic AI entity</b>                         | <b>90</b> |
| Create an archetype entity   | 91        |

|  |            |
|--|------------|
| Time for action - creating your own archetype                                    | 91         |
| Exporting to engine  | 94         |
| Time for action - exporting your level to engine                                 | 94         |
| Summary  | 95         |
| <b>Chapter 4: I'm a Scripiter, Not a Coder</b>                                   | <b>97</b>  |
| Scripting and the CryENGINE 3  | 98         |
| Lua usage in the CryENGINE 3   | 98         |
| Visual scripting with Flow Graph   | 98         |
| Scripted events  | 99         |
| Time for action - making a Flow Graph to spawn the player at a specific location | 100        |
| Component and entity nodes   | 103        |
| Composition of flow nodes  | 103        |
| Using trigger entities with Flow Graph   | 106        |
| Time for action - adding a trigger to Flow Graph and outputting its status       | 107        |
| AI scripting with Flow Graph   | 110        |
| Time for action - creating a patrolling AI                                       | 110        |
| Debugging Flow Graphs using the visual debugger                                  | 114        |
| Time for action - debugging the patrol Flow Graph                                | 114        |
| Using breakpoints with the visual debugger                                       | 116        |
| Time for action - adding and removing breakpoints                                | 116        |
| Summary  | 118        |
| <b>Chapter 5: C++ and Compiling Your Own Game Code</b>                           | <b>119</b> |
| Installing Visual C++ 2010 Express Edition                                       | 120        |
| Time for action - downloading and installing Visual C++ 2010 Express             | 120        |
| Starting CryENGINE 3 with Visual Studio  | 122        |
| Time for action - starting CryENGINE with the debugger attached                  | 122        |
| Breakpoints, watches, and co   | 125        |
| Time for action - setting up your first breakpoint                               | 126        |
| Create a new Lua entity and call C++ code to interact with it                    | 129        |
| Time for action - creating a new entity  | 129        |
| Time for action - placing your entity into your level                            | 132        |
| How to interact with entities via Lua script                                     | 134        |
| Time for action - making the teleporter usable                                   | 134        |
| Time for some real code  | 136        |
| Time for action - writing a new scriptbind function in C++                       | 136        |
| Call the new C++ function from your Lua script                                   | 140        |
| Time for action - changing the teleporter entity to execute the C++ code         | 141        |
| CryENGINE specific data types  | 143        |
| Summary  | 145        |

---

|   |            |
|---|------------|
| <b>Chapter 6: User Interface and HUD Creation with Flash</b>                            | <b>147</b> |
| Adobe Flash as a very powerful UI design tool   | 148        |
| Time for action – creating a new Flash asset with Adobe Flash                           | 148        |
| Bringing your Flash asset into CryENGINE 3  | 158        |
| Time for action – bringing your Flash asset into CryENGINE 3                            | 158        |
| Time for action – making functions, variables, and movieclips accessible in CryENGINE 3 | 159        |
| Different alignment modes for UI elements   | 162        |
| Dynamic alignment   | 163        |
| Fixed and fullscreen alignment  | 164        |
| Using the UI Emulator to display and test your asset                                    | 164        |
| Time for action – starting Sandbox and testing your UIElement                           | 164        |
| Creating a new UI Action for the new HUD  | 167        |
| Time for action – making the HUD work   | 168        |
| Basic event handling from Flash to CryENGINE 3  | 171        |
| Time for action – creating a simple interactive menu                                    | 172        |
| UI Emulator, UI Actions, and FreeSDK example menus                                      | 176        |
| UI Actions – Flow Graphs to control the UI  | 177        |
| UI Action is a standalone, level-independent Flow Graph                                 | 177        |
| UI Action can have start and end nodes  | 177        |
| UI Action can be in a disabled state  | 179        |
| UI Actions support multitrigging  | 179        |
| UIEventSystems and UI Emulator to test your UI  | 182        |
| Time for action – using the UI Emulator to test the FreeSDK demo menus                  | 182        |
| Summary   | 184        |
| <b>Chapter 7: Creating Assets for the CryENGINE 3</b>                                   | <b>185</b> |
| What are assets?  | 186        |
| Understanding the CryENGINE 3 asset pipeline  | 186        |
| Exploring the CryENGINE 3 asset file types  | 186        |
| Following a workflow for artists  | 188        |
| Working with units and scale in CryENGINE 3   | 188        |
| Time for action - setting up 3ds Max units to match CryENGINE scale                     | 188        |
| Matching grid and snap settings between 3ds Max and Sandbox                             | 191        |
| Using real-world measurement reference  | 192        |
| Creating textures for the CryENGINE   | 192        |
| Time for action - creating your own texture   | 193        |
| Working with the CryTIF (.TIF) format   | 195        |
| Creating and exporting custom assets  | 195        |
| Time for action - creating and exporting your first model                               | 196        |
| Using a physics proxy instead of the render geometry for collision                      | 204        |
| Adjusting physical dynamics with user-defined properties                                | 204        |

|  |            |
|--|------------|
| Creating destructible objects  | 205        |
| <b>Time for action - making your object destructible</b>                 | <b>205</b> |
| Specifying physics and render dynamics with user defined properties      | 210        |
| Breaking two-dimensional assets  | 210        |
| Designing breakables with constraints                                    | 211        |
| <b>Using character assets</b>  | <b>213</b> |
| Following the character creation pipeline                                | 213        |
| Creating your own characters   | 213        |
| <b>Time for action - creating your own skinned character</b>             | <b>214</b> |
| Creating a character LOD (Level of Detail)                               | 221        |
| Bone attachments   | 222        |
| Creating animations for your character                                   | 223        |
| <b>Time for action - creating animation for a skinned character</b>      | <b>223</b> |
| .chrparams wildcard mapping  | 227        |
| <b>Creating animation for rigid body assets</b>                          | <b>228</b> |
| <b>Time for action - creating animation using rigid body data</b>        | <b>229</b> |
| <b>Summary</b>   | <b>232</b> |
| <b>Chapter 8: Creating Real-time Cutscenes and Cinematic Events</b>      | <b>233</b> |
| <b>Discovering the Track View editor</b>                                 | <b>234</b> |
| Creating a new Track View sequence                                       | 234        |
| <b>Time for action – creating a new sequence</b>                         | <b>235</b> |
| Adding tracks to the director node                                       | 238        |
| Adjusting Sequence Properties  | 238        |
| <b>Animating a camera in Track View</b>                                  | <b>238</b> |
| <b>Time for action – animating a camera</b>                              | <b>239</b> |
| FOV  | 243        |
| Playback speed   | 243        |
| Curve Editor   | 243        |
| <b>Triggering a sequence using Flow Graph</b>                            | <b>243</b> |
| <b>Time for action – triggering a sequence</b>                           | <b>244</b> |
| Using the Input:Key node to trigger a sequence                           | 246        |
| StartTime property   | 246        |
| BreakOnStop property   | 246        |
| <b>Animating entities in Track View</b>                                  | <b>246</b> |
| <b>Time for action – animating an entity in Track View</b>               | <b>247</b> |
| Entity Visibility track  | 250        |
| Animating scale  | 250        |
| Entities and their tracks  | 251        |
| <b>Playing animations on entities in Track View</b>                      | <b>251</b> |
| <b>Time for action – playing an animation on an entity in Track View</b> | <b>251</b> |

|   |            |
|---|------------|
| <b>Using Console Variables in Track View</b>  | <b>253</b> |
| <b>Time for action – adding a Console Variable to a sequence</b>                            | <b>253</b> |
| The t_scale CVAR in Track View  | 255        |
| <b>Using Track Events</b>   | <b>255</b> |
| <b>Time for action – creating some Track Events for a sequence</b>                          | <b>255</b> |
| <b>Capturing video from CryENGINE 3</b>   | <b>258</b> |
| <b>Time for action – capturing frames from CryENGINE</b>                                    | <b>259</b> |
| Useful CVARs for high resolution capturing  | 260        |
| <b>Summary</b>  | <b>262</b> |
| <b>Chapter 9: Immersion through Audio Design</b>  | <b>263</b> |
| <hr/>   |            |
| <b>Introducing sound design</b>   | <b>264</b> |
| <b>Understanding the CryENGINE sound event system</b>                                       | <b>264</b> |
| <b>Setting up a project structure</b>   | <b>264</b> |
| Event grouping  | 265        |
| Using categories  | 265        |
| Adding events   | 265        |
| <b>Reviewing sound event system file formats</b>  | <b>265</b> |
| Using wavebanks   | 266        |
| <b>Getting your first sound into the CryENGINE</b>  | <b>266</b> |
| <b>Time for action - creating an ambient sound event</b>                                    | <b>266</b> |
| <b>Leveraging advanced parameters of ambient sounds</b>                                     | <b>273</b> |
| <b>Time for action - nesting ambient sounds and using other parameters for sound events</b> | <b>273</b> |
| <b>Randomizing sounds</b>   | <b>276</b> |
| <b>Time for action - creating random sounds</b>   | <b>277</b> |
| <b>Reverb volumes</b>   | <b>279</b> |
| <b>Time for action - create your own reverb preset</b>                                      | <b>280</b> |
| <b>Adding sounds to particle effects</b>  | <b>283</b> |
| <b>Time for action - add a sound to a particle effect</b>                                   | <b>283</b> |
| Using the three different sound control overtime functions                                  | 285        |
| <b>Sound events and weapons</b>   | <b>286</b> |
| <b>Time for action - add sound to a weapon</b>  | <b>286</b> |
| Weapon sound workflow tips  | 289        |
| <b>Summary</b>  | <b>290</b> |
| <b>Chapter 10: Preparing to Share Your Content</b>  | <b>291</b> |
| <hr/>   |            |
| <b>Profiling performance in Sandbox</b>   | <b>292</b> |
| Profiling with display info   | 292        |
| <b>Time for action – enabling and reading display info</b>                                  | <b>292</b> |
| Understanding draw calls  | 294        |
| Visualizing triangle count  | 295        |

---

|  |            |
|--|------------|
| Setting budgets  | 295        |
| <b>Saving a level's statistics</b>   | <b>295</b> |
| <b>Time for action – Save Level Statistics</b>                               | <b>296</b> |
| Viewing textures and render targets in the Textures tab                      | 300        |
| Viewing physical triangle count and physics memory footprints                | 300        |
| Reading the Detailed Dependencies tab  | 300        |
| <b>Enabling Debug Draw modes</b>   | <b>301</b> |
| <b>Time for action – enabling Debug Draw modes</b>                           | <b>301</b> |
| <b>Profiles</b>  | <b>305</b> |
| <b>Time for action – using profiles to break down frame-time performance</b> | <b>306</b> |
| <b>Optimizing levels with VisAreas and Portals</b>                           | <b>306</b> |
| <b>Time for action – set up a VisArea</b>                                    | <b>307</b> |
| Ambient color of VisAreas and Portals  | 309        |
| Blind spots  | 309        |
| Using VisAreas and Portals vertically  | 309        |
| <b>Light clipping boxes and areas</b>  | <b>309</b> |
| <b>Time for action – create a light clipping box</b>                         | <b>309</b> |
| Using a concave light shape  | 310        |
| Linking to multiple light shapes   | 311        |
| <b>Activating and deactivating layers</b>                                    | <b>311</b> |
| <b>Time for action – use layer switching logic</b>                           | <b>311</b> |
| Limitations of layer switching   | 313        |
| Cinematics   | 313        |
| <b>Packaging your content to share</b>                                       | <b>314</b> |
| CryDev project database  | 314        |
| <b>Time for action – create a team, project, and share an upload</b>         | <b>314</b> |
| <b>Summary</b>   | <b>318</b> |
| <b>Appendix : Pop Quiz Answers</b>   | <b>319</b> |
| <b>Index</b>   | <b>323</b> |

---