

PROCEEDINGS OF THE SIXTH INTERNATIONAL CONFERENCE

ON

URBAN STORM DRAINAGE

**Sheraton Fallsview Hotel
Niagara Falls, Ontario, Canada
September 12-17, 1993**

Volume I

**Organized by the
IAHR/IAWQ Joint Committee on Urban Storm Drainage**

**Sponsored and Funded by
Environment Canada's Great Lakes Cleanup Fund
Ontario Ministry of Environment and Energy**

**Co-sponsored by
The American Society of Civil Engineers**

Edited by

**Jiri Marsalek
Harry C. Torno**

CONTENTS

VOLUME I

FOREWORD	iii
ACKNOWLEDGEMENTS	iv
1-A: Rainfall Properties	
On scale invariant properties of rainfall. J. Niemczynowicz and J. Olsson	1
Epsat-Niger: typology and spatial-temporal variability of Sahelian precipitation at small time steps. A. Amani and J. Rousselle	6
Study on the rainfall temporal distribution theory. C-I. Lin and H-H. Chen	13
The result of rainfall investigation in Warsaw - space and temporal variability. A. Zyla	19
Point-rainfall simulation based on the "time between tips" of an automatic recording rain gauge. S-K. Tan and J. Lee	26
Analysis of the rain phenomenon at a fine spatial scale. E. Paturel and B. Chocat	31
Study on the rainfall spatial distribution in watershed. H-H. Chen and C-I. Lin	37
1-B: Drainage Impacts on Receiving Waters (1)	
Developing a strategy for assessing combined sewer overflows. C. Jefferies, E. Langlands and P. Dugard	42
Stochastic analysis of dissolved oxygen depletion in rivers receiving combined sewer overflows. K. Schaarup-Jensen, T. Hvitved-Jacobsen and A. Dahl	48
A conjunctive analysis of CSO's and receiving water current magnitude and direction. K. Bedford, O. Wai, D. Podber, J. Yen and L. Regenmorter	54
Receiving water quality modeling in Cleveland, Ohio for CSO control planning. L. Regenmorter, J. Yen and B. Yingling	60
Study of bacteria in the Detroit River associated with combined sewer overflows. J.A. McCorquodale, S.P. Zhou, Z. Ji, J. Marsalek and G. Johnson	66
Modelling of improvements of bathing water quality by reduction of CSO's. J.J. Linde-Jensen, M. Jensen and A. Dahl	72
Use of coliform as an indicator of pathogens in storm-generated flows. R. Field	78
Physical properties of suspended matter in the Seine River after wet weather discharge. M-A. Maldiney and J-M. Mouchel	85
1-C: Drainage Hydraulics	
Is hydraulics over-used or under-used in urban drainage? B.C. Yen	91
Hydraulics of spatially varied flows in box gutters. S.C. Beecham and G. G. O'Loughlin	98

Hydraulic modelling of a storm sewer system including a vortex drop and a drop structure. G. Bachmeier and A. Richter	104
The transitional flow between free surface and full conditions in sewers. T. Nakamura, M. Noguchi and F. Ishikawa	110
Modelling of unsteady flow through manholes. J.E. Ball	116
Energy losses at junctions and transient flow in sewer networks. T. Kusuda, S. Arao and K. Moriyama	122
Practical simulation method of surcharged flow using pressure-relaxation effect in manhole. M. Watanabe and T. Kurihara	128
Head losses in sewer manholes. B. Mudgal and B.S. Pani	134
Improvement of Sugarloaf Creek culvert. M. Patarapanich and B. Lyall	140
The vital role of the Kerb Inlet in effective urban storm water management. D.B. Salberg	146
 2-A: Rainfall Measurements/Processing	
The Application of Doppler Anemometry to the Measurement of Sewer and Stormwater Flows. S.C. Beecham, P.A. Hayes and A.M. Petroff	152
Rainfall measurements and spatial variability in a small urban catchment. C. Ciaponi, U. Moisello and S. Papiri	158
A deterministic approach to filling gaps in continuous raindata series. T. Einfalt and R. Fankhauser	164
Estimation of missing short-duration rainfalls using data measured at longer time scales. V-T-V. Nguyen, G.R. Pandey and J. Rousselle	170
Consideration of rainfall character and the peculiarities of runoff forming when making storm drainage calculations. A.M. Kurganow and M.J. Alexeev	176
 2-B: Drainage Impacts on Receiving Waters (2)	
Toxic metals in urban runoff: physico-chemical mobility assessment using speciation schemes. J. Flores-Rodriguez, A-L. Bussy and D.R. Thévenot	182
Toxic metals in urban runoff: mobility assessment using reactor experiments. L. Lebreton, M. Seidl, J-M. Mouchel and D.R. Thévenot	188
Storm runoff pollutant loading and river sediment in a small river. S. Ebise	194
Impact of wet weather discharges in the River Seine: major water quality parameters. J-M. Mouchel and L. Simon	200
The effect of an urban drainage system on receiving water quality. R. Lammersen	206
Contribution of urban runoff to bacteriological contamination of a suburban recreational lake. W.C. Hart and D.H. Waller	212
Urban runoff impact of heavy metals on River Seine suspended solids. A. Estebe, J. Flores-Rodriguez, L. Lebreton, J-M. Mouchel and D.R. Thévenot	218
Analysis and characterization of soft mud in estuary. T. Miyano and Y-H. Maeno	224

2-C: Flow Routing Models

A software system for runoff and routing modelling in drainage catchments. M. Fugazza	230
Hystem-Extran - improvements to EPA-Extran. L. Fuchs and C. Scheffer	237
PC-based model for steady non-uniform flow in sewers and waste water treatment plants. V. Havlik, P. Ingeduld, S. Vanecek and E. Zeman	243
Comparison of numerical models for simulation of runoff and transport in selected UDS. A. Khelil	249
Hydraulic modeling of combined sewer interceptors. E.H. Burgess, L.A. Roesner and C.J. Cantrell	255
Numerical simulation of inundation by galerkin and iterative type finite element model. T. Oka	263
XP-Extran the next generation unsteady flow routing system. A. Goyen, R. Dickinson and G. Thompson	269
Theoretical development of a mathematical model for operation and design of hydraulic channel network. M. Fugazza	275
Modelling recirculating flow in an expansion channel. Y.S. Sin	282
A flood simulation system to improve existing storm drainage systems. K. Soeda and Y. Yoshii	288

3-A: Design Rainfall

Development of urban design storms from historic data: an application to Calgary, Alberta, Canada. D.R. Westhoff, W.E. Watt and Y. Deong	294
Compound design storm concept for rainfall-runoff analysis. J. Despotovic	300
An alternating use of rain gaging data. E. Paturel and B. Chocat	306
Critical duration of design rainfall for detention pond with pump station. J.T. Lee, S.E. Yoon and J.J. Lee	312
Design storm calibration through continuous simulation. C. Cao, E. Piga and A. Saba	318
Design rainfall pattern for estimating overflow pollutant loads. C. Xanthopoulos	324

3-B: Drainage Impacts on Receiving Waters (3)

For an overall approach of water quality management: tools for the simulation of discharge impact upon receiving waters. E. BreLOT-Wolff and B. Chocat	330
Hydrodynamic water quality simulation with dynamo. D. Wittenberg	336
Transfer of combined sewer overflows in the Seine River. L. Simon and J-M. Mouchel	342
The Amsterdam canals as a computer model. E. Jacobs, W.J. Potthoff and J.C.A. van Alphen	348

Infiltration of stormwater in suburban areas - possible negative effects on flood runoff in receiving waters. G. Richtig	354
3-C: Remote Sensing in Urban Hydrology	
Remote sensing in hydrology. I. Muzik	360
Remote sensing application for planning of urban drainage. R. Fankhauser and I. Jancarkova	366
Estimations for percentage of impervious area by the use of satellite remote sensing imagery. C. Deguchi and S. Sugio	372
A reference measurement of areal rainfall allowing for control of radar, raingauge estimates. F. Blanchet, A. Guillon, P. Briat and P. Bourgogne	378
A method to form short cyclic design hyetograph of markovian property of rainfalls by using data of a radar raingauge. H. Kodate, K. Kinoshita and T. Kato	385
The use and the influences of remote sensing data on the runoff analysis. H.M. Tahat and M. Noguchi	391
4-A: Pollutant Pathways	
Pathways of anthropogenic pollutants within the urban drainage system. H.H. Hahn	397
Reactions and transport behaviour of trace organics (polycyclic aromatic hydrocarbons, chlorinated and volatile chlorinated hydrocarbons, nitrophenols) during road and roof runoff. R. Herrmann, J. Daub and J. Förster	405
The influence of atmospheric conditions and storm characteristics on roof runoff pollution: studies with an experimental roof system. J. Förster	411
Anthropogenic pollutants wash-off from street surfaces. C. Xanthopoulos and H.H. Hahn	417
Measurements of pollution wash-off from an asphalt surface. A. Spangberg and J. Niemczynowicz	423
Melt water from snow deposits. M. Viklander and P-A. Malmqvist	429
Acidification of urban rainfall runoff by sulfur dioxide. S. Shiba, R. Ito and T. Sueishi	435
4-B: Modelling Uncertainties	
Effect of parameter variation and model nonlinearity on first order analysis. E.W. Stevens and C.T. Haan	441
Requirements of spatial raindata resolution in urban rainfall runoff simulation. J. Lei and W. Schilling	447
An assessment of uncertainty in the modelling of rainfall runoff process. V-T-V. Nguyen and H. Wang	453
The impact of spatial uncertainties from point rainfall measurements for hydrologic long-term simulation. T. Einfalt and D. Schitthelm	459

Propagation of model uncertainty.	
J. Lei and W. Schilling	465
Uncertainties in urban runoff extreme value calculations caused by statistical/geographical variation in rainfall data.	
P.S. Mikkelsen and P. Harremöes	471
Effects of random measurement or modelling errors on extreme value statistics.	
H. Mutzner and W. Schilling	477
4-C: Drainage Effluent Ecotoxicology	
The ecotoxicological impact of urban discharges upon the caged freshwater macroinvertebrate, <i>Asellus aquaticus</i> (L.).	
R. Mulliss, J.B. Ellis, D.M. Revitt and R.B.E. Shutes	482
Ecotoxicological impacts of hydrocarbons in an urban aquatic environment.	
R.H. Jones, D.M. Revitt, R.B.E. Shutes and J.B. Ellis	488
A framework for the evaluation of ecological impacts of sewer overflow discharges in running waters.	
D. Borchardt	494
The use of metal bioindicators to assess the impact of combined sewer overflows on the River Seine.	
S. Fraboulet, R. Mulliss, J. Flores-Rodriguez, J-M. Mouchel, M. Revitt, E. Garnier-Zarli and D. Thévenot	500
Receiving water protection at wet weather.	
V. Krejci, W. Schilling and S. Gammeter	506
Importance of receiving water morphology and hydrology with respect to combined sewer overflows.	
M. Grottker and S. Gammeter	512
Biomonitoring of an urban storm water effluent by using artificial substrates.	
S. Cavazza and B. Maiolini	518
5-A: Stormwater Characterization (1)	
Characterization of urban nonpoint source discharges in Metropolitan Toronto.	
M. D'Andrea and D.E. Maunder	524
Quality of stormwater from residential areas in Guelph, Ontario, Canada.	
H.R. Whiteley, Z.J. Licsko and R.L. Corsi	531
Study on quantification and management of runoff pollutants from nonpoint sources in urban area.	
A. Ichiki, K. Yamada and Y. Nakade	537
Hydrological variability, urbanisation and water quality in Australia.	
M.G. Sharpin	543
Stormwater pollution investigations on Cup & Saucer Creek, Sydney.	
R.L. Sim, M.J. White, G.G. O'Loughlin and F.C.R. Cattell	549
Hazardous waste issues in stormwater transport.	
D.L. Westerling	555
5-B: Rainfall/Runoff Modelling (1)	
Surface runoff components in urban drainage systems.	
M.W. Ostrowski	561
An improved model for design of stormwater drainage networks.	
K.W. Chau	567
Discrete runoff hydrograph synthesis - a "non-linear discrete unit hydrograph" approach.	
J. Lee	573

Simulation of stormwater discharge from small urban watershed. S. Sugio and C. Deguchi	579
Simplified calculating model of rainfall infiltration and its application in rainfall runoff analysis in residential areas. T. Oka	585
Effective rainfall hyetograph estimation at a field plot scale. J. Lee and K. Musiaka	591
Variability of urban runoff. H. Andrieu, N. Belhadj, C. Joannis and G. Raimbault	597
Sensitivity and vulnerability of urban drainage systems to climatic fluctuations. P. Burlando and R. Rosso	603
5-C: Sewer Sediment Modelling	
Development of basic components for modelling sediment and pollutant transport in sewers. R.A. Kleijwegt and F.H.L.R. Clemens	610
Sediment transport in storm sewers with a permanent deposit. G.S. Perrusquia	619
Sediment transport over deposited beds in sewers. C. Nalluri and A.Ab. Ghani	625
Bed load transport without deposition in channels of circular cross section. C. Nalluri and A.K.S. El-Zaemey	631
A sediment transport model for sewers. O. Mark, J. Larsson and T. Larsen	638
Cohesive sediment erosion in combined sewers. R.M. Ashley, D.J.J. Wotherspoon, B.P. Coghlan and E. Ristenpart	644
6-A: Stormwater Characterization (2)	
Urban platinum. G.M. Morrison and C. Wei	652
Stormwater pollution from a developing area in South Africa. D. Stephenson and F.R. Wimberley	658
The effect of third world type urbanization on stormwater quality in Khayelitsha, South Africa. A. Wright	665
Water quality of initial runoff of storm in urban areas in South China: experiments. G. Zhen-Ren, Y. Huei-Min and C. Huaisheng	670
Development of measurement and monitoring station for stormwater in combined sewer system. T. Sakakibara, K. Sasabe, S. Tanaka and T. Masaki	676
Uncertainty of quantity and quality data measured in a combined sewer system. M. Uhl	682
Final results of a comparison and evaluation of pollutant-load-calculation-methods by measurement. D. Jacobi	688
Urban runoff characteristics of a tropical watershed. P.C. Chui	694
6-B: Rainfall/Runoff Modelling (2)	
The estimate of the net rainfall through experimental data from the "Cascina Scala" (Pavia-Italy) urban catchment. G. Barbero, C. Ciapponi and S. Papiri	700

Flood peak increase in a tropical urbanizing catchment. T.S.W. Wong and C-N. Chen	706
Stochastic interpretation and application of urban hydrological runoff data. P. Harremões, P.S. Mikkelsen and K.M. Hansen	712
Use of effective and total impervious area for hydrologic analysis. T.N. Debo and E.J. Inman	718
Realization of hydrologic objectives for the rehabilitation of the region Emscher-Lippe. A. Stecker and M. Simon	724
Study of runoff curve number on two representative basins. A. Vali-Khodjeini	730
6-C: Sewer Sediment Studies (1)	
Management of sediment in drainage catchments. D. Butler, P. Clark and J. Payne	736
Identification of the depth-dependent transportation of particulate solids in dry-weather sewage flows. M.A. Verbanck	742
Dynamic behaviour of sewer sediments. E. Ristenpart and M. Uhl	748
Erosional behaviour of partly cohesive, partly non-cohesive sediments in uniform flow. H. Torfs	754
Sediment motion under flood wave use of partial release of stored water by a weir. N. Gendreau, B. Le Guennec, J.P. Poinot-Chazel and P. Séchet	760
Development of a specific method for the bed-load measurement in sewer trunks. H.S. Lin, B. Le Guennec, D. Dartus and A. Bachoc	766
Sewer sediment origins and transport in small catchments. R.M. Ashley and J-L. Bertrand-Krajewski	772
7-A: Modelling Runoff Quality (1)	
HYPOCRAS: a conceptual model for solid production and transfer in small urban catchments. J. Bertrand-Krajewski, P. Briat, D. Bellefleur and O. Scrivener	778
Prediction of suspended solids in urban sewers by transfer function model. J.W. Delleur and Y. Gyasi-Agyei	784
A comparison of the modelling of suspended solids using SWMM3 quality prediction algorithms with a model based on sediment transport theory. T.J. Coleman	790
Pollutograph simulation with water quality tank-model (II). Y. Hasegawa, K. Yamada and A. Ichiki	796
Implications of time-dependent mass transfer processes on urban storm water quality. K. Hatfield	802
Runoff analysis using a component separation method - in view of both quantity and quality of the runoff component. A. Hiratsuka, S. Shigemitsu, I. Kyu and A. Murota	808
Simulation of pollution dispersion in storm water sewers by finite element method. M.K. Khaishagi and M.P. Cherian	814

7-B: Rainfall/Runoff Modelling (3)

Application of fuzzy theory to urban runoff predictions. M. Morita, S. Jinda and K. Izumi	820
The urban runoff simulation using the radar rain gauge system. K. Ishikawa	826
The influence of the spatial heterogeneity of rainfall upon the hydrologic response of an urban drainage basin near Paris, France. D. Brunelle, F. Blanchet, J. Rousselle, G. Jacquet and A. Guillon	832
Automatic calibration of runoff models with the help of mathematical optimization methods. S. Deyda	838
Case studies for computer modelling: sensitivity analyses for urban and "semi-urban" basins. G. Rivard	844

7-C: Sewer Sediment Studies (2)

Design of sewers to control sediment problems. P. Clark, J. Payne and R. May	851
Impact of rainfalls on self-cleaning phenomena in combined sewers. P. Blaszczyk	857
Build-up and erosion of sediment deposits in combined sewers networks. A. Bachoc, D. Laplace and D. Dartus	863
Suspended wet weather solids in combined sewers: where does organic matter come from? G. Chebbo and A. Bachoc	869
Fluid sediment movement and first flush in combined sewers. R.M. Ashley, S. Arthur, B.P. Coghlan and I. McGregor	875
Bed load transport in the No13 sewer trunk of Marseille. H.S. Lin, B. Le Guennec, D. Dartus and A. Bachoc	884

8-A: Modelling Runoff Quality (2)

Statistical water quality modelling for urban runoff control planning. J.Y. Li and B. Adams	890
Development of a planning-level model for estimating urban pollutant loadings. K.C.A. Chow and J. Marsalek	897
A mathematical simulation of pollutant runoff from urban areas. M. Noguchi, W. Nishida and K. Kii	903
Selection of calibration events for urban runoff quality modelling. S.K. Sriananthakumar and G.P. Codner	909
QUALHYMO - an urban runoff planning tool. A.C. Rowney, D.H. Waller and M.A. Salah	915
PMSQ - a probabilistic model for calculating toxic pollutant loads in urban stormwater runoff. P. Xu, I.K. Tsanis and J. Marsalek	921

8-B: Best Management Practices (1)

Assessment of BMP use and technology today. B. Urbanas	927
A review of best management practices in Australia. A.I. Lawrence and B.C. Phillips	933

Assessment of BMP's being used in Scandinavia. P. Stahre	939
Assessment of BMPs being used in the US and Canada. E.D. Driscoll and E.W. Strecker	945
An assessment of the effectiveness of a BMP strategy in urban drainage in the UK. C.J. Pratt	951
Wetland BMP design for urban runoff pollution control in Europe and Australia. J.B. Ellis	957
8-C: Runoff Infiltration	
Urban stormwater infiltration perspectives. G. Geldof, P. Jacobsen and S. Fujita	963
Urban stormwater infiltration design practice and technology: state of the art assessment. C.R. Petersen, T. Faarbaek, G.H. Jensen, G. Weyer, S. Fujita, K. Ishikawa, G. Geldof, C. Stenmark and C.J. Pratt	969
Stormwater infiltration as a part of an environmentally compatible drainage concept. R. Adams	975
Manual on infiltration methods for stormwater source control. J. Payne and A. Davies	981
A new UK approach for the design of sub-surface infiltration systems. C.J. Pratt and J.J.M. Powell	987
Infiltration in congested urban areas of Tokyo. S. Fujita	993
Administrative aspects of stormwater infiltration in Switzerland. V. Krejci, P. Haldimann and M. Grottker	999
AUTHOR INDEX	A-1
SUBJECT INDEX	S-1