ENGINEERING PLASTICITY

LB Darmeterty

W. JOHNSON

Professor of Mechanical Engineering University of Manchester Institute of Science and Technology

and

P. B. MELLOR

Professor of Mechanical Engineering University of Bradford



VAN NOSTRAND REINHOLD COMPANY LONDON

NEW YORK

CINCINNATI

TORONTO

MELBOURNE

CONTENTS

| | Preface | nage v |
|------|---|----------|
| | Note on S.I. Units | vii |
| | | |
| | Chapter 1 Introduction | |
| 1.1 | Phenomenological Nature of Theory of Plasticity | 1 |
| 1.2 | The Load-Extension Diagram in Simple Tension | 1 |
| 1.3 | The True Stress-Strain Diagram in Simple Tension | 4 |
| 1.4 | An Example of the Use of the Volume Constancy Equation: | |
| | Drifting, Low-speed Plate Perforation or Hole Flanging | 6 |
| 1.5 | Some Deviations from the Stress-Strain Curves described | |
| | Above | 8 |
| 1.6 | Frictionless Compression: Homogeneous Compression | 10 |
| 1.7 | General Approach to Stress Analysis in Elasticity and | |
| | Plasticity | 12 |
| | 1.7.1 The Theory of Elasticity in Isotropic Solids | 12 |
| | 1.7.2 The Theory of Plasticity | 13 |
| 1.8 | Empirical Equations to Stress-Strain Curves | 15 |
| 1.9 | Empirical Equations and the Maximum Load in Simple | |
| | Tension | 17 |
| 1.10 | Compression of a Work-hardening Material: Adiabatic | |
| | Temperature Rise | 18 |
| 1.11 | Brittle and Ductile Materials: Cleavage- and Shear-type | |
| | Fractures: Transition Temperature | 19 |
| 1.12 | The Effects of Hydrostatic Pressure | 20 |
| 1.13 | Strain Rate in Simple Uniaxial Compression and Tension | 22 |
| 1.14 | Cold- and Hot-working: Recrystallization and Homologous | |
| 1.16 | Temperature | 23 |
| 1.15 | Strain Rate in Relation to Recrystallization Temperature | 27 |
| 1.16 | A Point of Reversal in Compression | 27 |
| 1.17 | The Ratio of Dynamic to Static Yield Stress | 28 |
| 1.18 | Some Test Techniques for Providing Uniaxial Compression | |
| | and Simple Stress-Strain Data with Special Reference to Rate Effects | |
| 1 10 | | 30 |
| 1.19 | Some Proposed Formulae for Correlating Stress, Strain, Strain Rate and Temperature | 22 |
| 1.20 | The Yield Stress of Steel at about 15 °C | 32 33 |
| 1.20 | References | 33 34 |
| | 1/01/01/00/03 | 54 |

•

х

ł

CHAPTER 2 STRESS

| 2.1 2.2 2.3 2.4 2.5 2.6 | Definitions The Equations of Force Equilibrium Couple Equilibrium Three-dimensional Stress Systems Mohr's Circles for Three-dimensional Stress Systems The Shortcoming of Mohr's Circle for Three-dimensional Stress Systems References | 39 41 44 49 53 54 |
|---|---|--|
| | CHAPTER 3 STRAIN | |
| 3.1 3.2 3.3 | Infinitesimal Strains as Functions of Displacement A Note on the Strain Tensor The Geometry of Large and Small Strains | 55 59 59 |
| | Chapter 4 The Yield Criteria of Metals | |
| 4.1 4.2 4.3 4.4 | General Considerations Stress Space Representations of Yield Criteria Shear and Volumetric Resilience and the Mises Criterion Experimental Evidence for the Tresca and Mises Criteria of | 63 65 70 |
| 4.5 4.6 | Yielding Isotropic Work-hardening Materials An Anisotropic Yield Criterion References | 72 75 76 78 |
| | CHAPTER 5 STRESS-STRAIN RELATIONS | |
| 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 5.10 5.11 | The Elastic Stress-Strain Relations The Prandtl-Reuss Equations The Lévy-Mises Equations Work-hardening The Complete Stress-Strain Relations Total Strain Theory The Lévy-Lode Variables The Plastic Potential and Flow Rules The Principle of Maximum Work Dissipation Flow Rule for Anisotropic Material Generalized Stress and Strain Relations for Anisotropic Work-hardening Material References | 80 81 83 86 87 88 89 91 94 96 97 |
| | Chapter 6 Methods of Determining Work-hardening | |

CHARACTERISTICS

| 6.1 | Introduction | | 100 |
|-----|----------------|--|-----|
| 6.2 | Simple Tension | | 102 |

٠.

| 6.3 | Balanced Biaxial Tension | 103 |
|-----|----------------------------|-----|
| 6.4 | Rolling and Simple Tension | 109 |
| 6.5 | Simple Compression | 110 |
| 6.6 | Plane Strain Compression | 114 |
| 6.7 | Simple Torsion | 118 |
| | References | 121 |
| | | |

Chapter 7 Elementary Analyses of the Elastic-Plastic Bending of Beams, Rings and Plates

| 7.1 | Introduction | 124 |
|------|---|-----|
| 7.2 | Simple Theory of Plastic Bending | 125 |
| | 7.2.1 Straight Rectangular Section Beams | 125 |
| | 7.2.2 Expressions for <i>M</i> , Using a Non-linear Stress-Strain Law | 127 |
| | 7.2.3 Expression for Deflection | 127 |
| | 7.2.4 Shear Stress Distribution | 128 |
| | 7.2.5 Idealized Materials in Bending | 129 |
| | 7.2.6 Shape Factor | 131 |
| | 7.2.7 Plastic Asymmetrical Bending | 133 |
| 7.3 | Plastic Bending Followed by Elastic Unloading | 133 |
| | 7.3.1 Residual Stress Distribution | 133 |
| | 7.3.2 Springback Calculations | 135 |
| 7.4 | The Collapse Load in Simple Structures: Plastic Hinges | 137 |
| | 7.4.1 The Built-in Beam | 137 |
| | 7.4.2 Portal Frames | 138 |
| | 7.4.3 Oval Links and Circular Rings | 139 |
| | 7.4.4 Stud Link | 141 |
| 7.5 | The Diagram of Angular Velocities | 142 |
| 7.6 | The Plane Strain Bending of Cantilevers by a Transverse Shear | |
| | Force | 144 |
| 7.7 | Bending in Wide Ring Cogging | 145 |
| 7.8 | Combined Bending and Tension: Example of Use of a Yield | |
| | Inequality | 146 |
| | 7.8.1 Elastic Analysis | 146 |
| | 7.8.2 Plastic Analysis | 147 |
| 7.9 | The Elastic-Plastic Bending of Wide Plates having an Initial | |
| | Curvature | 150 |
| | 7.9.1 Purely Elastic Case | 151 |
| | 7.9.2 Fully Plastic Case | 151 |
| | 7.9.3 Elastic-Plastic Case | 152 |
| | 7.9.4 Residual Stresses | 153 |
| | 7.9.5 Additional References | 154 |
| 7.10 | Sheet and Plate Bending as a Forming Operation | 154 |
| | 7.10.1 Press Brake Forming of Straight Edges | 154 |
| | 7.10.2 Plate Bending Using Bending Machines | 155 |
| | References | 156 |

.

xi

Chapter 8 Torsion of Prismatic Bars of Circular and Non-circular Section

| 8.1 | Elastic Analyses 8.1.1 Introduction 8.1.2 The Analysis of Torsion Following Saint-Venant 8.1.3 Elliptical Cross-section Bar 8.1.4 Equilateral Triangle 8.1.5 The Straightforward Nature of the above two Examples 8.1.6 Rectangular and Square Sections 8.1.7 A Circular Shaft with a Circular Keyway | 159 159 160 165 167 167 167 169 170 |
|-----|--|---|
| | 8.1.8 The Semi-inverse Solution to Saint-Venant's Torsion | |
| | Problem | 171 |
| | 8.1.9 Point Matching 8.1.10 The Torsion of Hollow Cylinders | 171 |
| | 8.1.11 The Membrane Analogy | 175 |
| | 8.1.12 Other Analogies | 182 |
| 8.2 | Plastic Analyses | 183 |
| | 8.2.1 Plastic Yielding in a Prismatic Bar and the Sand Heap Analogy | 183 |
| | 8.2.2 Unloading in Hollow Bars Following Elastic-Plastic | |
| | Monotonic Torsion | 190 |
| | 8.2.3 Elastic-Plastic Torsion with Work-hardening | 190 |
| 8.3 | Residual Stresses in Plastically Twisted Shafts | 190 |
| | 8.3.1 Circular Shafts | 190 |
| | 8.3.2 The Equilateral Triangle | 192 |
| | 8.3.3 Using the Sand Heap and Membrane Analogies | 193 |
| 8.4 | The Elastic Shortening of Twisted Bars | 195 |
| 8.5 | The Plastic-Torsion of I-Sections with Warping Restraint References. | 197 198 |
| | CHAPTER 9 ELASTIC-PLASTIC PROBLEMS WITH SPHERICAL OR CYLINDRICAL SYMMETRY | |
| 9.1 | Introduction | 201 |
| 9.2 | Thick Hollow Spheres | 202 |
| | 9.2.1 Elastic Stress Distribution: Steady State Temperature | 202 |
| | Gradient Only | 202 |
| | 9.2.2 Elastic Stress Distribution: Internal Pressure, p, Only 9.2.3 Elastic Stress Distribution: Internal Pressure and a | 204 |
| | Steady State Temperature Gradient: Onset of Yielding | 204 |
| | 9.2.4 Partly Plastic Shell: Internal Pressure Only | 209 |
| | 9.2.5 Partly Plastic Shell: Temperature Gradient Only | 210 |
| | 9.2.6 Partly Plastic Shell: Steady State Radial Temperature Gradient and an Internal or External Pressure | 213 |
| | 9.2.7 The Influence of Displacements: Internal Pressure Only | 214 |
| | 9.2.8 Expanding an Infinitely Small Cavity by Internal Pressure | |
| | 9.2.9 The Work-Hardening Material | 216 |

| | 9.2.10 The Metallic Spherical Shell: Other References | 218 |
|------------|--|-----|
| | 9.2.11 Stress in a Sphere Due to a Uniform Heat Source, Q per Unit Volume | 218 |
| 0 7 | | |
| 9.3 | Thick Circular Cylinders: Plane Strain | 219 |
| | 9.3.1 Elastic Stress Distribution: General Equations | 219 |
| | 9.3.2 Elastic Stress Distribution: Any Steady State Tempera- ture Distribution | 221 |
| | 9.3.3 Elastic Stress Distribution: Steady State Heat Flow: Constant Temperature Difference between the Cylinder Walls Only | 222 |
| | 9.3.4 Elastic Stress Distribution: Internal Pressure Only | 222 |
| | 9.3.5 Elastic Stress Distribution: Internal Pressure Only 9.3.5 Elastic Stress Distribution: Steady State Temperature | 222 |
| | Gradient and Internal Pressure | 223 |
| | 9.3.6 Brittle Failure | 223 |
| | | |
| | 9.3.7 Elastic-Plastic Tube: Internal Pressure Only | 223 |
| | 9.3.8 Onset of Ductile Yielding: Internal Pressure and Temperature Gradient | 225 |
| | 9.3.9 Determination of the Pressure-Expansion Curve in a | |
| | Thick-walled Tube which is closed at its ends | 225 |
| | 9.3.10 Elastic Thermal Shock | 228 |
| | 9.3.11 Special References | 228 |
| 9.4 | Compound Circular Cylinders and Spherical Shells | 229 |
| | 9.4.1 The Compound Cylinder Subjected to Internal Pressure | |
| | Only | 229 |
| | 9.4.2 Spherical Shells | 233 |
| 9.5 | Rings Subject to a Steady State Radial Temperature Gradient | |
| | Only | 233 |
| 9.6 | Rotating Discs | 234 |
| | 9.6.1 Elastic Analysis | 234 |
| | 9.6.2 Elastic–Plastic Analysis | 236 |
| 9.7 | Elastic–Plastic Analysis of a Rotating Cylinder | 238 |
| | References | 239 |
| | | |

CHAPTER 10 PLASTIC INSTABILITY

| 10.1 | General Considerations of the Buckling of an Ideal Column | 243 |
|------|---|-----|
| 10.2 | The Double-modulus Formula | 246 |
| 10.3 | The Tangent-modulus Formula | 248 |
| 10.4 | A Comparison Between the two Solutions for the Plastic | |
| | Buckling of a Column with a Rectangular Cross-section | 248 |
| 10.5 | General Considerations of Plastic Instability in Tension | 249 |
| 10.6 | Plastic Instability of a Closed-ended Thin-walled Pipe or | |
| | Cylinder Subjected to Internal Pressure | 252 |
| 10.7 | Plastic Instability of a Spherical Shell Subjected to Internal | |
| | Pressure | 256 |
| 10.8 | Plastic Instability of a Thin-walled Pipe or Cylinder Subjected | |
| | to an Internal Pressure and Independent Axial Load | 257 |

.

xiii

| 10.9 10.10 | Instability of a Circular Metal Diaphragm The Strength of Thin-walled Shells and Circular Diaphragms | 259 |
|---------------|---|-----|
| 10.10 | subjected to Hydrostatic Pressure | 264 |
| | 10.10.1 Thin-walled Pipe or Cylinder | 264 |
| | 10.10.2 Spherical Shell | 266 |
| | 10.10.3 Circular Diaphragm | 266 |
| 10.11 | Empirical Equations to represent the Stress-Strain Curve | 267 |
| 10.11 | | 270 |
| 10.12 | 10.12.1 Disc of Uniform Strength | 270 |
| | 10.12.2 Disc of Uniform Thickness | 276 |
| | References | 270 |
| | Kelefences | 270 |
| | | |
| | CHAPTER 11 MECHANICS OF METAL FORMING I | |
| 11.1 | Introduction | 281 |
| 11.2 | The Sinking of a Thin-walled Tube: General Considerations | 281 |
| 11.3 | Frictionless Tube-sinking | 285 |
| 11.4 | Tube-sinking with Wall Friction | 286 |
| 11.5 | Comparison of Theoretical and Experimental Stresses in | |
| 11.0 | Tube-sinking | 288 |
| 11.6 | The Detection and Measurement of Residual Stresses in | 200 |
| 11.0 | Cold-drawn Tubes | 290 |
| 11.7 | Deep-drawing of a Circular Blank | 292 |
| 11.7 | 11.7.1 General Considerations | 292 |
| | 11.7.2 Pure Radial Drawing | 301 |
| 11.8 | Ironing | 306 |
| 11.0 | The Re-drawing of Cups | 307 |
| 11.9 | The Re-drawing of Cups | 507 |

| 11.8 | froming |
|-------|--|
| 11.9 | The Re-drawing of Cups |
| 11.10 | Flange Wrinkling in Deep-drawing |
| 11.11 | Blanking |
| 11.12 | Wire-drawing |
| | 11.12.1 Theories and Experiment |
| | 11.12.2 Redundant Strain and Redundant Work Factors in |
| | Drawn Strain-hardening Materials |
| | 11.12.3 The Maximum Reduction in Drawing: A Simple |
| | Analysis |
| 11.13 | Extrusion: General Considerations |
| 11.14 | Determination of Extrusion Pressure |
| 11.15 | Rolling |

328

329 330 334

| 11.15 | Rolling | 338 |
|-------|---|-----|
| | 11.15.1 Cold-rolling of Strip | 338 |
| | 11.15.2 Rolling Thin Hard Strip | 346 |
| | 11.15.3 Ring Rolling | 346 |
| | 11.15.4 Asymmetrical Rolling | 347 |
| | 11.15.5 The Pendulum Mill | 348 |
| | 11.15.6 Hot-rolling of Strip | 348 |
| | 11.15.7 Section-rolling, Transverse Rolling, V-Groove Forming | |
| | and Spread | 349 |
| | 11.15.8 Seamless Tube Making | 349 |
| 11.16 | Swaging a Cylindrical Rod | 350 |

xiv

| 11.17 11.18 11.19 | The Simple Upsetting or Compressing of a Cylinder The Compression of Non-circular Prismatic Blocks Some Relationships between Engineering Strain Rate, Force, Time and Strain, in a Simple Upsetting Operation which takes | 350 356 |
|-------------------------|---|------------|
| 11.00 | Place under a Drop Hammer | 358 |
| 11.20 | Superplasticity 11.20.1 Transformation Plasticity | 367 368 |
| | 11.20.2 Micrograin Plasticity | 368 |
| | References | 370 |
| | CHAPTER 12 THE SLIP-LINE FIELD: THEORY AND EXAMPLES OF PLANE PLASTIC STRAIN | |
| 12.1 | General Remarks | 381 |
| 12.2 | The Stress Equations | 383 |
| 12.3 | The Velocity Equations | 387 |
| 12.4 | A Simple Slip-line Field for Extrusion through a Friction- less Wedge-shaped Die of Semi-angle α , of Reduction | 200 |
| 12.5 | $r = 2 \sin \alpha / (1 + 2 \sin \alpha)$ The Compression of a Block between Rough Rigid Parallel | 389 |
| 12.5 | Platens, the Platen Width Exceeding the Material Thickness | 392 |
| 12.6 | The Centred-fan Field | 401 |
| 12.7 | Examples Using the Centred-fan Field | 402 |
| | 12.7.1 Extrusion through a Square Die over a Smooth Container Wall; $r > 0.5$ | 402 |
| | 12.7.2 Extrusion through a Smooth Wedge-shaped Die of | |
| | Semi-angle α when $r \ge 2 \sin \alpha/(1 + 2 \sin \alpha)$ | 403 |
| | 12.7.3 Extrusion through a Smooth Wedge-shaped Die of Serie and a wybere $n \leq 2 \sin n/(1 + 2 \sin n)$ | 403 |
| | Semi-angle α where $r \leq 2 \sin \alpha/(1 + 2 \sin \alpha)$ 12.7.4 Simultaneous Extrusion through Two Orifices in a | 403 |
| | Square Die | 406 |
| | 12.7.5 An Extrusion Involving Rotation | 407 |
| 12.8 | Stubby Cantilevers and Beams Carrying a Concentrated | |
| | Load | 408 |
| 12.9 | Concluding Note | 412 |
| | References | 414 |

Chapter 13 Load Bounding: Introduction and Application to Plane Strain Deformation Problems

| 13.1 | Introduction | 415 |
|------|---|-----|
| | 13.1.1 The Limit Theorems | 416 |
| 13.2 | The Lower Bound Theorem | 416 |
| 13.3 | The Upper Bound Theorem | 418 |
| 13.4 | The Upper Bound Theorem in Plane Strain: Elementary | |
| | Justification | 419 |
| 13.5 | Examples of the Use of the Upper Bound Theorem | 421 |
| | 13.5.1 Bending of a Notched Bar | 422 |

•

| | 13.5.2 Simple Indentation | 423 |
|---------|---|-----|
| | + | 424 |
| | * | 426 |
| | 13.5.5 Extrusion through Unsymmetrical Wedge-shaped Dies | 429 |
| | | 431 |
| | e . | 434 |
| | 13.5.8 Sideways Extrusion from a Smooth Container | 434 |
| | 13.5.9 Simultaneous Forward and Backward Extrusion of | |
| | Sheets of Equal Thickness | 435 |
| | | 436 |
| 13.6 | Friction | 438 |
| 13.7 | | 439 |
| 13.8 | | 439 |
| 13.9 | Rolling | 443 |
| 13.10 | Temperature Distribution in Swiftly Worked Metals | 445 |
| 13.11 | · · | 447 |
| 13.12 | | 449 |
| 13.13 | Examples of the Application of the Lower Bound Theorem | |
| | Using Stress Discontinuity Patterns | 451 |
| | 13.13.1 The Mohr Circle in Plane Strain: The Pole of the Mohr | |
| | Circle | 451 |
| | 13.13.2 Stress Discontinuities, or Jumps, in Plane Strain | 452 |
| | 13.13.3 The Notched Bar in Bending | 453 |
| | 13.13.4 The Tapering Cantilever Under Shear Loading | 454 |
| | 13.13.5 Sheet Drawing and Sheet Extrusion for Frictionless | |
| | | 456 |
| | | 458 |
| | | 459 |
| | | 461 |
| 13.14 | <u>.</u> | 461 |
| 13.15 | Upper Bounds for Anisotropic Metals | 463 |
| | References | 464 |
| | | |
| | CHAPTER 14 MECHANICS OF METAL FORMING II | |
| 14.1 Ir | itroduction . | 467 |
| 14.2 | | 467 |
| | | 467 |
| | | 469 |
| | | 473 |
| | 14.2.4 Remarks on the Comparison Between Theoretical and | |
| | Experimental Results | 474 |
| | | 475 |
| | 14.2.6 Discontinuous Machining | 477 |
| | 14.2.7 Oblique Machining | 478 |
| | 14.2.8 Machining Using a Restricted Contact Tool | 478 |

14.2.8 Machining Using a Restricted Contact Tool47814.2.9 Turning and Boring: Some Simple Upper Bounds48914.3 Indenting with Straight-sided Dies494

xvi

References

| 14.4 14.5 14.6 14.7 14.8 14.9 14.10 | Indenting and Forging with a Flat Punch Opposed Indenters: Forging and Cutting Slip-Line Fields for Hot- and Cold-rolling Strip and Bar Drawing through a Perfect Die Extrusion through Bi-wedge Shaped and Curved Dies Rotating Dies and Elements Plastic Deformation of Metals of Different Yield Strengths References | 497 503 504 505 508 510 513 514 |
|---|---|--|
| | Chapter 15 Load Bounding Applied to the Plastic Bending of Plates | |
| | PLASTIC DENDING OF PLATES | |
| 15.1 | Introduction | 520 |
| 15.2 | An Annular Plate Clamped at its Outer Edge | 521 |
| 15.3 | Plate Position Fixed (Zero Fixing Moment) at its Outer | 522 |
| 15.4 | Periphery Plate Perfectly Clamped along its Inner Boundary | 522 |
| 15.4 | The Dynamic, or Inertia Loading of an Annular Plate | 525 |
| 15.5 | Perfectly Clamped along its Inner Boundary | 524 |
| 15.6 | Regular Polygonal Plates | 525 |
| 15.7 | Rectangular Plate: Uniform Loading | 526 |
| 15.8 | The Position-fixed Rectangular Plate Carrying a Concentrated | 520 |
| 10.0 | Load | 528 |
| 15.9 | A Plate Shape which is an Equilateral Triangle | 530 |
| | 15.9.1 The Concentrated Load | 530 |
| | 15.9.2 The Uniformly Distributed Load | 532 |
| 15.10 | Simply Supported Plates | 532 |
| 15.11 | A Square Plate Supported only at its Corners | 534 |
| 15.12 | A Position-fixed Rectangular Plate, Unsymmetrically Loaded | |
| | by a Concentrated Load | 535 |
| 15.13 | Local Collapse in a Triangular Plate | 538 |
| 15.14 | A Plate Twisting Analogy | 540 |
| 15.15 | The Elastic-Plastic Bending of Circular Plates by Transverse | <i></i> |
| | Pressure | 541 |

CHAPTER 16 LOAD BOUNDING APPLIED TO AXISYMMETRIC INDENTATION AND RELATED PROBLEMS

| 16.1 | Introduction | 544 |
|------|---|-----|
| 16.2 | Basic Equations | 544 |
| 16.3 | Simple Heading Operations with Frictionless Tools | 545 |
| | 16.3.1 Relatively Narrow Bands: First Mode of Deformation | 545 |
| | 16.3.2 Wide Bands: Second Mode of Deformation | 547 |
| | 16.3.3 A Third Mode of Deformation for a Very Deep Band | 547 |
| 16.4 | Three-dimensional Punch Indentation Problem | 548 |
| | 16.4.1 Lower Bound for a Rectangular Punch | 548 |
| | 16.4.2 Upper Bound for a Rectangular Punch | 550 |

.

543

| | 16.4.3 Indentation with a Pyramid Indenter | 550 |
|---------------|---|-----|
| | 16.4.4 Comment | 551 |
| 16.5 | An Upper Bound for the Load to Compress Square Discs | |
| | between Rough, Parallel, Rigid, Overhanging Dies | 551 |
| | 16.5.1 Simple, Homogeneous Velocity Field | 551 |
| | 16.5.2 Velocity Field which Allows Bulging at Edges of Block | 553 |
| 16.6 | The Indentation of a Thin Cylindrical Slab by a Pair of Rough | |
| | Rigid Punches | 554 |
| | 16.6.1 First Mode of Deformation: Disc Wholly Plastic | 555 |
| | 16.6.2 Second Mode of Deformation: Outer Annulus of Disc | |
| | Remaining Rigid | 556 |
| 16.7 | Velocity Fields for Axisymmetric Extrusion, Rolling and | |
| | Indentation | 557 |
| 16.8 | Hill's General Method | 559 |
| 10.0 | References | 559 |
| | Kerences | 557 |
| PROBLE | TMS | 561 |
| INOBLI | 0112 | 501 |
| Soluti | Solutions to Problems | |
| Author Index | | 635 |
| Subject Index | | 643 |

xviii