

Donald A. Dawson • Andreas Greven

Spatial Fleming-Viot Models with Selection and Mutation

 Springer

Contents

| | | |
|----------|--|----|
| 1 | Introduction | 1 |
| 1.1 | Ideas and Objectives | 1 |
| 1.2 | Concepts and Methods of Mathematical Analysis | 5 |
| 1.3 | Future Applications of Methods and Open Problems | 7 |
| 1.4 | Methodologies Developed | 8 |
| 1.5 | Outline of the Monograph and Different Ways to Read It | 9 |
| 2 | Mean-Field Emergence and Fixation of Rare Mutants in the Fisher–Wright Model with Two Types | 11 |
| 2.1 | Prelude: The Three Layers of Our Approach | 11 |
| 2.2 | Formulation of the Problem and Description of Two-Type Model | 13 |
| 2.2.1 | The Problem | 14 |
| 2.2.2 | The Fisher–Wright Dynamics with Two Types and Basic Objects | 14 |
| 2.3 | Statement of Results | 18 |
| 2.3.1 | The Limiting Random McKean–Vlasov Dynamics and Entrance Laws | 18 |
| 2.3.2 | The Limiting Dynamics of the Sparse Sites with Substantial Type-2 Mass | 23 |
| 2.3.3 | Emergence Time, Droplet Formation, Fixation Dynamic for N -Interacting Sites: Statement of Results | 27 |
| 2.3.4 | The Branching Approximation in the Fast Mixing Limit | 36 |
| 2.3.5 | Some Topological Facts Concerning Atomic Measures | 37 |
| 3 | Formulation of the Multitype and Multiscale Model | 39 |
| 3.1 | Main Ingredients | 40 |
| 3.2 | Characterization of the Process by a Martingale Problem | 42 |

| | | |
|----------|---|------------|
| 3.3 | Detailed Specification of Selection and Mutation Mechanisms | 45 |
| 3.4 | Interpretation of the Model from the Point of View of Evolutionary Theory and Connections to Related Work | 50 |
| 3.5 | Extensions | 53 |
| 4 | Formulation of the Main Results in the General Case | 55 |
| 4.1 | Renormalization: A Sequence of Space and Time Scales | 58 |
| 4.2 | Basic Scenario and the Hierarchical Mean-Field Limit | 63 |
| 4.2.1 | The Basic Scenario: Five Phases of Transition | 63 |
| 4.2.2 | The Basic Limit Dynamics | 67 |
| 4.3 | Ergodic Theorem for the Nonlinear McKean–Vlasov and Spatial Fleming–Viot Process | 71 |
| 4.4 | Elements of Asymptotic Description: Two Interaction Chains ... | 73 |
| 4.5 | Limit Theorems I: Quasi-equilibria and Neutral Phase | 76 |
| 4.6 | Limit Theorems II: Emergence, Fixation, Droplet Formation of Rare Mutants | 79 |
| 4.6.1 | Questions Concerning the Emergence and Fixation by Rare Mutants | 80 |
| 4.6.2 | Characteristic Functionals for Emergence and Fixation: Limit Dynamics | 85 |
| 4.6.3 | Results on Emergence, Invasion and Fixation by Rare Mutants | 91 |
| 4.7 | Limit Theorems III: Local Biodiversity Versus Monotype, the Genealogy of the Mutant Population | 95 |
| 4.7.1 | History of the E_{j+1} -Type Population: Concepts and Analytic Description | 96 |
| 4.7.2 | Results: The Role of the Migration Parameters for the Local Bio-Diversity | 99 |
| 4.7.3 | The Origin of Successful Populations | 101 |
| 4.7.4 | Outlook on the Full Historical Process | 102 |
| 4.8 | The Structure of the Proofs | 103 |
| 5 | A Basic Tool: Dual Representations | 105 |
| 5.1 | The Dual Process and Duality Function for the Interacting System | 107 |
| 5.2 | Duality Relation for Interacting Systems | 116 |
| 5.3 | Two Alternative Duals for the Mutation Component | 123 |
| 5.3.1 | Modified Dual for State-Independent Mutation Component | 123 |
| 5.3.2 | The Dual for Mutation: Alternative Representation in the State-Dependent Case | 125 |
| 5.3.3 | Pure Jump Process Dual | 126 |
| 5.4 | Historical Interpretation of the Dual Process | 126 |

| | | |
|-------|--|-----|
| 5.5 | Refinements of the Dual for Finite Type Space: $(\eta_t, \mathcal{F}_t^{++})_{t \geq 0}, (\eta_t, \mathcal{G}_t^{++})_{t \geq 0}$ | 128 |
| 5.5.1 | Ingredients | 129 |
| 5.5.2 | The Refined Dual $(\eta_t, \mathcal{F}_t^{++})_{t \geq 0}$ or $(\eta_t, \mathcal{G}_t^{++})_{t \geq 0}$ | 135 |
| 5.5.3 | The Refined Duality Relation | 135 |
| 5.5.4 | Historical Interpretation Revisited and Outlook on a Modified Dual | 138 |
| 5.5.5 | Calculations with the Refined Dual: An Additional Trick | 141 |
| 5.6 | The Dual Representation for the McKean–Vlasov Process | 142 |
| 5.6.1 | The McKean–Vlasov Dual Process | 142 |
| 5.6.2 | Duality Relation for McKean–Vlasov Process | 144 |
| 6 | Long-Time Behaviour: Ergodicity and Non-ergodicity | 147 |
| 6.1 | Non-spatial Case | 148 |
| 6.2 | Spatial Case | 156 |
| 7 | Mean-Field Emergence and Fixation of Rare Mutants: Concepts, Strategy and a Caricature Model | 161 |
| 7.1 | The Mean-Field Model and Hierarchical Mean-Field Models ... | 161 |
| 7.1.1 | The Basic Scenario for the Mean-Field Model | 161 |
| 7.2 | Outline of the Strategy for Sections 8–13 | 164 |
| 8 | Methods and Proofs for the Fisher–Wright Model with Two Types | 167 |
| 8.1 | Outline of the Subsections on Proofs of Results Formulated in Subsection 2.3 | 167 |
| 8.2 | A Warm-Up: The Case of a Single Site Model and Other Simplifications | 168 |
| 8.2.1 | Emergence of Rare Mutants in the Single Site Deterministic Population Model | 168 |
| 8.2.2 | Emergence of Rare Mutants in the Single Site Stochastic Population Model | 169 |
| 8.2.3 | Proofs Using the Dual | 169 |
| 8.3 | Proofs of Propositions 2.3, 2.6, and 2.11 | 173 |
| 8.3.1 | Outline of the Strategy of Proofs for the Asymptotic Analysis | 173 |
| 8.3.2 | Proof of Proposition 2.3 (Properties McKean–Vlasov dynamic) | 175 |
| 8.3.3 | The Structure of the Dual Process and a Crump–Mode–Jagers Process | 188 |
| 8.3.4 | The Dual in the Collision-Free Regime: The Exponential Growth Rate | 192 |
| 8.3.5 | The Dual in the Collision-Free Regime: Further Properties | 198 |

| | | |
|----------|---|------------|
| 8.3.6 | Dual Process in the Collision Regime: Macroscopic Emergence Proposition 2.6(a) | 202 |
| 8.3.7 | Dual Process in the Collision Regime: Nonlinear Dynamics | 216 |
| 8.3.8 | The Dual Process in the Collision Regime: Convergence Results | 234 |
| 8.3.9 | Dual Population in the Transition Regime: Asymptotic Expansion | 250 |
| 8.3.10 | Weighted Occupation Time for the Dual Process | 292 |
| 8.3.11 | Proof of Proposition 2.11, Part 1: Convergence to Limiting Dynamics | 295 |
| 8.3.12 | Proof of Proposition 2.11, Part 2: The Random Initial Growth Constant | 297 |
| 8.3.13 | Completion of the Proof of Proposition 2.11 | 301 |
| 8.4 | Droplet Formation: Proofs of Proposition 2.8–2.10 | 302 |
| 8.4.1 | Mutant Droplet Formation at Finite Time Horizon | 303 |
| 8.4.2 | The Long-Term Behaviour of Limiting Droplet Dynamics (Proof of Proposition 2.10) | 314 |
| 8.4.3 | Proof of Proposition 2.8 | 317 |
| 8.4.4 | Some Explicit Calculations | 318 |
| 8.4.5 | First and Second Moments of the Droplet Growth Constant \mathcal{W}^* | 320 |
| 8.4.6 | Asymptotically Deterministic Droplet Growth | 347 |
| 8.5 | Relation Between $^*\mathcal{W}$ and \mathcal{W}^* | 358 |
| 8.6 | Third Moments | 366 |
| 8.7 | Propagation of Chaos: Proof of Proposition 2.13 | 371 |
| 8.8 | Extensions: Non-critical Migration, Selection and Mutation Rates | 373 |
| 9 | Emergence with $M \geq 2$ Lower Order Types (Phases 0,1,2) | 377 |
| 9.1 | Introduction | 378 |
| 9.2 | The $(M, 1)$ Model: Basic Objects and Notation | 380 |
| 9.2.1 | Simplification for Analysis of Phases 0,1,2 | 380 |
| 9.2.2 | The Basic Objects | 381 |
| 9.2.3 | The Intuitive Picture | 382 |
| 9.2.4 | Different Mutation-Selection-Migration Parameter Regimes | 383 |
| 9.3 | Statement of Results: Emergence, Fixation and Droplet Formation | 384 |
| 9.3.1 | Time Scale of Macroscopic Emergence | 384 |
| 9.3.2 | The McKean–Vlasov Dynamics for Emergence-Fixation Process | 385 |
| 9.3.3 | Droplet Formation in Early Times $t = O(1)$ and $t \rightarrow \infty$ | 387 |
| 9.3.4 | Exit=Entrance | 390 |

| | | |
|-------|--|-----|
| 9.4 | Dual Representations: Ordered Dual and Tableau-Valued Dual | 391 |
| 9.4.1 | Introduction | 392 |
| 9.4.2 | Summary: Table of Dual Objects | 394 |
| 9.4.3 | Warm-Up: Emergence for the Deterministic Case ($d = 0$) | 394 |
| 9.4.4 | Warm-Up: Dual Calculations with $M = 2$ for Emergence | 397 |
| 9.4.5 | The Strategy for Getting an Enriched Dual | 404 |
| 9.4.6 | Modification of Dual 1: $\tilde{\mathcal{F}}_i^{++,<}$ with Ordered Factors | 405 |
| 9.4.7 | Modification of the Dual 2: $\tilde{\mathcal{G}}^{++,<}$ with Ordered Coupled Summands | 420 |
| 9.4.8 | Extension to the McKean–Vlasov Process | 425 |
| 9.5 | The Marked Set-Valued Dual Process $\tilde{\mathcal{G}}^{++}$ | 426 |
| 9.5.1 | Dual $\tilde{\mathcal{G}}^{++}$: Examples for the Special Cases $M = 2, 3$ | 427 |
| 9.5.2 | The Marked Set-Valued Duality: $\tilde{\mathcal{G}}^{++}$ | 434 |
| 9.5.3 | Properties 1: Set-Valued Markovian Dynamics Without Migration | 438 |
| 9.5.4 | Properties 2: Set-Valued Dual with Migration | 444 |
| 9.5.5 | Calculating with $\tilde{\mathcal{G}}^{++}$ | 445 |
| 9.6 | The Growth of Occupied Sites in the Collision-Free Case $\tilde{\mathcal{G}}^{++}$: Basic Construction of Enriched Dynamics $\mathfrak{s}, \mathfrak{s}^*, \mathfrak{s}^{**}$ | 448 |
| 9.6.1 | Preparation 1: Enriched Marked Set-Valued Dynamics with Emigration | 449 |
| 9.6.2 | Preparations 2: The Enriched Marked Set-Valued Markovian Dynamics $\tilde{\mathcal{G}}^{++,\ell}$ | 453 |
| 9.6.3 | Enriched Marked Set-Valued Dynamics: \mathfrak{s} | 458 |
| 9.6.4 | Further Auxiliary Processes to analyse $\tilde{\mathcal{G}}^{++} : \mathfrak{s}^*, \mathfrak{s}^{**}$ and $\mathfrak{s}_{\text{enr}}^{**}$ | 478 |
| 9.7 | Collision-Free Regime: Malthusian Parameter of $\tilde{\mathcal{G}}^{++}$ | 483 |
| 9.7.1 | Introduction | 483 |
| 9.7.2 | Preparation: Multitype CMJ-Processes | 484 |
| 9.7.3 | The CMJ Process Related to the Dual | 486 |
| 9.7.4 | The Malthusian Parameter for $ \mathcal{G}_i^{++,\text{III}} $ | 489 |
| 9.7.5 | Formulation of the Main Results on the Marked Set-Valued Dual $\tilde{\mathcal{G}}^{++}$ | 494 |
| 9.7.6 | Proof of Propositions 9.40 and 9.41 | 496 |
| 9.7.7 | The $N \rightarrow \infty$ Limit | 498 |
| 9.7.8 | Factorization Dynamics of the Set $\tilde{\mathcal{G}}^{++}$: Giant Versus Small Metafactors | 499 |

| | | |
|--------|---|-----|
| 9.8 | The Strategy for the Collision Regime..... | 511 |
| 9.8.1 | The Problem of Collisions..... | 511 |
| 9.8.2 | Strategy for Subsections 9.9–9.13 | 512 |
| 9.9 | Dual in the Collision Regime: $\tilde{G}^{++\cdot N}$ and $\mathfrak{s}^{****\cdot N}$ | 514 |
| 9.9.1 | The Process $\mathfrak{s}^{****\cdot N}$: Motivation and Basic Structure | 515 |
| 9.9.2 | Dual State Description of $\mathfrak{s}^{****\cdot N}$ in the Collision Regime..... | 519 |
| 9.9.3 | Dynamics of $\mathfrak{s}^{****\cdot N}$ | 528 |
| 9.9.4 | Clans: Their Number and Sizes, Asymptotics as $N \rightarrow \infty$ | 533 |
| 9.10 | Empirical Process of Microstates, Clans for $\mathfrak{s}^{****\cdot N}$: Mutation-Dominant Regime..... | 541 |
| 9.10.1 | Empirical Process of Microstates in the Mutation-Dominance Regime | 542 |
| 9.10.2 | Limiting Nonlinear Dynamics for Microstate Frequencies Under Mutation Dominance | 550 |
| 9.10.3 | Convergence of the Dynamics of $(\hat{\Psi}^N(\beta^{-1} \log N + t))_{t \geq t_0}$ | 555 |
| 9.10.4 | Convergence of $(\hat{\Psi}^N(\beta^{-1} \log N + t)^+)_{t \in (-\infty, \infty)}$ to Entrance Law..... | 565 |
| 9.11 | The Transition Regime and Emergence: Mutation-Dominant Case | 567 |
| 9.11.1 | Expansion of Dual Process as $t \rightarrow -\infty$ | 568 |
| 9.11.2 | Multicolour Systems | 569 |
| 9.11.3 | Deterministic Regime of Droplet Growth with $M \geq 2$ | 573 |
| 9.11.4 | Emergence and Rare Mutation Events: Hazard Rate and Post Event Calculation | 583 |
| 9.12 | Emergence and Fixation: The Selection-Dominant Case | 587 |
| 9.12.1 | Mesostate Branching Dynamics in the Collision-Free Case: Overview..... | 589 |
| 9.12.2 | Mesostate Population Dynamics in the Case $M = 2, d = 0$ | 592 |
| 9.12.3 | Long-Time Behaviour of the MBDC-Process: $M = 2, d = 0$ | 605 |
| 9.12.4 | The Case $M = 2$ and $d > 0$ | 613 |
| 9.12.5 | Higher Moments in the Case $M = 2, d = 0$ | 615 |
| 9.12.6 | Extension to the Case $M > 2$: Conclusion of the Proof of Proposition 9.64..... | 626 |
| 9.12.7 | Exponential Growth and Type Distribution of the CMJ-Mesostate Process | 630 |

| | | |
|---------|--|-----|
| 9.12.8 | Growth of $ \tilde{\mathcal{G}}_t^{++} $: The Two Level Branching Structure..... | 651 |
| 9.12.9 | Empirical Process of Mesostates: Collision Case | 656 |
| 9.12.10 | The Marked (Coloured) Mesostate Process | 662 |
| 9.12.11 | Rare Mutations and Emergence Time: Lower Bound..... | 681 |
| 9.12.12 | Second Moment Calculations and L^2 Convergence of the Droplet Process | 686 |
| 9.12.13 | The Random Entrance Law | 687 |
| 9.12.14 | Further Perspectives: Discussion of the Non-ergodic Mutation Case | 692 |
| 9.12.15 | Dependence of the Emergence Time on the Initial Measure if $\beta > \beta_{Pe}$ | 697 |
| 9.13 | Proof of Propositions 9.1, 9.2, 9.4 | 698 |
| 9.13.1 | Proof of Proposition 9.1, Part 1: Emergence Time | 698 |
| 9.13.2 | Proof of Proposition 9.1, Part 2: Fixation..... | 702 |
| 9.13.3 | Proof of Proposition 9.2: Uniqueness for McKean–Vlasov Entrance Law | 704 |
| 9.14 | Proof of Propositions 9.3 and 9.5 | 709 |
| 9.14.1 | Proof of Proposition 9.3: Convergence to Limiting Nonlinear Dynamics | 709 |
| 9.14.2 | Proof of Proposition 9.5 | 712 |
| 9.15 | Asymptotic Elimination of Downward Mutations | 712 |

10 The General (M, M) -Type Mean-Field Model:

| | | |
|--------|--|------------|
| | Emergence, Fixation and Droplets..... | 715 |
| 10.1 | The Interacting System on $\{1, \dots, N\}$ with (M, M) -Types | 716 |
| 10.2 | Overview of Phases 0–3 for the (M, M) System on $\{1, \dots, N\}$ | 720 |
| 10.3 | Ergodic Theorem for the (M, M) Spatial and Mean-Field Systems | 721 |
| 10.4 | Results 1: Macroscopic Emergence, Fixation and Random Entrance Law of Higher Level Multiple Types | 724 |
| 10.4.1 | The Multitype McKean–Vlasov Equation and Its Entrance Laws | 725 |
| 10.4.2 | Emergence: The Multitype Case | 726 |
| 10.4.3 | Fixation | 729 |
| 10.5 | Results 2: Mutant Droplet Formation in (M, M) -Case | 729 |
| 10.5.1 | Formation of Droplets and Their Longtime Behaviour | 730 |
| 10.5.2 | The Equality of \mathcal{W}^* and ${}^*\mathcal{W}$ (Linkage Phase 0 and Phase 1)..... | 739 |
| 10.6 | Dual Calculations: Proof of Theorem 14 | 739 |

| | | |
|-----------|--|------------|
| 10.7 | Dual Calculations with M Higher Level Types | 744 |
| 10.7.1 | Dual Calculations in the Case $(1, M)$: First Moment | 747 |
| 10.7.2 | Dual Calculation for the $(1, M)$ System: Higher Moments | 751 |
| 10.7.3 | The Dual Calculation in the Case of (M, M) -Types ... | 760 |
| 10.8 | Proof of Proposition 10.2 | 764 |
| 10.9 | Proof of of Proposition 10.3 | 770 |
| 10.10 | Proof of Proposition 10.11 | 771 |
| 10.11 | Proof of Proposition 10.4 | 771 |
| 10.12 | Removing the Simplifying Assumption | 772 |
| 10.13 | Droplets: Proofs of Propositions 10.5, 10.6, 10.7, 10.8, 10.9, 10.10 | 772 |
| 11 | Neutral Evolution on E_1 After Fixation (Phase 3) | 781 |
| 11.1 | Evolution in Neutral Equilibrium: Results | 781 |
| 11.2 | Proof of Proposition 11.1 | 783 |
| 12 | Re-equilibration on Higher Level E_1 (Phase 4) | 787 |
| 12.1 | Statement of Results: From Neutral Equilibrium to Mutation-Selection on E_1 | 787 |
| 12.1.1 | The Finite Two-Level System: Construction | 788 |
| 12.1.2 | Limit System: Construction | 790 |
| 12.1.3 | Topologies on Path Space | 792 |
| 12.1.4 | Statement of Three Results on Scaling Limit | 794 |
| 12.2 | Proof of Proposition 12.2 | 796 |
| 12.3 | Convergence in the Uniform Topology | 804 |
| 12.3.1 | Microscopic Viewpoint: Uniform Convergence of Blockaverages | 805 |
| 12.3.2 | The Microscopic Viewpoint: Tagged Sites | 808 |
| 12.4 | Proofs of Propositions 12.3 and 12.4 | 809 |
| 13 | Iteration of the Cycle I: Emergence and Fixation on E_2 | 811 |
| 13.1 | How to Proceed to Higher Levels | 811 |
| 13.2 | The Case of Two Levels of Spatial Organisation and Three Fitness Levels | 813 |
| 13.2.1 | The $(3,2)$ -Model and Outline | 813 |
| 13.2.2 | A Two-Level System with Three Fitness Levels: Time Scale $O(N)$ | 815 |
| 13.2.3 | A Two-Level System with Three Fitness Levels in Time Scale $o(N \log N)$ (Phase 0) | 816 |
| 13.2.4 | Droplet Formation (Transition Phase) | 817 |
| 13.2.5 | A Two-Level System with Three Fitness Levels in Time Scale $N \log N$ (Phase 1) | 818 |
| 13.2.6 | A Two-Level System with Three Fitness Levels in Time Scale $N \log N + t$ (Phase 2) | 820 |

| | | |
|-----------|---|------------|
| 13.2.7 | A Two-Level System with Three Fitness Levels After Fixation (Phase 3) | 823 |
| 13.2.8 | A Three-Level System with Three Fitness Levels in Time Scale N^2t (Phase 4) | 824 |
| 14 | Iteration of the Cycle II: Extension to the General Multilevel Hierarchy | 829 |
| 14.1 | Combination of Three Time Scales for $(j + 1, j)$ -Level Systems | 829 |
| 14.2 | The Infinite Hierarchy in Multiple Time-Space Scales | 833 |
| 14.3 | Local Genealogy and Biodiversity During Emergence and Fixation | 835 |
| 14.3.1 | Proof of Theorem 11 | 835 |
| 14.3.2 | The Geographic Source of E_j -Valued Mutant Families: Proof of Proposition 4.14 | 836 |
| 15 | Winding-Up: Proofs of the Theorems 3–11 | 839 |
| A | Tightness | 841 |
| A.1 | The Joffe–Métivier criteria for tightness of D-semimartingales | 841 |
| A.2 | Tightness criteria for continuous processes | 843 |
| B | Nonlinear Semigroup Perturbations | 845 |
| | References | 847 |
| | Index of Notation and Tables of Basic Objects | 853 |
| | Index | 855 |