

**PROCEEDINGS OF THE SIXTH INTERNATIONAL CONFERENCE**

**ON**

# **URBAN STORM DRAINAGE**

**Sheraton Fallsview Hotel  
Niagara Falls, Ontario, Canada  
September 12-17, 1993**

## **Volume II**

**Organized by the  
IAHR/IAWQ Joint Committee on Urban Storm Drainage**

**Sponsored and Funded by  
Environment Canada's Great Lakes Cleanup Fund  
Ontario Ministry of Environment and Energy**

**Co-sponsored by  
The American Society of Civil Engineers**

**Edited by**

**Jiri Marsalek  
Harry C. Torno**

---

## VOLUME II

### 9-A: Stormwater Detention Facilities

|  |      |
|--|------|
| Advances in the hydrologic modelling of on-site stormwater detention storages.<br>D.I. Phillips  | 1005 |
| Integrated study on detention basins for mountainous catchments.<br>M-H. Wang, Y-J. Chuang and H-M. Fu   | 1011 |
| Design of stormwater detention ponds subject to random pollutant loading.<br>R. Segarra-Garcia and V.G. Loganathan   | 1017 |
| Comparison of two types of operation for runoff quality control detention.<br>P. Wisner, E. Graham and M. Blaisdell  | 1023 |
| An integrated approach for the design and realization of a major stormwater detention basin<br>in the city of Boucherville (Quebec), Canada.<br>F. Perreault and J. Lafrenière | 1029 |
| Instrumentation and monitoring of stormwater ponds: a case study.<br>W.E. Watt and J.D. Paine  | 1037 |
| Effect of detention storage on downstream flooding.<br>M. Boyd   | 1043 |

## **9-B: Best Management Practices (2)**

|   |      |
|---|------|
| An approach to comprehensive stormwater management programs: balancing structural and non-structural stormwater controls.<br>M.F. Schmidt and T.F. Quasebarth | 1049 |
| Ontario stormwater quality best management practices (BMP) planning and design manual.<br>J.C. P'ng, G.J. Bryant and D.J. Andrews                             | 1055 |
| Basic study on the prospective effect of on-site stormwater control.<br>H. Yokoyama and H. Matsui   | 1062 |
| Urban stormwater treatment by artificial wetlands: a case study.<br>L.B. Cutbill  | 1068 |
| Wetland systems in a multi objective approach to the management of stormwater in Adelaide, South Australia.<br>G. McIntosh                                    | 1074 |
| Effectiveness of urban drainage controls of PAHs in Sault Ste. Marie, Ontario.<br>M. Sharma, J. Marsalek, E. McBean and D. Brush                              | 1080 |
| An alternate design approach for the control of instream erosion potential in urbanizing watersheds.<br>C.R. MacRae   | 1086 |

## **9-C: Infiltration Structures (1)**

|  |      |
|--|------|
| Stormwater infiltration investigation using porous pavement.<br>W.M. Nawang and S. Md. Saad                                    | 1092 |
| Experimental and numerical study of stormwater infiltration through pervious parking lots.<br>D. Sztruhar and H.S. Wheeler     | 1098 |
| A study on the performance of the drainage infiltration strata.<br>S. Harada and A. Ichikawa                                   | 1104 |
| Infiltration pitch for individual houses to mitigate storm water impact.<br>K. Yamada  | 1110 |
| Infiltration characteristics associated with use of trenches in stormwater management.<br>M. Duchene, E. McBean and N. Thomson | 1115 |
| French researches on reservoir structure hydraulics.<br>G. Raimbault   | 1121 |
| New designs for reservoir structures.<br>G. Raimbault  | 1127 |

## **10-A: Stormwater Treatment**

|  |      |
|--|------|
| Ultraviolet (UV) disinfection of stormwater Longfields/Davidson Heights stormwater treatment facility.<br>H. Tracy and G.J. Craig                        | 1133 |
| Treatment of stormwater use of lamellar decantation.<br>S. Dastugue, M. Vignoles, L. Herremans, C. Zobrist and C. Bernard                                | 1139 |
| Modelization of the decantation in a detention basin with rather important outflow.<br>J-C. Hulot, J-M. Delattre, A. Bachoc, G. Jacquet and E. Bourneaud | 1145 |
| The advanced treatment of stormwater runoff from separate sewer systems by dissolved air flotation.<br>R. Pfeifer and H.H. Hahn                          | 1151 |

|   |      |
|---|------|
| Study on treatability of a combined surface water and industrial wastewater stream (Firouzabad Canal).          |      |
| G. Aidan  | 1157 |
| <br>  |      |
| <b>10-B: Infiltration Structures (2)</b>  |      |
| Assessment of reduction in pollution flow using various compensating techniques.                                |      |
| J.D. Baladès, P. Bourgoigne, H. Madiec and C. Tenière   | 1163 |
| A simulation model of stormwater infiltration facilities to reduce urban storm runoff.                          |      |
| Y. Wada and H. Miura  | 1169 |
| A flood-control reservoir with a seepage bottom.  |      |
| K. Yamasaki, H. Nakayama, A. Tutumi and H. Sun  | 1175 |
| Evaluation of basin scale effects of infiltration systems.  |      |
| S. Herath, K. Musiaka and S. Hironaka   | 1181 |
| Pollution from urban stormwater infiltration.   |      |
| P.S. Mikkelsen, G. Weyer, C. Berry, Y. Walden, V. Colandini, S. Poulsen, D. Grotehusmann and R. Rohlfing        | 1187 |
| Rainfall-runoff investigations and quality standards for infiltration of storm runoff into the soil.            |      |
| A. Nowakowska-Błaszczuk, J. Zakrzewski, M. Sitek and B. Chudzik   | 1195 |
| Behaviour of metallic pollutants in a pervious road construction.   |      |
| M. Legret, D. Demare, V. Colandini, J-D. Balades and H. Madiec  | 1201 |
| Recent developments in on-site stormwater management in Adelaide, South Australia                               |      |
| G. Bekele, M.D. Allen and J.R. Argue  | 1207 |
| <br>  |      |
| <b>10-C: New Drainage Concepts</b>  |      |
| Alternative urban drainage concept and design.  |      |
| D. Grotehusmann, A. Khelil, F. Sieker and M. Uhl  | 1213 |
| The new Brompton Estate stormwater management trial: first results.   |      |
| B. Hopkins and J.R. Argue   | 1219 |
| A first approach of the overall pollution discharges taken into account for upgrading an urban drainage system. |      |
| D-Th. Kollatsch   | 1225 |
| Futuristic ideas to create a most efficient drainage system.  |      |
| D-Th. Kollatsch   | 1231 |
| The single pipe system.   |      |
| M.D. James  | 1236 |
| Functions of Lu-shaped road-side drains.  |      |
| Y. Nakama, Y. Nomura and Y. Yamazaki  | 1242 |
| United Kingdom storm water management - taking attenuation to the limits and beyond?                            |      |
| R. Cook   | 1248 |
| <br>  |      |
| <b>11-A: Combined Sewage Characterization</b>   |      |
| Modelling of stormwater quality in combined sewers.   |      |
| J.W. Davies   | 1254 |
| Detailed combined sewer overflow simulation regarding new German guidelines A 128.                              |      |
| T.G. Schmitt  | 1260 |
| Modelling the variability of domestic dry weather flow in combined sewer networks.                              |      |
| D. Butler and N.J.D. Graham   | 1266 |

|   |      |
|---|------|
| Stochastic simulation of dry weather processes in urban drainage systems.<br>K. Scholz  | 1272 |
| Influence of combined sewer network properties on characteristics of overflow load.<br>J. Beichert  | 1278 |
| Settleable solids out of a combined sewer system - settling behaviour, pollution load, stormwater treatment.<br>S. Michelbach and C. Wöhrle             | 1284 |
| <b>11-B: Hydroinformatics - Models</b>  |      |
| A hydroinformatics system for urban drainage.<br>R.K. Price   | 1290 |
| Advanced computer techniques for the design and renovation of sewer systems.<br>L. Fuchs, W. Bauwens, S. Griffin, J. Elgy and C. Maksimovic             | 1296 |
| An integrated model suite for streamflow, water quality and best management practices.<br>B.C. Phillips, A.I. Lawrence and T. Bogiatzis                 | 1302 |
| Presentation of a multi-media tool for the acquisition of knowledge on urban storm drainage.<br>S. Barraud, J-C. Deutsch and Y. Kovacs                  | 1308 |
| UDMIA: Urban Drainage Modelling Intelligent Assistant.<br>S. Griffin, W. Bauwens and K. Ahmad   | 1314 |
| Hydrologic model system to support integrated stormwater management.<br>A. Roedder and W.F. Geiger  | 1320 |
| BMP Planner: a decision support system and educational tool for stormwater quality management.<br>H. Bowland, M. Duvinage, A. Goyen and G. Thompson     | 1326 |
| Resources for knowledge transfer and training: the exploitation of domain documentation and database technology.<br>H. Fulford, S. Griffin and K. Ahmad | 1332 |
| On-line urban drainage education: active documents.<br>S. Griffin and K. Ahmad  | 1339 |
| A new interactive graphics interface for urban drainage applications.<br>A. Rauf and D. Chaffey   | 1345 |
| XP: a graphical decision support system for water resources models.<br>G.R. Thompson, T. Bogiatzis, B.C. Phillips and R.E. Dickinson                    | 1351 |
| <b>11-C: Real Time Control (1 - Concepts)</b>   |      |
| Development and application of a general simulator for rule based control of combined sewer systems.<br>C. Jakobsen, O.B. Hansen and P. Harremøes       | 1357 |
| A European concept for real time control of sewer systems.<br>S. Lindberg, J.B. Nielsen and M.J. Green  | 1363 |
| Towards intelligent drains.<br>W. James, P. Nimmrichter and B.C. Young  | 1369 |
| New tools for implementing real time control in sewer systems.<br>W. Gonwa, A.G. Capodaglio and V. Novotny  | 1375 |
| Feasibility of optimization methods for real time control of urban drainage systems.<br>R. Rohlfing   | 1381 |
| On the use of optimization techniques for urban drainage operation.<br>F. Nelen   | 1387 |
| Comparison of optimisation algorithms to determine control strategies in UDS.<br>A. Khelil, B. Knemeyer and J. Dehnhardt                                | 1395 |

|   |      |
|---|------|
| Learning algorithms in a rule based system for control of UDS.<br>A. Khelil, A. Heinemann and D. Müller   | 1401 |
| <br><b>12-A: CSO Storage and Treatment</b>  |      |
| Optimization of storage/treatment scheme for combined sewer overflows.<br>A. Ashamalla, T. Bowering and M. Parente  | 1409 |
| Optimal capacity expansion of sewage collection and treatment system considering<br>combined sewer overflows.<br>A.E. Armijos L. and D.I. Smith                                 | 1415 |
| Improvement of combined sewer system by newly installed storage pipes.<br>M. Yasumoto, T. Hatano and G. Matsuda   | 1421 |
| Characteristic storage tank - the experience in Nagoya.<br>T. Ochi  | 1427 |
| Sewage network floods management catchment area of Boudonville in Nancy (France).<br>R. Badot and J-C. Pilloy   | 1433 |
| Cost analysis of different methods of cleaning CSO and waste water equalization tanks.<br>N. Grande and G. Novack   | 1438 |
| Combined sewer overflow abatement with storage facilities.<br>P.D. Hughes, V.F. Coletti and D.M. Heiser   | 1446 |
| <br><b>12-B: Runoff Models and GIS</b>  |      |
| Rainfall-runoff modelling of partly urbanized watersheds - comparison between a distributed<br>model using GIS and other models.<br>Y. Zech, X. Sillen, S. Djeufa and T. Pahaut | 1452 |
| Matching standard GIS packages with urban storm drainage simulation software.<br>J. Elgy, C. Maksimovic and D. Prodanovic   | 1458 |
| Modelling in Flanders with minimal data.<br>W.F. Earp   | 1466 |
| Application of a continuous simulation model on the sewer network of Brussels.<br>C. Demuynck, M. Mespreuve and W. Bauwens  | 1472 |
| Hydronaut: a new, standardized tool towards the global hydraulic design of large sewerage<br>systems in Flanders.<br>P. Swartenbroeckx  | 1478 |
| A comparison of three sewer simulation models.<br>W. Bauwens, D. Angelov, M. Brauns, M. Mespreuve and M. Smeets   | 1484 |
| On the implementation of a GIS for the management of the urban drainage system of Barcelona.<br>P. Malgrat, J. Martí and J.L. Quer  | 1490 |
| <br><b>12-C: Real Time Control (2 - Components)</b>   |      |
| The impact of spatial and temporal uncertainties from point rainfall measurements for<br>RTC of urban drainage systems.<br>T. Einfalt, R. Huyskens and W. Schilling             | 1496 |
| For a real-time control of sewerage systems: validation of rainfall data with artificial<br>intelligence tools (expert systems and neural networks).<br>A. Kroa and B. Chocat   | 1502 |
| Development of a catchment simulator as an on-line tool for operating a wastewater treatment plant.<br>L-G. Gustafsson, D. J. Lumley, B. Persson and C. Lindeborg               | 1508 |

|   |      |
|---|------|
| FITASIM - a simulator for the real-time control of urban drainage systems.  |      |
| T. Einfalt  | 1514 |
| Transfer function modelling of rainfall/runoff in urban drainage systems, and potential uses in real-time control applications. |      |
| A.G. Capodaglio and L. Fortina  | 1519 |
| Derivation of if-then-else rules from optimised strategies for sewer systems under real time control.                           |      |
| M. do Céu Almeida and W. Schilling  | 1525 |
| Real time control in a pipe to minimize the CSO.  |      |
| C. Jakobsen, N.K. Andersen, P. Harremøes and P.S. Nielsen   | 1531 |
| <b>13-A: CSO Structures</b>   |      |
| The relationship between field and model studies of an hydrodynamic separator combined sewer overflow.                          |      |
| P.D. Hedges, P.E. Lockley and J.R. Martin   | 1537 |
| Comparative laboratory study of swirl, vortex and helical bend separators.  |      |
| Z. Konicek and J. Marsalek  | 1543 |
| A simplified method to evaluate control effects of combined sewer overflow.   |      |
| M. Kume, S. Saito and K. Yoshimoto  | 1549 |
| Flood prediction model in combined sewerage system and a rational method for prediction of runoff.                              |      |
| M. Kurashiki and K. Kariya  | 1555 |
| Balance determination of combined sewer overflow (CSO) performance.   |      |
| P. Urcikan, D. Rusnak, M. Sokac, S. Stanko and D. Sztruhar  | 1561 |
| Improvement of the overall pollution balance by implementation of egg shaped sewer profiles.                                    |      |
| J. Sartor   | 1567 |
| <b>13-B: Urban Groundwater</b>  |      |
| Impacts of solid waste deposits on ground water quality.  |      |
| H. Massing  | 1573 |
| Houses with wet feet: groundwater nuisance and its abatement in the Netherlands.  |      |
| F.H.M. van de Ven   | 1579 |
| Ground water control in a swampy town.  |      |
| E. Jacobs   | 1585 |
| Investigations about quantitative and qualitative pollution load of subsoil, ground- and surface water by leaky sewers.         |      |
| J. Decker and A. Risse  | 1591 |
| Assessment and treatment of ground-water damage in Germany.   |      |
| J. Jedlitschka  | 1597 |
| A water quality impact assessment of an artificial recharge management scheme in Atlantis, South Africa.                        |      |
| A. Wright   | 1604 |
| <b>13-C: Real Time Control (3 - Applications)</b>   |      |
| Risk analysis and real time operation of sewer systems, experience from the user's perspective.                                 |      |
| J-M. Delattre   | 1609 |
| Different application of real time control components and their effect on the combined sewer runoff.                            |      |
| M. Weyand   | 1615 |

|   |      |
|---|------|
| Implementation of real time control in Barcelona's urban drainage system.<br>J.L. Quer, P. Malgrat and J. Martí   | 1621 |
| Feasibility planning of a real time control system in the city of Zurich, Switzerland.<br>B. Huber, M. Antener, W. Schilling and M. Grottker                        | 1627 |
| Design of control algorithms for moveable weirs by means of hydrodynamic runoff simulation.<br>D. Gatke and W. Verworn  | 1633 |
| Urban drainage operation - control of pumped sewer systems during heavy storm events.<br>E. van Leeuwen and K-J. Breur  | 1639 |
| Control strategy of discharge pump and water gate in urbanized lowland area for flood protection and water quality management.<br>Y. Kido, T. Morioka and A. Miichi | 1645 |
| <b>14-A: CSO Treatment (1)</b>  |      |
| Operational experience with vortex solids separators for combined sewer overflow (CSO) control.<br>W.C. Pisano and H. Brombach                                      | 1651 |
| Demonstration of advanced high rate treatment for CSO control in metropolitan Toronto.<br>G. Zukovs and W.C. Pisano   | 1657 |
| A quality assessment of dynamic separation - the UK experience.<br>G.W. Fagan   | 1663 |
| High rate treatment of combined sewer overflows in Columbus, Georgia.<br>M.C. Boner, D.R. Ghosh, S.P. Hides and B.G. Turner   | 1671 |
| Reduction of combined sewer overflow pollution by combination of swirl concentrator and detention basin.<br>A. Himmel and W.F. Geiger                               | 1677 |
| The Swirl-Flo TM process for wastewater treatment.<br>P. Helliwell and I. Harper  | 1683 |
| <b>14-B: Urban Pollution Control Programs (1)</b>   |      |
| Interim stormwater quality control guidelines for new development - results to date.<br>G. Bowen, D. Henry and Z. Novak   | 1689 |
| Stormwater discharges from industrial sectors in Ontario under the MISA (Municipal-Industrial Strategy for Abatement) program.<br>D. Green                          | 1695 |
| Combined sewer overflow (CSO) guidelines and costs in Ontario.<br>J.C. P'ng, W-Y. Liang and D.J. Henry  | 1702 |
| The stormwater management business - an Australian perspective.<br>D.K. Robinson and K.N. Waldman   | 1709 |
| Integrated water pollution management - project in Poland.<br>J. Niemczynowicz  | 1715 |
| Advanced requirements for CSO's: a proposal of a German ATV working group.<br>F. Sperling   | 1721 |
| Pollution control planning experience in Ontario.<br>J. Antoszek, D. Henry and J. P'ng  | 1727 |
| Mixed systems of combined and separate drainage causing problems on planning and operation.<br>D-Th. Kollatsch  | 1733 |



#### 14-C: Drainage Case Studies (1)

|  |      |
|--|------|
| Improvement of an urban drainage system based on an integrated interdisciplinary approach.<br>D. Wittenberg and D. Borchardt                       | 1739 |
| Rehabilitation concept for the Emscher-system.<br>D. Londong and M. Becker   | 1744 |
| Development of storm water disposal network management of the Greater Bordeaux metropolitan area.<br>P. Briat, J.C. Dorignac and P. Bourgogne      | 1750 |
| Comprehensive plan for flood control in Osaka (outline).<br>T. Miyazaki  | 1756 |
| Stormwater runoff analysis for a refinery plant site - case study.<br>J.S. Wang, D.J. Slocum and K. Ng   | 1762 |
| City of Calgary northwest region drainage study.<br>P. Cheung, D. Atkinson and J. McAuley  | 1768 |
| Combined sewer area study - City of Ottawa.<br>A.R. Perks, T.J. Cover, G. Zukovs and B. Byce   | 1774 |
| Construction of cocoon shaped shield tunnel in densely populated lowland to drain storm water.<br>M. Hamada and Y. Kashima                         | 1781 |
| Multipurpose utilization of storm-water storage facilities with radars - water quality improvement and flood control.<br>M. Ohkawa and T. Ohkouchi | 1787 |

#### 15-A: CSO Treatment (2)

|   |      |
|---|------|
| The performance of a vortex flow regulator under blockage conditions.<br>H. Parsian, D. Butler and P.N. Luu   | 1793 |
| Sedimentation in storage tank structures.<br>V.R. Stovin and A.J. Saul  | 1799 |
| A device for determining the settling velocity grading of storm sewage.<br>J.N. Tyack, P.D. Hedges and R.P.M. Smisson                                 | 1805 |
| Laboratory study of the gross particulate retention performance of large scale model CSO structures.<br>S.J. Ruff, A.J. Saul, M. Walsh and M.J. Green | 1811 |
| Elements for sizing of decanters for depollution of urban wet weather discharges.<br>A. Saget, G. Chebbo and A. Bachoc                                | 1817 |
| Combined sewage precipitation - a method of reducing the combined sewage surplus load.<br>F. Schweer  | 1823 |

#### 15-B: Urban Pollution Control Programs (2)

|  |      |
|--|------|
| Urban pollution management programme - products and implementation to date.<br>I. Clifforde and J. Tyson                           | 1828 |
| Decision analysis for storm water run-off projects in an urban environment.<br>J-C. Deutsch, G. Hubert and C. Boyer                | 1834 |
| A case study of CSO pollution control in the UK.<br>B. Crabtree, R. Gent, M. Becker and P. Davis                                   | 1842 |
| Combined sewer overflow control and stormwater management in Canada's Great Lakes Cleanup Fund.<br>D.G. Weatherbe and I.G. Sherbin | 1848 |

|   |      |
|---|------|
| Restoration of receiving waters in Finland.<br>J. Hooli, M. Jämsen and M. Rajala  | 1854 |
| Performance-based evaluation of urban drainage in developing countries.<br>P. Kolsky, D. Butler and T. Sihorwala  | 1860 |
| New concept for CSO regulation enforcement.<br>M. Figge and W. Geiger   | 1866 |
| <b>15-C: Drainage Case Studies (2)</b>  |      |
| Strategic screening of pollution control alternatives for the city of Sarnia.<br>H.G. Fraser, K. Stevens and S. Troxler   | 1872 |
| A step towards a return period of 70 years in Tokyo.<br>K. Higuchi, M. Maeda and Y. Shintani  | 1878 |
| Control program for the combined sewer system in Stockholm.<br>K. Bennerstedt and L. Kjellson   | 1884 |
| Reze experimental urban catchments.<br>H. Andrieu, G. Raimbault and J-Y. Thébault   | 1890 |
| Cost-benefit-analysis of measurement devices in urban drainage systems.<br>B. Harmuth and M. Grottker   | 1896 |
| Managing the Lagos metropolitan stormwater run-off problems under structural adjustment economic policy.<br>J.O.K. Ajayi  | 1902 |
| Challenges of urban drainage in developing countries.<br>F. Sonuga  | 1908 |
| Storm drainage system of greater Dhaka City.<br>M.H. Rahman and Md.A. Karim   | 1914 |
| <b>16-A: Integrated Drainage Systems (Catchments, Wastewater Treatment Facility and Receiving Waters)</b>   |      |
| Integrated design and control of sewerage, wastewater treatment and receiving water systems.<br>P. Harremões, T. Hvitved-Jacobsen, A. Lynggaard-Jensen and B. Nielsen | 1920 |
| Advanced integrated monitoring and control of municipal waste water systems.<br>A. Lynggaard-Jensen and P. Harremões  | 1927 |
| Sewer and treatment plant operations control for receiving water protection.<br>C.D.D. Howard   | 1933 |
| Model studies of storm water loading of a treatment plant.<br>O.B. Hansen, C. Jacobsen, P. Harremões and P.S. Nielsen   | 1938 |
| Stabilization of activated sludge processes during wet weather flow through microscreening.<br>K-D. Kummer and W.F. Geiger  | 1944 |
| Technological and sanitary aspects of the reciprocal impacts of the combined sewer, wastewater treatment plant and receiving water.<br>R. Arsov                       | 1950 |
| <b>16-B: Stormwater Regulations (USA)</b>   |      |
| Overview of federal law and USEPA regulations for urban runoff.<br>L.A. Roesner   | 1958 |
| Three-city stormwater permit application process in Denver, USA.<br>B. Urbonas  | 1964 |

|   |      |
|---|------|
| Developing municipal storm water quality management programs.<br>A.J. Reese   | 1970 |
| North central Texas municipalities address the NPDES stormwater regulations through regional coordination.<br>G.E. Oswald, A.H. Plummer and R.W. Brashear | 1976 |
| NPDES stormwater permit for the city of Miami.<br>A.E. Maristany and J.H. Kay   | 1982 |
| <b>16-C: Drainage Problems: Special Topics</b>  |      |
| Rainfall induced infiltration into sewer systems.<br>C. Joannis, N. Belhadj and G. Raimbault  | 1988 |
| Application of a simple hydrologic model for sewer inflow/infiltration.<br>R. Mein and N. Apostolidis   | 1994 |
| Design of a snow melting tank using treated wastewater.<br>T. Maeda, S. Kinoshita, S. Sato and A. Ujii  | 2000 |
| Tasks of operating sewer systems.<br>M. Dohmann and R. Hausmann   | 2006 |
| Renovative evaluation method on existing drainage/sewer system for the optimum improvement plan.<br>H. Sakurai and K. Asada                               | 2012 |
| Re-construction planning of drainage systems considering flow detention effect of pipe network.<br>M. Hirai, S. Zhang and K. Asada                        | 2018 |
| An automated approach to sanitary/combined catchment performance and precipitation impact analysis.<br>G.C. Brown, P.J. Curtis and I.D. Smith             | 2024 |
| A case study on the performance assessment of a sanitary sewer system.<br>E.W. Eerkes and D. I. Smith   | 2030 |
| The characteristics of run-off inflow into sanitary sewers in Japan.<br>Y. Nomura and H. Uchida   | 2036 |
| Modelling of extraneous flows in sanitary sewers.<br>P. Wisner, J.F. Sabourin, A. Comeau and L. Alperin   | 2042 |
| Economic fundamentals of urban runoff design models.<br>L. Yilmaz   | 2048 |
| <b>AUTHOR INDEX</b>   | A-1  |
| <b>SUBJECT INDEX</b>  | S-1  |