

Hillslope Hydrology and Stability

NING LU

Colorado School of Mines

JONATHAN W. GODT

United States Geological Survey



CAMBRIDGE
UNIVERSITY PRESS

Contents

<i>Foreword by Professor Dani Or</i>	page xiii
<i>Preface</i>	xv
<i>List of symbols</i>	xvii
Part I Introduction and state of the art	1
1 Introduction	3
1.1 Landslide overview	3
1.2 Landslide classification	4
1.2.1 Landslide velocity	6
1.2.2 Illustration of landslide classification	9
1.3 Landslide occurrence	9
1.3.1 Landslide triggering mechanisms	9
1.3.2 Frequency and magnitude of landslide events	11
1.4 Socio-economic impacts of landslides	12
1.4.1 Types of costs	14
1.4.2 Historical examples of widespread landslide events in North America	15
1.4.3 Direct economic loss in the San Francisco Bay region in 1997–8	15
1.5 Rainfall-induced landslides	16
1.5.1 Evidence of shallow landslide occurrence in the unsaturated zone	19
1.5.2 Role of precipitation characteristics in triggering shallow landslides	22
1.5.3 Role of infiltration and unsaturated flow within hillslopes	23
1.6 Scope and organization of the book	24
1.6.1 Why does rainfall cause landslides?	24
1.6.2 Organization of the book	24
1.7 Problems	25
2 Hillslope geomorphology	27
2.1 Hillslope hydrologic cycle	27
2.1.1 Global patterns of precipitation and evaporation	27
2.1.2 Orographic precipitation enhancement	32
2.1.3 Atmospheric rivers	32
2.1.4 Monsoons	33
2.1.5 Tropical cyclones	35

6 Effective stress in soil	215
6.1 Terzaghi's and Bishop's effective stress theories	215
6.2 Coleman's independent stress variables theory	217
6.3 Lu <i>et al.</i> 's suction stress theory	218
6.4 Unified effective stress representation	220
6.4.1 Unified effective stress principle	220
6.4.2 Experimental validation and determination of suction stress	224
6.4.3 Unified equation for effective stress	228
6.4.4 Validity of unified equation for effective stress	230
6.5 Suction stress profile in hillslopes	232
6.5.1 Steady-state profiles in one dimension: single layer	232
6.5.2 Steady-state profiles in one dimension: multiple layers	234
6.5.3 Transient state suction stress profiles in one dimension: single layer	238
6.6 Problems	241
Part IV Hillslope material properties	245
7 Strength of hillslope materials	247
7.1 Failure modes and failure criteria	247
7.1.1 Definition of strength	247
7.1.2 Stress-strain relation	249
7.2 Shear strength due to frictional resistance	251
7.2.1 Friction angle concept	251
7.2.2 Apparent cohesion concept	253
7.2.3 Internal friction angle of sand	254
7.3 Shear strength due to cohesion	256
7.3.1 Drained cohesion	256
7.3.2 Cementation cohesion	259
7.3.3 Capillary cohesion	260
7.4 Shear strength due to plant roots	261
7.4.1 Role of root reinforcement in hillslope stability	261
7.4.2 Shear strength of rooted soils	262
7.4.3 Tensile strength of roots	266
7.4.4 Spatial and temporal variation of root strength	267
7.5 Shear strength under various drainage conditions	271
7.5.1 Shear strength of saturated soils	271
7.5.2 Consolidated-drained conditions	273
7.5.3 Consolidated-undrained conditions	275
7.5.4 Unconsolidated-undrained conditions	276
7.6 Unified treatment of shear strength of hillslope materials	278
7.7 Problems	279

215	8 Hydro-mechanical properties	282
215	8.1 Overall review	282
217	8.1.1 Methods for measurement of suction	282
218	8.1.2 Methods for measurement of hydraulic conductivity	284
220	8.2 Transient release and imbibition method (TRIM)	287
220	8.2.1 Working principle of TRIM	287
224	8.2.2 TRIM device	287
228	8.2.3 Parameter identifications by TRIM	290
230	8.3 TRIM testing procedure	295
232	8.4 Validation of the TRIM method	299
232	8.4.1 Uniqueness of results obtained by inverse modeling	299
234	8.4.2 Repeatability of TRIM tests	301
	8.4.3 Independent experimental confirmation	301
238	8.5 Application of the TRIM to different soils	304
241	8.5.1 TRIM test on sandy soil	304
	8.5.2 TRIM test on undisturbed silty clay soil	304
	8.5.3 TRIM test on remolded silty clay soil	305
245	8.6 Quantification of SSCC using TRIM	305
	8.7 Summary	307
247	8.8 Problems	308
247		
247		
249		
251		
251		
253		
254		
256		
256		
259		
260		
261		
261		
262		
266		
267		
271		
271		
273		
275		
276		
278		
279		
	Part V Hillslope stability	311
	9 Failure surface based stability analysis	313
	9.1 Classical methods of slope stability analysis	313
	9.1.1 Factor of safety for slope stability	313
	9.1.2 Infinite-slope stability model	315
	9.1.3 Culmann's finite-slope stability model	317
	9.2 Method of slices for calculating factors of safety	321
	9.2.1 Ordinary method of slices	321
	9.2.2 Bishop's simplified method of slices	323
	9.3 Landslides under steady infiltration	325
	9.3.1 Extension of classical methods to unsaturated conditions	325
	9.3.2 Impact of infiltration rate on slope stability	331
	9.3.3 Impact of moisture variation on slope stability	336
	9.4 Shallow landslides induced by transient infiltration	341
	9.4.1 Stability of a coarse sand hillslope	344
	9.4.2 Stability of a medium sand hillslope	346
	9.4.3 Stability of a fine sand hillslope	347
	9.4.4 Stability of a silt hillslope	349
	9.4.5 Summary of model results	351
	9.5 Case study: Rainfall-induced shallow landslide	351
	9.5.1 Site geology, geomorphology, and monitoring program	351

9.5.2 Numerical modeling of transient flow	352
9.5.3 Comparison of model results with observations	353
9.6 Case study: Snowmelt-induced deeply seated landslide	356
9.6.1 Site geology, morphology, and hydrology	356
9.6.2 Slope stability analysis with and without suction stress	358
9.6.3 Slope stability analysis with water table rise	358
9.7 Problems	362
10 Stress field based stability analysis	364
10.1 Hydro-mechanical framework	364
10.1.1 Failure modes in hillslopes	364
10.1.2 Unified effective stress principle	367
10.1.3 Hydro-mechanical framework	368
10.2 Scalar field of factor of safety	369
10.2.1 Rationale for scalar field of factor of safety	369
10.2.2 Definition of scalar field (or local) of factor of safety	371
10.2.3 Comparisons with the classical factor of safety methodologies	373
10.3 Transient hillslope stability analysis	381
10.4 Case study: Rainfall-induced landslide	387
10.4.1 Two-dimensional numerical model	388
10.4.2 Simulated hydrologic response to rainfall	389
10.4.3 Simulated Changes in stress and stability	392
10.5 Case study: Snowmelt-induced deeply seated landslide	395
10.5.1 Site hydrology and displacement monitoring	395
10.5.2 Simulated transient suction and suction stress fields	399
10.5.3 Simulated transient slope stability conditions	402
10.6 Problems	404
<i>References</i>	406
<i>Index</i>	430

The color plates can be found between pages 216 and 217