Concrete Mixture Proportioning

A scientific approach

François de Larrard

E & FN SPON
An Imprint of Routledge
London and New York

Contents

Foreword x
Preface xii
Acknowledgements xvi

1 Packing density and homogeneity of granular mixes 1
1.1 Virtual packing density of a granular mix 2
1.1.1 Binary mix without interaction 2
1.1.2 Binary mix with total interaction 5
1.1.3 Binary mix with partial interaction 6
1.1.4 Polydisperse mix without interaction 9
1.1.5 Polydisperse mix: general case 11
1.2 Actual packing density: the compressible packing model (CPM) 12
1.2.1 Compaction index and actual packing density 13
1.2.2 Calibration of the model with binary data 16
1.2.3 Validation with data of various origins 27
1.3 Effect of boundary conditions on the mean packing density 38
1.3.1 Wall effect due to the container 38
1.3.2 Effect of fibrous inclusions 41
1.4 Granular mixes of maximum packing density 45
1.4.1 An appolonian model for a simplified approach 45
1.4.2 Binary mixtures 46
1.4.3 Ternary mixtures 48
1.4.4 Optimal mixtures among a given grading span 52

1.4.5 Effect of boundary conditions 60
1.5 Segregation of granular mixes 60
1.5.1 Some experimental facts 61
1.5.2 Quantitative indicators: filling diagram and segregation potential 63
1.5.3. Examples: some simulations with the CPM 69
1.6 Summary 73

2 Relationships between mix composition and properties of concrete 77
2.1 Fresh concrete properties 77
2.1.1 The rheological behaviour of fresh concrete 78
2.1.2 Plastic viscosity 87
2.1.3 Yield stress 95
2.1.4 Abrams cone slump 100
2.1.5 Placeability 106
2.1.6 Entrapped air 109
2.1.7 Stability (prevention of bleeding and segregation) 115
2.1.8 Simplified models for workability 122
2.2 Adiabatic temperature rise 125
2.2.1 Heat capacity 126
2.2.2 Degree of consumption of binders 127
2.2.3 Heat of hydration 131
2.2.4 Adiabatic temperature rise 133
2.3 Compressive strength 135
2.3.1 Mature paste of Portland cement 135
2.3.2 Effect of cement concentration on concrete compressive strength 140
2.3.3 Granular inclusion: effect of the topology 142
2.3.4 Granular inclusion: effect of the rock type (de Larrard and Belloc, 1997) 147
2.3.5 Strength development vs. time 156
2.3.6 Contribution of pozzolanic admixtures 158
2.3.7 Contribution of limestone fillers 164
2.3.8 Summary: a general model of compressive strength 169
2.4 Tensile strength 173

2.4.1 Power-law type relationship between tensile and compressive strengths 173
2.4.2 Effect of aggregate type 176
2.5 Deformability of hardened concrete 177
2.5.1 The two-phase nature of hardened concrete: the triple-sphere model 179
2.5.2 Elastic modulus 184
2.5.3 Basic creep 192
2.5.4 Total creep 197
2.5.5 Autogenous shrinkage 200
2.5.6 Total shrinkage 204
2.5.7 Conclusion: effect of changes in mix-design parameters on concrete deformability 212
2.6 Factors affecting concrete permeability 213
2.6.1 Permeability and porosity 215
2.6.2 Permeability and compressive strength 217
2.7 Summary: the various types of granular system to be considered in concrete mix design 218

3 Concrete constituents: relevant parameters 222
3.1 Aggregate 222
3.1.1 Specific gravity 222
3.1.2 Porosity and water absorption 223
3.1.3 Size distribution 224
3.1.4 Residual packing density 225
3.1.5 Elastic modulus 226
3.1.6 Contribution to compressive strength 227
3.1.7 Contribution to tensile strength 228
3.1.8 Heat capacity 229
3.2 Cement 229
3.2.1 Specific gravity 229
3.2.2 Grading curve 230
3.2.3 Residual packing density with and without admixture 231
3.2.4 Bogue composition 232
3.2.5 Strength vs. time 233
3.2.6 Contribution to autogenous shrinkage 234
3.3 Mineral admixtures (supplementary cementitious materials) 235
3.3.1 Specific gravity 236

3.3.2 Grading curve 236
3.3.3 Residual packing density with and without admixture 239
3.3.4 Activity coefficients vs. time 239
3.4 Plasticizers/superplasticizers 243
3.4.1 Specific gravity and dry extract 243
3.4.2 Saturation curves of binder–admixture couples 244

4 Mix design of concrete 250
4.1 Specifying a concrete for a given application 251
4.1.1 Fresh concrete properties 251
4.1.2 Hardening concrete properties 259
4.1.3 Hardened concrete properties 261
4.1.4 Long-term concrete properties 263
4.1.5 Some rules for setting up a list of specifications 266
4.2 Solution of the mix-design problem 268
4.2.1 Analytical solution and general relationships 269
4.2.2 Numerical solution: discussion of the previous relationships 281
4.2.3 Practical mixture-proportioning process 289
4.2.4 Example 292
4.3 Questions relating to the aggregate skeleton 301
4.3.1 Choice of the maximum size of aggregate (MSA) 301
4.3.2 Rounded vs. crushed aggregate 302
4.3.3 Continuously graded vs. gap-graded concretes 304
4.4 Questions relating to the binders 308
4.4.1 Use of limestone filler 309
4.4.2 Use of fly ash 311
4.4.3 Use of silica fume 313
4.5 Stability of concrete in an industrial process 317
4.5.1 Strategy for designing a mixture of minimum variability 317
4.5.2 Assessment by testing 319
4.5.3 Assessment by simulation 322
4.6 Review of some standard methods in the light of the present approach 322

4.6.1 US method (ACI 211) 323
4.6.2 British method (BRE 1988) 327
4.6.3 French method (Dreux, 1970) 329
4.6.4 Baron and Lesage's method (France) 332

5 Applications: various concrete families 337
5.1 Preliminary simulations: from normal-strength to very-high-strength concretes 337
5.2 Normal-strength structural concrete 343
5.2.1 C40 for bridges 343
5.2.2 C25 for building 346
5.3 High-performance concrete 348
5.3.1 'Basic' high-performance concrete 349
5.3.2 Low-heat HPC for nuclear power plant 351
5.3.3 Ultra-stable HPC for composite bridge deck 354
5.3.4 Ultra-high-performance mortar 357
5.4 Concretes with special placing methods 360
5.4.1 Roller-compacted concrete 360
5.4.2 Shotcrete (wet process) 363
5.4.3 Self-compacting concrete 368
5.5 Concretes with special composition 372
5.5.1 Lightweight aggregate concrete 372
5.5.2 High-volume fly ash concrete 382
5.5.3 Sand concrete 385

Conclusion 389
The concrete system 389
Research needs 390

References 393
List of symbols 406
Appendix: Flowchart for mixture simulation 415
Index 419