Performance analysis of on-demand pressurized irrigation systems

FAO IRRIGATION AND DRAINAGE PAPER

59

by **Nicola Lamaddalena**

Chief
Hydraulic Engineering Service
CIHEAM-Bari Institute
and

J.A. Sagardoy

Senior Technical Officer (Water Management)
Water Resources, Development and Management Service
FAO Land and Water Development Division

Technische Hochschule Darmstadt
Instilut für Argentau und Wasserwirtschaft
Fachgebiet Wasserbau

TP-13 NOV. 2000
Inv. Nr. P. /7120



CIHEAM International Centre for Advanced Mediterranean Agronomic Studies IAMB Bari Instituté

> Food and Agriculture Organization of the United Nations



Rome, 2000

Bibliothek Wasser und Umwelt (TU Darmstadt)

Contents

		page
1	On-demand irrigation systems and data necessary for their design	1
	Main criteria to design a distribution irrigation system	2
	Layout of the paper	6
2	NETWORK LAYOUT	9
	Structure and layout of pressure distribution networks	9
	Design of an on-demand irrigation network	9
	Layout of hydrants	9
	Layout of branching networks	9
	Optimization of the layout of branching networks	10
	Methodology	10
	Applicability of the layout optimization methods	13
3	COMPUTATION OF FLOWS FOR ON-DEMAND IRRIGATION SYSTEMS	15
	One Flow Regime Models (OFRM)	16
	Statistical models: the Clément models	16
	The first Clément model	16
	The second Clément model	32
	Several Flow Regimes Model (SFR Model)	39
	Model for generating random discharges	39
4	PIPE-SIZE CALCULATION	43
	Optimization of pipe diameters with OFRM	43
	Review on optimization procedures	43
	Labye's Iterative Discontinuous Method (LIDM) for OFR	45
	Optimization of pipe diameters with SFRM	54
	Labye's Iterative Discontinuous Method extended for SFR (ELIDM)	55
	Applicability	58
	The influence of the pumping station on the pipe size computation	58
	The use of COPAM for pipe size computation	59
	Sensitivity analysis of the ELIDM	63
5	ANALYSIS OF PERFORMANCE	67
	Analysis of pressurized irrigation systems operating on-demand	67
	Introduction	67
	Indexed characteristic curves	67
	Models for the analysis at the hydrant level	79
	Reliability indicator	92

6 Mana	GEMENT ISSUES	97
Son	ne general conditions for a satisfactory operation of on-demand systems	97
	Suitable size of family holdings	97
	Medium to high levels of irrigation and farm management knowledge	97
	Volumetric pricing	98
	Correct estimation of the design parameters	98
	Reduced energy costs	98
	Qualified staff for the operation and maintenance of the system	99
The	on-demand operation during scarcity periods	99
Vol	umetric water charges	101
	ter meters	102
Typ	bes of volumetric charges	102
Rec	covery of investments through the volumetric charge	103
The	operation, maintenance and administration costs	103
The	maintenance of the pumping stations and related devices	104
	Flow and pressure meters:	104
	Pumps:	104
	Compressors:	105
	Switchboards:	105
	Ancillary works:	105
	maintenance of the irrigation network	105
	wards the use of trickle irrigation at the farm level in on-demand irrigation systems	105
Nev	w trends and technologies of delivery equipment	106
BIBLIOGRAPHY		109
Annex 1	VALIDATION OF THE 1ST CLÉMENT MODEL	115
ANNEX 2	PIPE MATERIALS AND DESIGN CONSIDERATIONS	125
ANNEX 3	EXAMPLE OF INPUT AND OUTPUT FILES	131