

Five-Axis Rotor Magnetic Suspension with Bearingless PM Motor Levitation Systems

**Dem Fachbereich Elektrotechnik und Informationstechnik
der Technischen Universität Darmstadt
zur Erlangung des akademischen Grades eines
Doktor-Ingenieurs (Dr.-Ing.)
genehmigte Dissertation**

von
Dipl.-Ing. Gabriel Bergmann
geboren am 16. Juli 1982
in Tîrgu-Jiu, Rumänien

Referent:
Prof. Dr.-Ing. habil. Dr. h.c. Andreas Binder
Korreferent:
o.Univ.-Prof. DI Dr. sc. techn. Wolfgang Amrhein
Tag der Einreichung:
21.01.2013
Tag der mündlichen Prüfung:
17.05.2013

Table of contents

Formula symbols, subscripts and abbreviations

xi

1 Rotor Magnetic Suspension in Electrical Drives	19
1.1 Motivation and magnetic levitation characteristics	19
1.2 Outline	20
1.3 Five-axis active magnetic suspension of rotors	22
1.3.1 Radial magnetic suspension with magnetic bearings	25
1.3.2 Radial magnetic suspension with bearingless motors	28
1.3.3 Axial magnetic suspension	30
1.3.3.1 Axial thrust magnetic bearing	30
1.3.3.2 Conical magnetic bearings	31
1.3.3.3 Conical air gap bearingless motor	32
2 Theory and Design of Bearingless Permanent-Magnet Synchronous Motors	37
2.1 Maxwell's stress tensor for a conical air gap	37
2.2 Calculation of electromagnetic quantities involved in force and torque generation	40
2.2.1 Open-circuit air gap magnetic field	42
2.2.2 Air gap magnetic field of poly-phase distributed windings: normal component	44
2.2.3 Air gap magnetic field of poly-phase distributed windings: tangential component	45
2.3 Torque generation	46
2.4 Axial force generation	47
2.5 Radial force generation	48
2.6 Radial single-sided magnetic pull	50
2.7 Electromagnetic coupling	51
2.7.1 Influence of motor winding q -armature-reaction field on radial force	52
2.7.2 Influence of motor winding d -armature-reaction field on radial force	53
2.8 Geometrical coupling	55
2.9 Harmonic parasitic forces	55
2.10 Dimensioning of the magnetic circuit	57
2.10.1 Stator geometry	58
2.10.2 Rotor geometry	61
2.11 Motor winding design	63
2.12 Levitation winding design	65
3 Control Theory of Bearingless Permanent-Magnet Synchronous Motors	67
3.1 Sensors and power converters	67
3.1.1 Voltage-source power converters	67
3.1.2 Displacement sensor	69
3.1.3 Rotor position angle and speed sensor	70
3.2 Field oriented control of torque, axial bearing force and radial bearing force	74

7 Cylindrical Air Gap Bearingless PM-Synchronous Motor Prototype	165
7.1 Electromagnetic analytical design with Finite Element verification	165
7.1.1 Finite Element model	165
7.1.2 No-load air gap field	166
7.1.3 Motor and levitation air gap field	168
7.1.4 Torque and lateral force	169
7.2 Prototype construction	172
7.3 Measurement of rotor magnetic suspension performance parameters	176
7.3.1 Radial rotor position	176
7.3.1.1 DE rotor position at 40 000 rpm	176
7.3.1.2 NDE rotor radial position at 40 000 rpm	177
7.3.2 Levitation current and voltage at 40 000 rpm	180
7.3.3 Radial force measurement	182
7.4 Measurement of motoring performance parameters	185
7.4.1 Back e.m.f.	185
7.4.2 Current and voltage at no-load and load operation	187
7.4.3 Loss measurement and calculation at no-load operation	191
7.4.3.1 Deceleration test	191
7.4.3.2 Electrical input power at no-load motor operation	191
7.4.4 Loss measurement and calculation at load operation	195
7.4.5 Temperature and temperature rise measurement	200
7.4.6 Short-circuit measurement	204
8 Summary and Conclusions	209
A. Conical-BM and Cylindrical-BM Prototype Data and Inverter Ratings	213
B. Material Properties	221
C. Additional Measurements of Conical-BM	224
C.1. Rotor radial and axial position and levitation current measurements	224
C.2. Back e.m.f. waveform measurements	226
C.3. Temperature measurement at no-load and rated load operation	227
D. Additional Measurements of Cylindrical-BM	230
D.1. DE radial rotor position (combined axial-radial magnetic bearing)	230
D.2. NDE radial rotor position and levitation current measurements (bearingless motor)	231
D.3. Back e.m.f. waveform measurements	233
D.4. Current and line-to-line voltage waveform measurement at rated load operation	234
D.5. Temperature measurement at no-load and rated load operation	235
E. List of Measurement Instruments	237