
GPS SATELLITE SURVEYING

Second Edition

ALFRED LEICK

Department of Surveying Engineering
University of Maine
Orono, Maine



A WILEY-INTERSCIENCE PUBLICATION

JOHN WILEY & SONS, INC.

New York / Chichester / Toronto / Brisbane / Singapore

CONTENTS

| | |
|--|-------------|
| Preface | xiii |
| Frequently Used Abbreviations | xvii |
| 1 INTRODUCTION | 1 |
| 1.1 The outcome of GPS positioning / 4 | |
| 1.2 A performance review / 5 | |
| 1.3 Some geodetic considerations / 10 | |
| 2 ELEMENTS OF SATELLITE SURVEYING | 16 |
| 2.1 Geocentric coordinate systems and their motions / 16 | |
| 2.1.1 Precession and nutation / 17 | |
| 2.1.2 The conventional terrestrial reference system / 22 | |
| 2.2 Time systems / 26 | |
| 2.2.1 Time in orders of magnitude / 26 | |
| 2.2.2 Astronomic time scales / 29 | |
| 2.2.3 Atomic time / 33 | |
| 2.2.3.1 <i>Need for coordination</i> / 34 | |
| 2.2.3.2 <i>Link to earth rotation</i> / 35 | |
| 2.2.4 Time and earth orientation services / 37 | |
| 2.3 Satellite orbital motion / 38 | |
| 2.3.1 Kepler elements / 38 | |
| 2.3.2 Normal orbital theory / 41 | |

- 2.3.3 Satellite visibility and topocentric motion / 49
- 2.3.4 Disturbed satellite motion / 53
 - 2.3.4.1 *Gravitational field of the earth* / 54
 - 2.3.4.2 *Acceleration due to the sun and the moon* / 55
 - 2.3.4.3 *Solar radiation pressure* / 56

3 THE GLOBAL POSITIONING SYSTEM

58

- 3.1 Space segment / 60
 - 3.1.1 GPS satellites / 60
 - 3.1.2 Orbital configuration / 62
 - 3.1.3 Satellite transmissions / 65
 - 3.1.3.1 *Overview* / 66
 - 3.1.3.2 *Space vehicle and GPS time systems* / 67
 - 3.1.3.3 *GPS signal structure* / 68
 - 3.1.3.4 *The navigation message* / 72
- 3.2 Control segment and other support / 77
- 3.3 Receivers / 78
 - 3.3.1 Some Fundamentals / 79
 - 3.3.1.1 *Bandwidth* / 79
 - 3.3.1.2 *Power* / 79
 - 3.3.1.3 *Filtering* / 81
 - 3.3.1.4 *Frequency translation and multiplication* / 81
 - 3.3.1.5 *Spread spectrum* / 83
 - 3.3.1.6 *Cross-correlation* / 83
 - 3.3.1.7 *Locking and tracking* / 85
 - 3.3.2 Modern geodetic receivers / 86
 - 3.3.3 Pseudorange measurement accuracy / 87
 - 3.3.4 Coping with antispooofing / 89
 - 3.3.4.1 *Squaring* / 90
 - 3.3.4.2 *Code-aided squaring* / 90
 - 3.3.4.3 *Cross-correlation* / 90
 - 3.3.4.4 *Z tracking* / 90

4 ADJUSTMENT COMPUTATIONS

93

- 4.1 Elements / 94
 - 4.1.1 Statistical nature of surveying measurement / 94
 - 4.1.2 Elementary statistical concepts / 95

- 4.1.3 Observational errors / 97
- 4.1.4 Accuracy and precision / 97
- 4.2 Stochastic and mathematical models / 98
- 4.3 Propagation of mean and variance-covariance / 102
- 4.4 Mixed adjustment model / 108
 - 4.4.1 Linearization / 109
 - 4.4.2 Minimization and solution / 109
 - 4.4.3 Cofactor matrices / 110
 - 4.4.4 A posteriori variance of unit weight / 111
 - 4.4.5 Iterations / 113
- 4.5 Observation equation and condition equation models / 114
- 4.6 Sequential solution / 115
- 4.7 Weighted parameters and conditions between parameters / 123
- 4.8 Minimal and inner constraint adjustments / 130
- 4.9 Statistics in least-squares adjustments / 135
 - 4.9.1 Multivariate normal distribution / 135
 - 4.9.2 Distribution of $V^T P V$ / 137
 - 4.9.3 Testing $V^T P V$ and $\Delta V^T P V$ / 142
 - 4.9.4 General linear hypothesis / 147
 - 4.9.5 Ellipses as confidence regions / 149
 - 4.9.6 Properties of standard ellipses / 155
 - 4.9.7 Other measures of precision / 160
- 4.10 Reliability / 161
 - 4.10.1 Redundancy numbers / 161
 - 4.10.2 Controlling type II error for a single blunder / 163
 - 4.10.3 Internal reliability / 167
 - 4.10.4 Absorption / 168
 - 4.10.5 External reliability / 168
 - 4.10.6 Correlated cases / 169
- 4.11 Blunder detection / 170
 - 4.11.1 The τ test / 171
 - 4.11.2 Data snooping / 173
 - 4.11.3 Changing weights of observations / 174

5 LEAST-SQUARES ADJUSTMENT EXAMPLES

175

- 5.1 Introduction / 175
- 5.2 Adjustment of a simple network on the mapping plane / 178
- 5.3 Minimal constraint for network adjustment on the mapping plane / 187

| | | |
|----------|--|------------|
| 5.4 | Inner constraint for network adjustment on the mapping plane / 189 | |
| 5.5 | Adjustment of the complete network on the mapping plane / 195 | |
| 5.6 | Adjustment of the complete network with additional information / 198 | |
| 5.7 | Detecting poor network geometry: the dangerous circle / 201 | |
| 5.8 | Closed traverse adjustment on the mapping plane / 203 | |
| 5.9 | Open traverse adjustment on the mapping plane / 206 | |
| 5.10 | Adjustment of leveling observations / 206 | |
| 5.11 | Stochastic models for distances and angles / 210 | |
| 6 | LINKS TO PHYSICAL OBSERVATIONS | 215 |
| 6.1 | Geoid / 216 | |
| 6.2 | Ellipsoid of revolution / 223 | |
| 6.3 | Location of the ellipsoid and reductions of observations / 226 | |
| 7 | THE THREE-DIMENSIONAL GEODETIC MODEL | 233 |
| 7.1 | The partial derivatives / 234 | |
| 7.2 | Additional remarks / 241 | |
| 7.3 | An example / 243 | |
| 8 | GPS OBSERVABLES | 247 |
| 8.1 | Pseudoranges / 248 | |
| 8.1.1 | The navigation solution / 252 | |
| 8.1.2 | DOP factors / 253 | |
| 8.2 | Carrier phases / 255 | |
| 8.2.1 | Undifferenced carrier phase observable / 256 | |
| 8.2.2 | Single differences / 259 | |
| 8.2.3 | Double differences / 261 | |
| 8.2.4 | Triple differences / 262 | |
| 8.2.5 | Delta ranges / 263 | |
| 8.3 | Evaluation / 264 | |
| 8.3.1 | The clock error terms / 265 | |
| 8.3.1.1 | <i>Receiver clocks / 266</i> | |
| 8.3.1.2 | <i>The question of simultaneity / 266</i> | |
| 8.3.1.3 | <i>Satellite clock corrections / 268</i> | |
| 8.3.1.4 | <i>Residual satellite clock error / 270</i> | |

- 8.3.2 Summary of undifferenced expressions / 270
- 8.3.3 Singularities / 272
- 8.3.4 A priori position errors / 275
- 8.3.5 Cancellation of common mode errors / 277
 - 8.3.5.1 *Navigation solution* / 277
 - 8.3.5.2 *Relative positioning* / 279
- 8.3.6 Connection to other systems / 279
 - 8.3.6.1 *The Doppler connection* / 280
 - 8.3.6.2 *The VLBI connection* / 282
- 8.3.7 Selective availability / 283

9 PROPAGATION MEDIA, MULTIPATH, AND PHASE CENTER

286

- 9.1 The atmosphere in brief / 287
- 9.2 Elements of wave propagation / 290
- 9.3 Ionospheric effects on GPS observables / 294
 - 9.3.1 Code delays and phase advances / 294
 - 9.3.2 Single-frequency solutions / 298
 - 9.3.2.1 *Ionospheric plate model* / 299
 - 9.3.2.2 *Daily cosine model* / 299
 - 9.3.2.3 *Ionospheric point model* / 300
 - 9.3.2.4 *Generalization in azimuth and altitude* / 300
 - 9.3.2.5 *Broadcast message and ionospheric model* / 301
 - 9.3.3 Dual-frequency ionospheric-free solutions / 303
 - 9.3.4 Dual-frequency ionospheric solutions / 305
- 9.4 Tropospheric effects on GPS observables / 307
- 9.5 Multipath and phase center / 311

10 PROCESSING GPS CARRIER PHASES

317

- 10.1 Getting acquainted with the observables / 318
 - 10.1.1 Dual-frequency epoch solutions / 318
 - 10.1.1.1 *Geometry of epoch solutions* / 319
 - 10.1.1.2 *Wide laning with undifferenced observations* / 324
 - 10.1.1.3 *Wide laning and extrawide laning with double-difference carrier phases* / 329
 - 10.1.2 Primary functions of observables / 334
 - 10.1.3 Description of a unified approach / 340

- 10.2 Static positioning / 344
 - 10.2.1 Observation equations for double and triple differences / 345
 - 10.2.2 Cycle slip detection and correction / 352
 - 10.2.3 Ambiguity fixing / 357
 - 10.2.3.1 *An ordering scheme* / 358
 - 10.2.3.2 *Testing complete sets* / 360
 - 10.2.3.3 *Testing ambiguity differences* / 362
 - 10.2.3.4 *Sequential reduction of ambiguity range* / 363
 - 10.2.3.5 *Eliminating all position parameters* / 364
 - 10.2.3.6 *Dual-frequency ambiguities for short baselines* / 366
 - 10.2.3.7 *Discernibility* / 368
 - 10.2.4 Primary and secondary satellites / 371
 - 10.2.5 Normal points / 373
 - 10.2.6 Ambiguity function / 375
- 10.3 Kinematic positioning / 380
 - 10.3.1 Initialization on the ground / 381
 - 10.3.2 Initialization on the fly / 384
 - 10.3.2.1 *Search volume and trial ambiguities* / 384
 - 10.3.2.2 *Propagation of trial positions* / 386
 - 10.3.2.3 *OTF techniques* / 386
 - 10.3.3 Kalman filtering formulation / 388
- 10.4 Long baselines / 392
 - 10.4.1 Independent baselines / 392
 - 10.4.2 Constraining the ionosphere / 394
 - 10.4.3 Orbital relaxation / 396
- 10.5 Aspects of real-time GPS / 402
 - 10.5.1 Carrier phase and pseudorange corrections / 403
 - 10.5.2 RTCM-104 standard / 406
 - 10.5.3 WADGPS / 409

11 NETWORK ADJUSTMENTS

- 11.1 GPS vector networks / 412
 - 11.1.1 A simulated example / 415
- 11.2 Combination through rotation and scaling / 415
 - 11.2.1 A simulated example / 419

| | | |
|-------------------|---|------------|
| 11.3 | Accurate geoid undulations / 421 | |
| 11.3.1 | The normal gravity field / 422 | |
| 11.3.2 | Computing geoid undulations / 424 | |
| 11.4 | Discussion of selected GPS projects / 429 | |
| 11.4.1 | The Montgomery County geodetic network / 429 | |
| 11.4.2 | The SLC engineering survey / 434 | |
| 11.4.3 | The SSC ring / 436 | |
| 11.4.4 | Orange County densification / 440 | |
| 12 | ELLIPSOIDAL AND CONFORMAL MAPPING MODELS | 451 |
| 12.1 | Reductions to the ellipsoid / 452 | |
| 12.2 | The ellipsoidal surface model / 455 | |
| 12.3 | The conformal mapping model / 459 | |
| 12.3.1 | The transverse Mercator model / 461 | |
| 12.3.2 | The Lambert conformal model / 465 | |
| 12.3.3 | State plane coordinate systems (SPC) / 468 | |
| 13 | USEFUL TRANSFORMATIONS | 476 |
| 13.1 | Similarity transformation for nearly aligned coordinate systems / 476 | |
| 13.2 | Transforming ellipsoidal positions in a small region / 482 | |
| 14 | DATUMS, STANDARDS, AND SPECIFICATIONS | 486 |
| 14.1 | Reference frame / 486 | |
| 14.2 | Standards and specifications / 489 | |
| 14.2.1 | Existing classification standards / 490 | |
| 14.2.2 | The impact of GPS / 492 | |
| 14.2.3 | Recommendations / 493 | |
| | <i>14.2.3.1 Revision of the GPS standards / 494</i> | |
| | <i>14.2.3.2 Position accuracy / 494</i> | |
| | <i>14.2.3.3 ACP referencing / 496</i> | |
| 14.2.4 | Remarks concerning specifications / 496 | |
| 14.2.5 | To be continued / 498 | |
| APPENDIX A | ELEMENTS FROM LINEAR ALGEBRA | 500 |
| A.1 | Determinants / 500 | |
| A.2 | Eigenvalues and eigenvectors / 501 | |
| A.3 | Diagonalization theorem / 502 | |
| A.4 | Quadratic forms / 504 | |