

# **BIOCATALYSTS for FINE CHEMICALS SYNTHESIS**

**Collected Procedures out of PREPARATIVE BIOTRANSFORMATIONS,  
previously published by John Wiley & Sons as a loose-leaf manual  
from 1990 to 1997, with a review on the State-of-the-Art  
by S.M. Roberts**

**Editor-in-Chief**  
S.M. Roberts

**Associate Editors**  
G. Casy, M.-B. Nielsen, S. Phythian, C. Todd, K. Wiggins

**Editorial Board**  
K. Faber, O. Ghisalba, S.E. Godtfredsen, H.L. Holland, J.B. Jones,  
R.J. Kazlauskas, H. Ohta, G.M. Whitesides, C.-H. Wong

**JOHN WILEY & SONS**

Chichester · New York · Weinheim · Brisbane · Toronto · Singapore

# Contents

<b>List of Contributors</b>	xiii
<b>Foreword</b>	xix
<b>Preface</b>	xxiii
<b>Graphical Contents</b>	xxvii
<b>Practical Guidelines</b>	liii
<b>Review: Biocatalysts — The State of the Art In 1996</b>	lv
 <b>CHAPTER 1 HYDROLYSIS AND ESTERIFICATION REACTIONS</b>	 1:0
<i>Part 1 Preparation and Hydrolysis of Esters</i>	1:1.1
<b>1:1 Hydrolysis of <i>meso</i>-Diesters</b>	1:1.1
Pig liver esterase catalysed hydrolysis of a <i>meso</i> -diester	1:1.1
Stereoselective hydrolysis of dimethyl 3-methylglutarate with PLE	1:1.7
PLE catalysed hydrolysis of dimethyl 7 $\beta$ -hydroxy-3,3-dimethyl-2,4-dioxabicyclo[3.3.0]octane-1 $\beta$ ,8 $\beta$ -dicarboxylate	1:1.13
PLE catalysed hydrolysis of a functionalized prochiral diester	1:1.18
Desymmetrization of dimethyl <i>trans</i> -4,5-epoxy- <i>cis</i> -1,2-cyclohexanedicarboxylate using pig liver esterase	1:1.21
<b>1:2 Kinetic Resolution by Ester Hydrolysis</b>	1:2.1
Kinetic resolution by hydrolysis of a benzyl ester using a protease	1:2.1
A new strategy for the resolution of tertiary alcohols: lipase catalysed hydrolysis of a mixed oxalate diester	1:2.7
<b>1:3 Hydrolysis and Esterification of Organometallic Substrates</b>	1:3.1
Kinetic resolution of $\alpha$ -hydroxystannanes by lipase catalysed transesterification	1:3.1

NOTE: Throughout the main chapters of this book, the page numbers are unchanged from the original looseleaf publication.

<b>1:5</b>	<b>Hydrolysis of <i>meso</i>-Diacetates</b>	<b>1:5.1</b>
	Enantioselective hydrolysis of 2-nitrocyclohexyl-1,3-diacetate with PLE	1:5.1
	Enantioselective hydrolysis of cyclopentene-1,3-diacetate using a lipase	1:5.6
	PFL catalysed hydrolysis of 2-methylpropan-1,3-diacetate	1:5.10
	Enantioselective hydrolysis of <i>N</i> -benzyloxycarbonyl- <i>cis</i> -2,6-(acetoxymethyl)piperidine using <i>Aspergillus niger</i> lipase	1:5.16
<b>1:6</b>	<b>Kinetic Resolution by Hydrolysis of a Secondary Acetate</b>	<b>1:6.1</b>
	Porcine pancreatic lipase (PPL) catalysed kinetic resolution of ( $\pm$ )-6- <i>exo</i> -acetoxo-7,7-dimethylbicyclo[3.2.0]hept-2-ene	1:6.3
	PFL catalysed hydrolysis of ( $\pm$ )- <i>trans</i> -2-bromocyclohexyl butyrate	1:6.9
	LPL catalysed kinetic resolution of 2-acetoxy-3-azidopropanal diethyl acetal	1:6.14
	Kinetic resolution by hydrolysis of ( $\pm$ )-1 $\beta$ -acetoxy-4 $\beta$ -( <i>tert</i> -butyldimethylsilyloxymethyl)cyclopent-2-ene with PFL	1:6.19
	Cholesterol esterase catalysed kinetic resolution of ( $\pm$ )-menthyl acetate	1:6.24
	Kinetic resolution by hydrolysis of bicyclo[3.2.0]hept-2-en- <i>endo</i> -7-ol using immobilized <i>Mucor miehei</i> lipase	1:6.28
	Kinetic resolution by hydrolysis of 1-octyn-3-yl acetate using dried bakers' yeast	1:6.33
	Sequential kinetic resolution of <i>trans</i> -1,2-cyclohexanediol	1:6.37
	Lipase catalysed hydrolysis and acylation reactions for the resolution of 1-phenylethanol	1:6.41
	Lipase catalysed hydrolysis of 1-phenethyl acetate	1:6.45
	Lipase catalysed acylation of 1-phenylethanol	1:6.46
	Lipase catalysed hydrolysis of (–)-1-(2-thienyl)propyl acetate	1:6.49
	Enzymatic resolution of $\alpha$ -acetoxysulphides using <i>Pseudomonas fluorescens</i> lipase (PFL)	1:6.54
<b>1:7</b>	<b>Regioselective Hydrolysis</b>	<b>1:7.1</b>
	Enzymatic regioselective hydrolysis of a peracetylated furanose derivative	1:7.1
<b>1:8</b>	<b>Acetate Hydrolysis in Organic Solvents</b>	<b>1:8.1</b>
	Immobilized <i>Mucor miehei</i> lipase catalysed hydrolysis of 1-octyn-3-yl acetate	1:8.1
	Lipase catalysed enantioselective hydrolysis of 1- <i>O</i> -alkyl-2- <i>O</i> -acyl-3- <i>O</i> -tosylglycerol derivatives	1:8.5

<b>1:9</b>	<b>Esterification of <i>meso</i>-Diols</b>	<b>1:9.1</b>
	Lipase catalysed esterification of <i>cis</i> -cyclopent-2-en-1,4-diol	1:9.1
	PFL catalysed esterification of 2-methylpropan-1,3-diol using vinyl acetate	1:9.7
	Lipase catalysed esterification of <i>meso</i> -4,6-di- <i>O</i> -benzyl-inositol	1:9.11
<b>1:10</b>	<b>Kinetic Resolution by Esterification of Secondary Alcohols</b>	<b>1:10.1</b>
	PFL catalysed kinetic resolution of ( $\pm$ )-1 $\beta$ -(triphenylmethoxy-methyl)cyclopent-2-en-4 $\beta$ -ol by irreversible transesterification	1:10.1
	Lipozyme <sup>®</sup> catalysed kinetic resolution of ( $\pm$ )-2- <i>exo</i> -bromo-3- <i>endo</i> -hydroxy-7,7-diphenylbicyclo[3.2.0]heptan-6-one, by esterification with vinyl acetate	1:10.7
	Resolution of 2-hydroxy-3-(1-naphthoxy)propionitrile by lipase catalysed irreversible transesterification	1:10.15
	Resolution of unsaturated alcohols by lipase catalysed irreversible transesterification	1:10.22
	One-pot conversion of aldehydes to ( <i>S</i> )-2-acetoxy nitriles via reversible cyanohydrin formation	1:10.30
	S-Ethyl thiooctanoate as a new acyl donor in the lipase catalysed resolution of secondary alcohols	1:10.40
	<i>Pseudomonas fluorescens</i> lipase catalysed kinetic resolution of racemic 9-(4-hydroxycyclopent-2-enyl)purines	1:10.48
	Lipase PS catalysed kinetic resolution of aryl lactate esters by irreversible transesterification	1:10.54
	Lipase catalysed enantioselective esterification of 1- <i>O</i> -alkyl-3- <i>O</i> -tosylglycerol derivatives	1:10.60
	Dynamic kinetic resolution of hemiacetals	1:10.65
	Lipase catalysed enantioselective esterification of $\beta$ -fluoroalcohols	1:10.70
	Cross-linked enzyme crystals (CLECs) catalysed resolution of ( $\pm$ )- <i>trans</i> -2-methylcyclohexanol by transesterification	1:10.77
<b>1:11</b>	<b>Regioselective Esterification</b>	<b>1:11.1</b>
	Lipase catalysed regioselective acetylation of ethyl- $\alpha$ -D-mannopyranoside using pancreatin	1:11.1
	PFL catalysed lactonization of methyl 16-hydroxyhexadecanoate	1:11.5
	Regioselective esterification using an immobilized lipase	1:11.8
	Lipase PS catalysed regioselective synthesis of 3'-carbonates from unprotected 2'-deoxynucleosides	1:11.12

<i>Part 2 Nitrile Hydrolysis</i>	1:12.1
<b>1:12 Regioselective Nitrile Hydrolysis by Enzymic Catalysis</b>	1:12.1
Selective nitrile hydrolysis using Nitrilase SP 361, mono-hydrolysis of a dinitrile	1:12.1
<b>1:13 Nitrile Hydrolysis by Kinetic Resolution of a Secondary Nitrile</b>	1:13.1
Nitrilase SP 361 catalysed kinetic resolution of 2-phenyl-butyronitrile	1:13.1
<i>Part 3 Amide Hydrolysis</i>	1:14.1
<b>1:14 Kinetic Resolution by Hydrolysis of <i>N</i>-Acylamino Acid</b>	1:14.1
Pig kidney aminoacylase (PKAA) catalysed kinetic resolution of <i>N</i> -acylaminobutyric acid	1:14.1
Kinetic resolution by pig kidney aminoacylase (PKAA) catalysed hydrolysis of <i>N</i> -chloroacetylaminopent-4-enoic acid	1:14.8
<b>1:15 Acylation of Amines and Hydrazines</b>	1:15.1
Chemoselective enzymatic hydrazinolysis of methyl acrylate	1:15.4
Sequential enzymatic resolution of ( $\pm$ )- <i>trans</i> -cyclohexane-1,2-diamine	1:15.9
Enzymatic resolution of amines and amino alcohols using pent-4-enoyl derivatives	1:15.14
<i>Part 4 Preparation and Hydrolysis of Glycosides</i>	
<b>1:16 Formation of Glycoside Linkages</b>	1:16.1
The use of <i>E. coli</i> galactosidase in the formation of glycoside linkages	1:16.1
<i>Part 5 Miscellaneous Examples</i>	
<b>1:17 Kinetic Resolution by Transesterification</b>	1:17.1
Resolution of racemic carboxylic acids via the lipase catalysed irreversible transesterification of vinyl esters	1:17.1
<b>1:18 Kinetic Resolution of Epoxides by Hydrolysis</b>	1:18.1
Preparative access to both enantiomers of styrene oxide by hydrolysis of the racemate using <i>Aspergillus niger</i> or <i>Beauveria sulfurescens</i>	1:18.1
<b>1:19 Amidation of Diesters</b>	1:19.1
Lipase catalysed amidation of glutamic acid diesters	1:19.1
<b>1:20 Dynamic Resolution</b>	1:20.1
Lipase catalysed dynamic resolution of ( $\pm$ )-2-phenyl-4- <i>tert</i> -butyloxazolin-5(4H)-one	1:20.1
Palladium and lipase catalysed dynamic resolution of allylic acetates	1:20.7

<b>1:21 Crown Ethers as Regulators of Enzymatic Reactions</b>	<b>1:21.1</b>
Lipase catalysed enantioselective hydrolysis of 2-cyano-1-methylethyl acetate	1:21.1
<b>1:22 Chemoselective Hydrolysis of Protecting Groups of Peptides</b>	<b>1:22.1</b>
Selective hydrolysis of peptide MEE ester group using papain and of <i>O</i> -acetyl protecting group using lipase WG from wheat germ	1:22.1
 <b>CHAPTER 2 REDUCTION REACTIONS</b>	 <b>2:0</b>
<b>2:1 Reduction of Acyclic <math>\beta</math>-Keto Esters</b>	<b>2:1.1</b>
Bakers' yeast reduction of ethyl acetoacetate	2:1.1
Fermenting bakers' yeast reduction of ethyl-2-oxohexanoate	2:1.6
Bakers' yeast reduction of a $\beta$ -keto carboxylic acid salt	2:1.12
Yeast reduction of ethyl 2-methylacetoacetate	2:1.19
Fermenting yeast reduction of ethyl 2-allylacetoacetate	2:1.25
Bakers' yeast reduction of ethyl acetoacetate in an organic solvent	2:1.30
<b>2:2 Reduction of Cyclic <math>\beta</math>-Keto Esters</b>	<b>2:2.1</b>
Non-fermenting bakers' yeast reduction of a cyclic $\beta$ -keto ester	2:2.1
<b>2:3 Reduction of an Aliphatic Ketone</b>	<b>2:3.1</b>
<i>Mortierella isabellina</i> whole cell reduction of 7,7-dimethyl- bicyclo[3.2.0]hept-2-en-6-one	2:3.1
Bakers' yeast reduction of an acyclic $\beta$ -diketone	2:3.10
Anti-Prelog reduction of methyl ketones using <i>Yarrowia lipolytica</i>	2:3.16
<b>2:4 Reduction of Aromatic Ketones</b>	<b>2:4.1</b>
<i>Mortierella isabellina</i> catalysed whole cell reduction of 4-chromanone	2:4.1
<b>2:6 Reduction Reactions using Isolated Enzymes</b>	<b>2:6.1</b>
Reduction of 2-keto acids catalysed by lactate dehydrogenases	2:6.1
Reduction of potassium ( <i>E</i> )-2-oxo-4-phenyl-3-butenolate using <i>S</i> -lactate dehydrogenase	2:6.10
Reduction of disodium 5-methyl-2,4-dioxohexanoate using <i>R</i> -lactate dehydrogenase	2:6.14
<b>2:7 Reduction of Carbon–Carbon Double Bonds</b>	<b>2:7.1</b>
Fermenting bakers' yeast reduction of $\alpha$ -methyl- $\beta$ -(2-furyl)- acrolein	2:7.1
Preparation of isopropyl ( <i>S</i> )-3-oxocyclopentanecarboxylate by reduction of isopropyl 3-oxocyclopentene carboxylate using <i>Geotrichum candidum</i>	2:7.8

<b>2:8</b>	<b>Reduction of Aromatic Nitro Compounds</b>	<b>2:8.1</b>
	Bakers' yeast reduction of aromatic nitro compounds to aromatic amines	2:8.1
	Regioselective reduction of substituted dinitroarenes using bakers' yeast	2:8.9
	Bakers' yeast reduction of 2,4-dinitroanisole	2:8.11
	Regioselective reduction of 6,8-dinitroquinoline by bakers' yeast	2:8.14
<b>2:9</b>	<b>Reduction Reactions using Immobilized Bakers' Yeast</b>	<b>2:9.1</b>
	Immobilized bakers' yeast reduction of ethyl acetoacetate	2:9.1
<b>2:10</b>	<b>Reduction of Phosphonates</b>	<b>2:10.1</b>
	Bakers' yeast reduction of diethyl 2-oxoalkylphosphonates	2:10.1
<b>2:11</b>	<b>Reduction of Steroid A Ring Double Bonds</b>	<b>2:11.1</b>
	Reduction of $\Delta^4$ -3-ketosteroids to 5 $\alpha$ -dihydrosteroids using <i>Penicillium decumbens</i>	2:11.1
<b>CHAPTER 3 OXIDATION REACTIONS</b>		<b>3:0</b>
<b>3:1</b>	<b>Oxidation of Prochiral Diols</b>	<b>3:1.1</b>
	Horse liver alcohol dehydrogenase (HLADH) catalysed oxidation of a <i>meso</i> -diol	3:1.1
<b>3:2</b>	<b>Hydroperoxidation of Double Bonds</b>	<b>3:2.1</b>
	Preparation of (13 <i>S</i> )-HODE via lipoxygenase catalysed peroxidation of linoleic acid	3:2.1
<b>3:5</b>	<b>Hydroxylation of Double Bonds</b>	<b>3:5.1</b>
	Microbial oxidation of toluene using <i>Pseudomonas putida</i>	3:5.1
	Asymmetric dihydroxylation of the remote double bond of geraniol	3:5.16
<b>3:6</b>	<b>Sulphur Oxidation</b>	<b>3:6.1</b>
	Enantioselective oxidation of methyl <i>p</i> -tolyl sulphide catalysed by chloroperoxidase	3:6.1
	Enantioselective oxidation of methyl <i>p</i> -tolyl sulphide catalysed by bakers' yeast	3:6.9
	Enantioselective oxidation of <i>para</i> -substituted benzyl methyl sulphides by <i>Helminthosporium</i> species NRRL 4671	3:6.22
	Enantioselective oxidation of sulphides catalysed by bovine serum albumin	3:6.27

<b>3:7</b>	<b>Epoxidation Reactions</b>	3:7.1
	Lipase catalysed synthesis of a peroxycarboxylic acid and its use in the epoxidation of cyclooctene	3:7.1
	'Synthetic enzymes'. Asymmetric epoxidation of chalcones mediated by polyamino acids in a triphasic system	3:7.5
	Epoxidation of enones mediated by polyamino acids in a non-aqueous medium	3:7.12
<b>3:8</b>	<b>Hydroxylation of an Unactivated Methylene Group</b>	3:8.1
	Conversion of 4-piperidinylacetophenone to 4-(4'-hydroxypiperidinyl)acetophenone by <i>Beauveria sulfurescens</i>	3:8.1
<b>3:9</b>	<b>Oxidation of Arylamidoximes</b>	3:9.1
	Oxidation of arylamidoximes by H <sub>2</sub> O <sub>2</sub> and horseradish peroxidase in water	3:9.1
<b>3:10</b>	<b>Microbial Oxidation of Allylic Alcohols</b>	3:10.1
	Oxidation of piperonylic alcohol using <i>Nocardia corallina</i>	3:10.1
<b>3:11</b>	<b>Hydroxylation of Steroids at Unactivated Carbon Centres</b>	3:11.1
	Conversion of progesterone to 11 $\beta$ -hydroxyprogesterone and 14 $\alpha$ -hydroxyprogesterone by <i>Curvularia lunata</i>	3:11.1
	Conversion of progesterone to 11 $\alpha$ -hydroxyprogesterone by <i>Rhizopus arrhizus</i> , <i>Rhizopus stolonifer</i> and <i>Aspergillus ochraceus</i>	3:11.7
	<b>CHAPTER 4 CARBON-CARBON BOND FORMING REACTIONS</b>	4:0
<b>4:1</b>	<b>Aldolase Reactions: FDP Aldolase</b>	4:1.1
	Rabbit muscle aldolase (RAMA) catalysed preparation of 6-deoxy-6-chloro-D-fructose and 6-deoxy-6-chloro-L-sorbose from 3-chloro-2-hydroxy propanal and DHAP	4:1.1
<b>4:2</b>	<b>Aldolase Reactions: Microbial Aldolases</b>	4:2.1
	L-Rhamnulose-1-phosphate aldolase catalysed aldol condensation with isobutyraldehyde	4:2.1
	L-Fuculose-1-phosphate aldolase catalysed aldol condensation with glycolaldehyde	4:2.7
	L-Threonine aldolase catalysed reaction in the preparation of $\beta$ -hydroxy- $\alpha$ -amino acids	4:2.13
<b>4:3</b>	<b>Acyloin Condensations</b>	4:3.1
	Fermenting bakers' yeast catalysed acyloin condensation of benzaldehyde	4:3.1



---

<b>4:4</b>	<b>Condensation Reactions using Transketolase</b>	<b>4:4.1</b>
	Transketolase catalysed synthesis of L-erythrulose	4:4.1
<b>4:5</b>	<b>Cyanohydrin Formation</b>	<b>4:5.1</b>
	Preparation of optically active cyanohydrins using oxynitrilase from almond meal	4:5.1
<b>CHAPTER 5 CASE STUDIES</b>		<b>5:0</b>
<b>5:0</b>	<b>Comparison of Biocatalytic Routes to (S)-6-Heptyn-2-ol, a Synthon for Brefeldin A</b>	<b>5:0.1</b>
<b>5:1</b>	<b>A Comparison between the Use of <i>Mucor miehei</i> Lipase and <i>Candida cylindracea</i> in the Enantioselective Transesterification of Glycidic Esters</b>	<b>5:1.1</b>
	<i>Mucor miehei</i> lipase enantioselection transesterification of methyl <i>trans</i> - $\beta$ -phenyl glycidate with isobutyl alcohol	5:1.2
	<i>Candida cylindracea</i> lipase enantioselective transesterification of methyl <i>trans</i> -3-(4-methoxy phenyl)glycidate with octan-1-ol	5:1.9
<b>5:2</b>	<b>Some Properties of Commercially Available Crude Lipase Preparations</b>	<b>5:2.1</b>
	Tributylin assay	5:2.5
	Olive oil assay	5:2.6
	<i>p</i> -Nitrophenyl palmitate assay	5:2.7
	Folin–Lowry method	5:2.8
	TCA precipitation	5:2.9
<b>Index</b>		<b>I.1</b>