

# High Resolution Digital Surface Model (DSM) to Support Modelling of Urban Flooding

Dissertation

Submitted to and approved by the  
Faculty of Civil Engineering  
University of Kaiserslautern

in candidacy for the degree of a  
Doktor-Ingenieur(Dr.-Ing.)

By  
Md. Aktaruzzaman

Kaiserslautern 2011

(D 386)

# Contents

<b>List of Figures</b>	<b>v</b>
<b>List of Tables</b>	<b>x</b>
<b>Terms and Abbreviations</b>	<b>xi</b>
<b>List of Symbols</b>	<b>xiii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Motivation . . . . .	1
1.2 Problem statement . . . . .	2
1.3 Research objectives . . . . .	5
1.4 Proposed approach . . . . .	5
1.5 Organization of the dissertation . . . . .	7
<b>2 Literature review</b>	<b>9</b>
2.1 Urban drainage models . . . . .	10
2.2 LiDAR data to generate high resolution DSM . . . . .	14
2.3 Filtering algorithms of LiDAR data . . . . .	16
2.4 The identification of objects (buildings and trees) . . . . .	20
2.5 Street/road detection . . . . .	24
2.6 Impervious (paved) and pervious (unpaved) surface detection . . . . .	29
<b>3 Materials and data types</b>	<b>33</b>
3.1 Introduction . . . . .	33
3.2 Study area . . . . .	33
3.3 LiDAR data . . . . .	34
3.4 Aerial images . . . . .	36
3.5 Topographic maps . . . . .	36

3.6	Image and LiDAR data co-registration . . . . .	38
3.7	Accuracy assessment and error matrix approach . . . . .	39
	3.7.1 Selecting sampling scheme . . . . .	40
	3.7.2 Error matrix computation and analysis . . . . .	40
3.8	Software packages . . . . .	42
	3.8.1 ArcGIS . . . . .	42
	3.8.2 MATLAB . . . . .	42
	3.8.3 ECognition/Definiens . . . . .	43
	3.8.4 MIKE FLOOD . . . . .	43
3.9	Conclusion . . . . .	43
<b>4</b>	<b>Filtering LiDAR data</b> . . . . .	<b>45</b>
4.1	Introduction . . . . .	45
4.2	Proposed algorithm . . . . .	45
	4.2.1 Selecting the block size . . . . .	46
	4.2.2 Standard plane equation in 3D space . . . . .	47
	4.2.3 Selecting points with minimum elevations within a block . . . . .	49
	4.2.4 Fitting the plane . . . . .	49
4.3	Results and discussions . . . . .	52
	4.3.1 Alcatraz study area . . . . .	52
	4.3.2 Sensitivity of the filtering algorithm . . . . .	54
	4.3.3 Casimirring study area . . . . .	55
	4.3.4 Sensitivity of the algorithm on threshold selection . . . . .	57
4.4	Conclusion . . . . .	59
<b>5</b>	<b>Object classification</b> . . . . .	<b>61</b>
5.1	Introduction . . . . .	61
5.2	Proposed methods for object classification . . . . .	61
5.3	Object clustering . . . . .	63
5.4	Building and tree classification . . . . .	65
	5.4.1 Pseudo-gridding . . . . .	65
	5.4.2 Planar surface analysis . . . . .	72
5.5	Detection of building outlines . . . . .	88
	5.5.1 Separation of building points . . . . .	88
	5.5.2 Cleaning the small clusters . . . . .	88
	5.5.3 Approximating boundary outlines . . . . .	89
5.6	Conclusion . . . . .	91

<b>6</b>	<b>Street extraction and 3D modelling</b>	<b>93</b>
6.1	Introduction . . . . .	93
6.2	Street as an open channel . . . . .	93
6.3	Data types and sources . . . . .	95
6.4	Methodology . . . . .	95
6.5	Street points extraction . . . . .	96
6.5.1	Point-in-polygon algorithm . . . . .	96
6.5.2	Dense polygon boundary points generation . . . . .	98
6.6	Street connectivity (topology) construction . . . . .	100
6.6.1	Detection of centreline . . . . .	100
6.6.2	Construction of street connectivity . . . . .	101
6.7	Distinguishing the boundary points . . . . .	103
6.8	Detection of inner boundary lines . . . . .	105
6.8.1	Street kerb detection . . . . .	105
6.8.2	Delineation of street kerb . . . . .	106
6.9	Reconstruction of street surfaces . . . . .	108
6.9.1	An ideal street model . . . . .	108
6.9.2	Assigning heights to centrelines and sidelines . . . . .	108
6.10	Modelling of street junctions . . . . .	112
6.11	Application . . . . .	113
6.12	Validation . . . . .	116
6.13	Limitations . . . . .	118
6.14	Summary . . . . .	118
<b>7</b>	<b>Impervious(paved) and pervious(unpaved) surface detection</b>	<b>121</b>
7.1	Introduction . . . . .	121
7.2	Overall approach . . . . .	121
7.2.1	Image layer stacking . . . . .	122
7.2.2	Chessboard segmentation . . . . .	124
7.2.3	Selection of region of interest (ROI) . . . . .	125
7.2.4	Multiresolution segmentation . . . . .	126
7.2.5	Rule-set development . . . . .	128
7.2.6	Classification results . . . . .	129
7.2.7	Accuracy of the final map . . . . .	131
7.3	Application to Casimirring study area . . . . .	133
7.4	Differentiating grassland and bare soil . . . . .	136

7.5	Conclusion . . . . .	137
<b>8</b>	<b>Resulting data model</b>	<b>141</b>
8.1	Introduction . . . . .	141
8.2	DSM generation . . . . .	142
8.3	Qualitative assessment . . . . .	146
8.4	Preparing the land use and land cover (LULC) map . . . . .	146
8.5	Running the simulation . . . . .	148
8.5.1	MOUSE module . . . . .	149
8.5.2	MIKE 21 module . . . . .	153
8.5.3	Coupling 1D and 2D flow . . . . .	153
8.5.4	Simulation and results . . . . .	154
8.6	Application to Casimirring study area . . . . .	156
8.7	Summary . . . . .	158
<b>9</b>	<b>Summary and recommendations</b>	<b>163</b>
9.1	Summary . . . . .	163
9.1.1	LiDAR data processing . . . . .	164
9.1.2	Object classification . . . . .	164
9.1.3	3D street modelling . . . . .	165
9.1.4	Pervious (unpaved) and impervious (paved) surface detection . . . . .	166
9.1.5	Resulting/integrated data model . . . . .	166
9.2	Recommendations / Future needs . . . . .	167
	<b>References</b>	<b>169</b>