
Handbook of Tunnel Engineering II

Basics and Additional Services for Design
and Construction

Bernhard Maidl
Markus Thewes
Ulrich Maidl

Table of Contents

Volume II: Basics and Additional Services for Design and Construction*

The authors	VII
Foreword to the English edition	IX
Foreword to the 3 rd German edition	X
Foreword to the 2 nd German edition	XI
Foreword to the 1 st German edition	XII
1 General Principles for the Design of the Cross-section	1
1.1 General	1
1.2 Dependence on intended use	1
1.2.1 Road tunnels	1
1.2.2 Constructional measures for road safety in tunnels	5
1.2.3 Rail tunnels	7
1.2.4 Construction of rail tunnels	12
1.2.5 Underground railway and underground tram tunnels	13
1.2.6 Innovative transport systems	14
1.2.7 Monorail with magnetic levitation, Transrapid, Metrorapid	15
1.2.8 Other underground works	15
1.3 The influence of the ground	16
1.4 Dependency on construction process	19
2 Engineering geology aspects for design and classification	21
2.1 General	21
2.2 Origin, properties and categorisation of rocks	21
2.2.1 General basics	21
2.2.2 Categorisation of rocks	25
2.2.3 Categorisation of soils	25
2.3 Engineering geology and rock mechanics investigations	29
2.3.1 Engineering geology investigations	30
2.3.2 Rock mechanics investigations	33
2.4 The ground and its classification	38
2.4.1 Ground	38
2.4.2 Classification of the rock mass	41
2.4.2.1 General	41
2.4.2.2 Basic system of classification	41
2.4.2.3 Q System (Quality System)	42

*) The titles of some chapters have changed since their initial announcement in Handbook of Tunnel Engineering, Vol I, with no effect to the content itself.

2.4.2.4	RMR System (Rock Mass Rating System)	48
2.4.2.5	Relationship between Q and RMR systems	51
2.4.3	Standards, guidelines and recommendations.	52
2.4.3.1	Classification in Germany	52
2.4.3.2	Classification in Switzerland ("Klassierung" according to the SIA standard)	57
2.4.3.3	Classification in Austria.	61
2.4.4	Example of a project-related classification according to DIN 18312 for the shotcrete process	68
2.4.4.1	Procedure at the Oerlinghausen Tunnel.	68
2.4.4.2	Description of the tunnelling classes for the Oerlinghausen Tunnel	70
2.5	Special features for tunnelling machines	74
2.5.1	General.	74
2.5.2	Influences on the boring process	74
2.5.3	Influences on the machine bracing	76
2.5.4	Influences on the temporary support	79
2.5.5	Classification for excavation and support	80
2.5.5.1	General and objective for mechanised tunnelling	80
2.5.5.2	Classification systems and investigation of suitability for tunnel boring machines.	80
2.5.6	Standards, guidelines and recommendations	84
2.5.6.1	Classification in Germany	84
2.5.6.2	Classification in Switzerland	88
2.5.6.3	Classification in Austria.	92
2.5.7	New classification proposal.	92
3	Structural design verifications, structural analysis of tunnels	95
3.1	General	95
3.2	Ground pressure theories	97
3.2.1	Historical development	97
3.2.2	Primary and secondary stress states in the rock mass	99
3.2.2.1	Primary stress state	99
3.2.2.2	Secondary stress state	100
3.3	General steps of model formation	100
3.4	Analytical processes and their modelling.	103
3.4.1	Modelling of shallow tunnels in loose ground	103
3.4.2	Modelling deep tunnels in loose ground	103
3.4.3	Modelling tunnels in solid rock	104
3.4.4	Bedded beam models.	105
3.5	Numerical methods.	106
3.5.1	Finite Difference Method (FDM)	107
3.5.2	Finite Element Method (FEM)	107
3.5.3	Boundary Element Method (BEM)	107
3.5.4	Combination of finite element and boundary element methods	107

3.6	The application of the finite element method in tunnelling	109
3.6.1	“Step-by-Step” technique	109
3.6.2	Iteration process.	109
3.6.3	Simulation of uncoupled partial excavations.	112
3.7	Special applications of the FEM in tunnelling	114
3.7.1	Modelling of deformation slots	114
3.7.2	Determination of the loosening of the rock mass from blasting	115
3.8	Structural design.	116
3.8.1	General principles	116
3.8.2	Design method for steel fibre concrete tunnel linings	118
3.8.3	Conventionally reinforced shotcrete versus steel fibre shotcrete	124
4	Measurement for monitoring, probing and recording evidence.	129
4.1	General	129
4.2	Measurement programme	130
4.2.1	General.	130
4.2.2	Measurements of construction states.	131
4.2.2.1	Standard monitoring section	132
4.2.2.2	Principal monitoring sections	133
4.2.2.3	Surface measurements	134
4.2.2.4	Basic rules for implementation and evaluation	134
4.2.3	Measurement of the final state.	135
4.2.3.1	Measurement programme	135
4.2.3.2	Evaluation	136
4.2.4	Special features of shield drives	136
4.2.4.1	Instrumentation	136
4.2.4.2	Recording and evaluation of machine data	138
4.2.5	IT systems for the recording and evaluation of geotechnical data	146
4.3	Measurement processes, instruments	147
4.3.1	Deformation measurement	148
4.3.1.1	Geodetic surveying	148
4.3.1.2	Convergence measurements	148
4.3.1.3	Optical surveying of displacement with electronic total station	150
4.3.1.4	Surface surveying	151
4.3.1.5	Extensometer measurements	152
4.3.1.6	Inclinometer / deflectometer measurements	156
4.3.1.7	Sliding micrometer measurements	158
4.3.1.8	Trivec measurements	159
4.3.2	Profile surveying	159
4.3.2.1	Photogrammetric scanner	159
4.3.3	Stress and strain measurements in the support layer	162
4.3.3.1	Radial and tangential stress measurement in concrete	162
4.3.3.2	Measurements in steel arches	165
4.3.4	Measurements of the loading and function of anchors	165
4.3.4.1	Checking of anchor forces in unbonded anchors.	165
4.3.4.2	Checking of anchor forces with mechanical measurement anchors	167

4.4	Geophysical exploration ahead of the face	168
4.4.1	Seismology	169
4.4.2	Geoelectrical	169
4.4.3	Gravimetric	169
4.4.4	Geomagnetic	169
4.4.5	Geothermal	170
4.4.6	Examples and experience	170
4.4.6.1	Probing with SSP (Sonic Softground Probing)	170
4.4.6.2	Probing karst caves	171
4.5	Monitoring and evidence-gathering measures for tunnelling beneath buildings and transport infrastructure	178
4.5.1	General	178
4.5.2	Monitoring and evidence-gathering measures	178
4.5.3	Noise and vibration protection	179
4.5.4	Permissible deformation of buildings	179
5	Dewatering, waterproofing and drainage	183
5.1	General	183
5.2	Dewatering during construction	183
5.2.1	Water quantity and difficulties	184
5.2.1.1	Water flow in the ground	184
5.2.1.2	Forms of underground water	187
5.2.1.3	Payment and quantity measurement	189
5.2.2	Measures to collect and drain groundwater	194
5.2.2.1	Measures to collect water	194
5.2.2.2	Measures to drain water, open dewatering	196
5.2.2.3	Drainage boreholes and drainage tunnels	196
5.2.3	Obstructions and reduced performance	199
5.2.3.1	General description	199
5.2.3.2	Influence of groundwater on the advance rate	199
5.2.3.3	Influence of groundwater on tunnelling costs	201
5.2.4	Environmental impact and cleaning	201
5.2.4.1	Effect on the groundwater system	202
5.2.4.2	Effects on groundwater quality	203
5.2.5	Sealing groundwater	205
5.2.5.1	Grouting process	206
5.2.5.2	Ground freezing	207
5.3	Tunnel waterproofing	208
5.3.1	Requirements	210
5.3.1.1	Required degree of water-tightness	210
5.3.1.2	Requirements resulting from geological and hydrological conditions	211
5.3.1.3	Material requirements	212
5.3.1.4	Requirements for the construction process	212
5.3.1.5	Requirements for design and detailing	213
5.3.1.6	Maintenance	214

5.3.1.7	Requirements of the users	214
5.3.1.8	Requirements of environmental and waterways protection	214
5.3.1.9	Requirements of cost-effectiveness	214
5.3.2	Waterproofing concepts	215
5.3.2.1	Categorisation	215
5.3.2.2	Preliminary waterproofing	215
5.3.2.3	Main waterproofing	215
5.3.2.4	Repair of waterproofing	216
5.3.3	Waterproofing elements and materials	217
5.3.3.1	Waterproof concrete	217
5.3.3.2	Water-resistant plaster, sealing mortar, resin concrete	221
5.3.3.3	Bituminous waterproofing	221
5.3.3.4	Plastic waterproofing membranes	223
5.3.3.5	Sprayed waterproofing	232
5.3.3.6	Metallic waterproofing materials	232
5.3.4	Testing of seams in waterproofing membranes	233
5.4	Tunnel drainage	233
5.4.1	The origin of sintering	234
5.4.2	Design of tunnel drainage for low sintering	236
5.4.3	Construction of tunnel drainage to reduce sintering	239
5.4.3.1	Camera surveys of the pipe runs between the manholes	240
5.4.3.2	Data processing and administration	240
5.4.3.3	Other quality assurance measures during the construction phase	241
5.4.4	Operation and maintenance of drainage systems to reduce sintering	242
5.4.4.1	Concepts to reduce maintenance through improvements to systems	242
5.4.4.2	Cleaning of drainage systems	243
6	New measurement and control technology in tunnelling	245
6.1	General	245
6.2	Measurement instruments	245
6.2.1	Gyroscopic devices	245
6.2.2	Lasers	249
6.2.3	Optical components for laser devices	251
6.2.4	Optical receiver devices	252
6.2.5	Hose levelling instruments	253
6.2.6	Inclinometer	254
6.3	Control in drill and blast tunnelling	254
6.3.1	Drilling jumbo navigation	254
6.3.2	Determining the position of a drilling boom	255
6.3.3	Hydraulic parallel holding of the feeds	256
6.3.4	Control of drill booms by microprocessors	256
6.3.5	Hydraulic drill booms	257

6.4	Control of roadheaders	257
6.4.1	Movement parameters determined by the control system	257
6.4.2	Roadheader control system from Voest Alpine	259
6.4.3	Roadheader control system from Eickhoff	264
6.4.4	Roadheader control system from ZED	266
6.5	Control of tunnel boring machines (TBM).	267
6.5.1	General.	267
6.5.2	Steering with laser beam and active target	269
6.6	Steering of small diameter tunnels	270
6.6.1	General.	270
6.6.2	Steering with a ship's gyrocompass.	271
6.6.3	Pipe jacking steering with laser beam and active target	272
6.6.4	Steering with travelling total station	273
7	Special features of scheduling tunnel works	277
7.1	General	277
7.2	Historical overview.	277
7.3	General planning of tunnel drives	281
7.4	Planning tools	284
7.5	Control methods	285
7.5.1	Control of deadlines.	285
7.5.2	Cost control	286
7.6	Examples of construction schedules.	287
7.6.1	Construction schedule for the City Tunnel, Leipzig	287
7.6.2	Scheduling of rail tunnels through the example of the Landrücken Tunnel and the particular question of starting points	289
7.6.3	Scheduling of road tunnels through the example of the Arlberg Tunnel	290
7.6.4	Scheduling of inner-city tunnelling through the example of the Stadtbahn Dortmund	293
7.6.5	Scheduling of a shield tunnel through the example of Stadtbahn Essen.	296
8	Safety and safety planning	299
8.1	General	299
8.2	International guidelines and national regulations.	299
8.2.1	Directive 89/391/EEC	300
8.2.2	Directive 92/57/EEC	301
8.2.3	Directive 93/15/EEC	303
8.2.4	Directive 98/37/EC	303
8.2.5	Implementation into national regulations for blasting.	305
8.3	Integrated safety plan	306
8.3.1	The safety plan as a management plan	306
8.3.2	Safety objectives	306
8.3.3	Danger scenarios and risk analyses	306
8.3.4	Measures plan	308

8.4	Transport, storage and handling of explosives	309
8.4.1	Transport to the site	309
8.4.2	Storage on the site	310
8.4.3	Transport on site	312
8.4.4	Handling	313
8.5	Training of skilled workers.	316
8.6	The construction site regulations (BaustellV)	316
8.6.1	General.	316
8.6.2	The tools of the construction site regulations	318
8.6.3	The health and safety plan (health and safety plan)	324
8.6.4	Working steps in the production of a health and safety plan.	325
8.7	Example of a tender for health and safety protection.	327
8.7.1	General.	327
8.7.2	Health and safety concept	328
8.7.2.1	Hazard analyses	329
8.7.2.2	Fire protection, escape and rescue concept	329
8.7.2.3	Health protection concept	330
8.7.2.4	Site facilities plans.	332
8.7.2.5	Concept for traffic control measures inside the site area.	332
8.7.2.6	Documents with information for later works to the structure	332
8.7.2.7	Measures to prevent danger to third parties resulting from the duty to maintain road safety	333
9	Special features in tendering, award and contract	335
9.1	General	335
9.2	Examples of forms of contract	335
9.2.1	Procedure in Switzerland.	335
9.2.2	Procedure in the Netherlands.	340
9.2.3	Procedure in Germany.	343
9.3	Design and geotechnical requirements for the tendering of mechanised tunnelling as an alternative proposal	343
9.3.1	General.	343
9.3.2	Examples: Adler Tunnel, Sieberg Tunnel, Stuttgart Airport Tunnel, Rennsteig Tunnel, Lainzer Tunnel	344
9.3.3	Additional requirements for mechanised tunnelling in the tender documents.	350
9.3.4	Costs as a decision criterion	352
9.3.5	Outlook	353
10	Process controlling and data management	355
10.1	Introduction	355
10.2	Procedure	355
10.3	Data management.	356
10.4	Target-actual comparison	357
10.5	Target process structure	359
10.6	Analysis of the actual process	361

11	DAUB recommendations for the selection of tunnelling machines	363
11.1	Preliminary notes	363
11.2	Regulatory works	364
11.2.1	National regulations	364
11.2.2	International standards	365
11.2.3	Standards and other regulatory works	365
11.3	Definitions and abbreviations	366
11.3.1	Definitions	366
11.3.2	Abbreviations	368
11.4	Application and structure of the recommendations	368
11.5	Categorisation of tunnelling machines	370
11.5.1	Types of tunnelling machine (TVM)	370
11.5.2	Tunnel boring machines (TBM)	370
11.5.2.1	Tunnel boring machines without shield (Gripper TBM)	370
11.5.2.2	Enlargement tunnel boring machines (ETBM)	371
11.5.2.3	Tunnel boring machine with shield (TBM-S)	372
11.5.3	Double shield machines (DSM)	372
11.5.4	Shield machines (SM)	372
11.5.4.1	Shield machines for full-face excavation (SM-V)	372
11.5.4.2	Shield machines with partial face excavation (SM-T)	375
11.5.5	Adaptable shield machines with convertible process technology (KSM)	376
11.5.6	Special types	376
11.5.6.1	Blade shields	376
11.5.6.2	Shields with multiple circular cross-sections	376
11.5.6.3	Articulated shields	376
11.5.7	Support and lining	377
11.5.7.1	Tunnel boring machines (TBM)	377
11.5.7.2	Tunnel boring machines with shield (TBM-S), Shield machines (SM, DSM, KSM)	378
11.5.7.3	Advance support	379
11.5.7.4	Support next to the tunnelling machine	380
11.6	Ground and system behaviour	380
11.6.1	Preliminary remarks	380
11.6.2	Ground stability and face support	380
11.6.3	Excavation	381
11.6.3.1	Sticking	381
11.6.3.2	Wear	382
11.6.3.3	Soil conditioning	382
11.6.3.4	Soil separation	383
11.6.3.5	Soil transport and tipping	383
11.7	Environmental aspects	384
11.8	Other project conditions	386

11.9	Scope of application and selection criteria	387
11.9.1	General notes about the use of the tables	387
11.9.1.1	Core area of application	387
11.9.1.2	Possible areas of application	387
11.9.1.3	Critical areas of application	388
11.9.1.4	Classification in soft ground	388
11.9.1.5	Classification in rock	388
11.9.2	Notes about each type of tunnelling machine	388
11.9.2.1	TBM (Tunnel boring machine)	388
11.9.2.2	DSM (Double shield machines)	388
11.9.2.3	SM-V1 (full-face excavation, face without support)	389
11.9.2.4	SM-V2 (full-face excavation, face with mechanical support)	389
11.9.2.5	SM-V3 (Full-face excavation, face with compressed air application)	389
11.9.2.6	SM-V4 (full-face excavation, face with slurry support)	389
11.9.2.7	SM-V5 (full-face excavation, face with earth pressure balance support)	389
11.9.2.8	SM-T1 (partial excavation, face without support)	390
11.9.2.9	SM-T2 (partial excavation, face with mechanical support)	390
11.9.2.10	SM-T3 (partial excavation, face with compressed air application)	390
11.9.2.11	SM-T4 (Partial excavation, face with slurry support)	390
11.9.2.12	KSM (Convertible shield machines)	390
11.10	Appendices	391
	Bibliography	411
	Index	423

Table of Contents

Volume I: Structures and Methods

1 Introduction

- 1.1 General
- 1.2 Historical development
- 1.3 Terms and descriptions

2 Support methods and materials

- 2.1 General
- 2.2 Action of the support materials
 - 2.2.1 Stiffness and deformability
 - 2.2.2 Bond
 - 2.2.3 Time of installation
- 2.3 Timbering
 - 2.3.1 General
 - 2.3.2 Frame set timbering
 - 2.3.3 Trussed timbering
 - 2.3.4 Shoring and lagging
- 2.4 Steel ribs
 - 2.4.1 General
 - 2.4.2 Profile forms
 - 2.4.3 Examples of typical arch forms for large and small tunnels.
 - 2.4.4 Installation
- 2.5 Lattice beam elements
- 2.6 Advance support measures
 - 2.6.1 Steel lagging sheets and plates
 - 2.6.2 Spiles
 - 2.6.3 Injection tubes
 - 2.6.4 Pipe screens, grout screens, jet grout screens
 - 2.6.5 Ground freezing
- 2.7 Rock bolts
 - 2.7.1 General
 - 2.7.2 Mode of action
 - 2.7.3 Anchor length and spacing
 - 2.7.4 Load-bearing behaviour
 - 2.7.5 Anchor types
- 2.8 Concrete in tunnelling
 - 2.8.1 General
 - 2.8.2 Construction variants
 - 2.8.2.1 Two-layer construction
 - 2.8.2.2 Single-layer construction

- 2.8.3 Shotcrete
 - 2.8.3.1 General
 - 2.8.3.2 Process technology, equipment and handling
 - 2.8.3.3 Mixing and recipes
 - 2.8.3.4 Influence of materials technology and process technology
 - 2.8.3.5 Quality criteria, material behaviour and calculation methods, quality control
 - 2.8.3.6 Mechanisation of shotcrete technology
 - 2.8.3.7 Steel fibre concrete
 - 2.8.3.8 Working safety
- 2.8.4 Cast concrete
 - 2.8.4.1 Formwork
 - 2.8.4.2 Concreting
 - 2.8.4.3 Reinforced or unreinforced concrete lining
 - 2.8.4.4 Factors affecting crack formation
 - 2.8.4.5 Disadvantages of nominal reinforcement
 - 2.8.4.6 Stripping times
 - 2.8.4.7 Filling of the crown gap
 - 2.8.4.8 Joint details
 - 2.8.4.9 Single-pass process, extruded concrete
 - 2.8.4.10 After-treatment
- 2.8.5 Precast elements, cast segments
 - 2.8.5.1 Steel segments
 - 2.8.5.2 Cast steel segments
 - 2.8.5.3 Cast iron segments
 - 2.8.5.4 Reinforced concrete segments
 - 2.8.5.5 Geometrical shapes and arrangement
 - 2.8.5.6 Details of radial joints
 - 2.8.5.7 Circumferential joint details
 - 2.8.5.8 Fixing and sealing systems
 - 2.8.5.9 Segment gaskets
 - 2.8.5.10 Production of reinforced concrete segments
 - 2.8.5.11 Installation of segment lining
- 2.8.6 Linings for sewer tunnels
- 2.8.7 Yielding elements

3 The classic methods and their further developments

- 3.1 General
- 3.2 Full-face excavation
- 3.3 Partial-face excavation
 - 3.3.1 Bench excavation
 - 3.3.2 The Belgian or underpinning tunnelling method
 - 3.3.3 The German or remaining core tunnelling method
 - 3.3.4 The Austrian or upraise tunnelling method
 - 3.3.5 The New Austrian Tunnelling Method

- 3.3.6 The English tunnelling method
- 3.3.7 The Italian or packing tunnelling method
- 3.4 Classic shield drives
- 3.5 The classic tunnelling machines
- 4 Shotcrete tunnelling**
- 4.1 General
- 4.2 Top heading process
 - 4.2.1 Shotcrete tunnelling method
 - 4.2.2 Underpinning method
 - 4.2.3 Crown pilot heading with crown beam
 - 4.2.4 Shotcrete tunnelling with longitudinal slots
- 4.3 Core tunnelling method with side headings
- 4.4 Special processes using shotcrete
 - 4.4.1 Compressed air
 - 4.4.2 Ground freezing, grouting
- 4.5 Shotcrete in mining
 - 4.5.1 Tunnel support
 - 4.5.2 Shaft insets
- 4.6 Outlook for further development
- 4.7 The new Italian tunnelling method (ADECCO-RS)
 - 4.7.1 Theoretical model
 - 4.7.2 Procedure through the example of the new line from Bologna – Florence
- 5 Drill and blast tunnelling**
- 5.1 Historical development
- 5.2 Drilling
 - 5.2.1 General
 - 5.2.2 Drills
 - 5.2.3 Drill bits
 - 5.2.4 Wear
 - 5.2.5 Performance
 - 5.2.6 Costs
- 5.3 Blasting
 - 5.3.1 General
 - 5.3.2 Explosives in tunnelling
 - 5.3.3 Detonators and detonation systems in tunnelling
 - 5.3.4 Transport, storage and handling of explosives
 - 5.3.5 Charge determination
 - 5.3.6 The drilling and firing pattern
 - 5.3.7 Charge loading
 - 5.3.8 Time calculation
 - 5.3.9 Blasting technology aspects

- 5.4 Mucking
 - 5.4.1 General
 - 5.4.2 Loading machines
 - 5.4.3 Muck conveyance
 - 5.4.4 Output of transport vehicles
 - 5.4.5 Examples of transport chains
 - 5.4.6 Further developments
- 5.5 Combination of drill and blast with mechanised tunnelling processes
 - 5.5.1 Combinations with roadheaders
 - 5.5.2 Combination with full-face machines
- 5.6 Effects of blasting on the surroundings
 - 5.6.1 Vibration
 - 5.6.2 Composition and effects of the blasting gas emissions
- 5.7 Mechanisation and Automation
 - 5.7.1 General
 - 5.7.2 Emphasis of mechanisation
 - 5.7.3 Computer-assisted drill jumbos
 - 5.7.4 Mucking and tunnel logistics
- 6 Mechanised tunnelling**
 - 6.1 General
 - 6.2 Categories of tunnelling machines
 - 6.3 Shield machines
 - 6.3.1 Categories of shield machines
 - 6.3.2 Basic principle, definition
 - 6.3.3 Face without support
 - 6.3.4 Face with mechanical support
 - 6.3.5 Face under compressed air
 - 6.3.6 Face with slurry support
 - 6.3.6.1 Functional principle
 - 6.3.6.2 Slurry shield
 - 6.3.6.3 Thixshield
 - 6.3.6.4 Hydrosshield
 - 6.3.6.5 Mixshield as a Hydrosshield version
 - 6.3.6.6 Hydrojetshield
 - 6.3.6.7 Hydraulic soil transport
 - 6.3.6.8 Soil separation in shield operation with hydraulic transport
 - 6.3.7 Face with earth pressure support
 - 6.3.7.1 Functional principle
 - 6.3.7.2 Scope of application and soil conditioning process
 - 6.3.7.3 Use of foam with earth pressure shields
 - 6.3.8 Blade tunnelling and blade shields

- 6.3.9 The most important verification calculations
- 6.3.9.1 Calculation of face stability with slurry and earth pressure support
- 6.3.9.2 Calculation of safety against breakup and blowout
- 6.3.9.3 Calculation of thrust force
- 6.3.9.4 Determination of the air demand for compressed air support
- 6.4 Tunnel boring machines in hard rock
 - 6.4.1 Categorisation of machines for use in hard rock
 - 6.4.2 Basic principles
 - 6.4.3 Boring system
 - 6.4.4 Thrust and bracing system
 - 6.4.5 Support system
 - 6.4.6 Ventilation
 - 6.4.7 The use of slurry and earth pressure shields in hard rock formations
- 6.5 Special processes: combinations of TBM drives with shotcrete tunnelling
 - 6.5.1 Areas of application
 - 6.5.2 Construction possibilities
 - 6.5.3 Example
- 6.6 Roadheaders (TSM) and tunnel excavators
 - 6.6.1 Basic principle of a roadheader
 - 6.6.2 Rock excavation by a roadheader
 - 6.6.3 Ventilation and dust control with a roadheader
 - 6.6.4 Profile and directional control of roadheaders
 - 6.6.5 Construction sequence using a roadheader
 - 6.6.6 Additional equipment and variations of roadheaders
 - 6.6.7 Criteria for the selection of a roadheader
 - 6.6.8 Comparison of partial face and full face machines
 - 6.6.9 Combination of full face and partial face machines
 - 6.6.10 Contour cutting process
 - 6.6.11 Tunnel excavators
- 6.7 Checking the tunnelling machine for suitability and acceptance based on a risk analysis
 - 6.7.1 Strategy to contain risk
 - 6.7.2 Basic design
 - 6.7.3 Analysis of obstructions
 - 6.7.4 Machine specification
 - 6.7.5 Acceptance of the TBM
 - 6.7.6 Shield handbook
 - 6.7.7 Data checks, functional tests
 - 6.7.8 Implementation of the strategy through the example of the Elbe Tunnel and the Lefortovo Tunnel
 - 6.7.9 Recommendations for the future

7 The driving of small cross-sections

- 7.1 General
- 7.2 Manned processes
 - 7.2.1 General
 - 7.2.2 Pipe jacking
- 7.3 Unmanned processes
 - 7.3.1 General
 - 7.3.2 Non-steerable processes, or with limited control of direction
 - 7.3.3 Guided processes
- 7.4 Shafts and jacking stations
 - 7.4.1 Thrust shaft
 - 7.4.2 Reception shaft
 - 7.4.3 Main jacking station
 - 7.4.4 Intermediate jacking stations
- 7.5 Support, product pipe
 - 7.5.1 Loading during pipe jacking
 - 7.5.2 Loading in operation
 - 7.5.3 Insertion of the product pipe

8 Ventilation during the construction phase

- 8.1 General
- 8.2 Ventilation systems
 - 8.2.1 Natural ventilation
 - 8.2.2 Positive pressure ventilation
 - 8.2.3 Extraction ventilation
 - 8.2.4 Reversible ventilation
 - 8.2.5 Combined ventilation.
 - 8.2.6 Recirculation systems
- 8.3 Materials
 - 8.3.1 Fans
 - 8.3.2 Air ducts
 - 8.3.3 Dedusters
- 8.4 Design and cost
- 8.5 Special ventilation systems
 - 8.5.1 Ventilation for TBM drives
 - 8.5.2 Ventilation of roadheader drives
 - 8.5.3 Automatic ventilation

Bibliography

Index