

M. Bodanszky A. Bodanszky

---

# **The Practice of Peptide Synthesis**

Second, Revised Edition

Springer-Verlag

Berlin Heidelberg New York London Paris

Tokyo Hong Kong Barcelona Budapest

# Contents

<b>I Introduction</b> . . . . .	1
<b>II Protecting Groups</b> . . . . .	7
1 Introduction of Amine Protecting Groups . . . . .	9
1.1 The <i>p</i> -Toluenesulfonyl Group . . . . .	9
<i>p</i> -Toluenesulfonyl-L-isoleucine . . . . .	9
1.2 Phthalyl (Phthaloyl, Pht) Amino Acids . . . . .	10
Phthalyl-L-leucine . . . . .	10
1.3 The Benzyloxycarbonyl Group . . . . .	11
Benzyloxycarbonyl-L-proline . . . . .	11
Benzyloxycarbonyl-L-leucine . . . . .	11
<i>N</i> <sup>α</sup> -Benzyloxycarbonyl-L-arginine . . . . .	12
Benzyloxycarbonyl-L-aspartic Acid $\beta$ -Benzyl Ester . . . . .	12
1.4 4-Methoxybenzyloxycarbonylamino Acids . . . . .	14
1.5 The <i>tert</i> -Butyloxycarbonyl (Boc) Group . . . . .	15
1.5.1 Introduction of the <i>tert</i> -Butyloxycarbonyl Group with 2- <i>tert</i> -Butyloxycarbonyloximino-2- phenylacetonitrile . . . . .	15
<i>tert</i> -Butyloxycarbonyl-glycine . . . . .	16
<i>tert</i> -Butyloxycarbonyl-L-tryptophan . . . . .	16
1.5.2 Introduction of the <i>tert</i> -Butyloxycarbonyl Group with <i>tert</i> -Butyl Pyrocarbonate . . . . .	17
1.6 The Biphenylylisopropylloxycarbonyl (Bpoc) Group . . . . .	18
Bpoc-L-leucine . . . . .	18
Bpoc-L-leucine . . . . .	19
1.7 The 9-Fluorenylmethyloxycarbonyl (Fmoc) Group . . . . .	20
9-Fluorenylmethyl Chlorocarbonate . . . . .	20
9-Fluorenylmethyloxycarbonyl-L-tryptophan . . . . .	21
1.8 <i>o</i> -Nitrophenylsulfenylamino Acids . . . . .	21
1.9 2-Trimethylsilylethyloxycarbonylamino Acids . . . . .	22
4-Nitrophenyl-2-Trimethylsilylethyl Carbonate . . . . .	22
2-Trimethylsilylethyloxycarbonyl-L-proline . . . . .	23
1.10 Maleoylamino Acids and Maleoyl-Peptides . . . . .	24
<i>N</i> -Methoxycarbonylmaleimide . . . . .	24

Maleoyl-glycine . . . . .	24
Maleoyl Peptides . . . . .	25
1.11 Triphenylmethyl-amino Acids . . . . .	26
Trityl-L-leucine . . . . .	26
<i>N</i> -Trityl Amino Acids . . . . .	27
2 Blocking of the $\alpha$ -Carboxyl Group . . . . .	28
2.1 Methyl Esters . . . . .	28
2.2 Ethyl Esters . . . . .	29
2.2.1 Esterification with the Help of Gaseous HCl . . . . .	29
L-Tyrosine Ethyl Ester . . . . .	29
2.2.2 Esterification Catalyzed by <i>p</i> -Toluenesulfonic Acid . . . . .	30
L-Methionine Ethyl Ester <i>p</i> -Toluenesulfonate . . . . .	30
2.3 Benzyl Esters . . . . .	30
Glycine Benzyl Ester <i>p</i> -Toluenesulfonate . . . . .	30
<i>tert</i> -Butyloxycarbonyl-L-asparagine Benzyl Ester . . . . .	31
L-Glutamic Acid $\alpha$ -Benzyl Ester . . . . .	32
2.3.1 Polymeric Benzyl Esters . . . . .	33
Hydroxymethyl-Polymer . . . . .	33
<i>tert</i> -Butyloxycarbonyl-glycyl Resin . . . . .	33
Benzyloxycarbonyl-L-isoleucyl-Polymer . . . . .	34
2.4 4-Nitrobenzyl Esters . . . . .	34
L-Alanine-4-Nitrobenzyl Ester <i>p</i> -Toluenesulfonate . . . . .	34
2.5 4-Methoxybenzyl Esters of <i>N</i> <sup>z</sup> -Protected Amino Acids . . . . .	35
Benzyloxycarbonylglycine 4-Methoxybenzyl Ester . . . . .	35
2.6 Benzhydryl Esters (Diphenylmethyl Esters) . . . . .	36
2.7 Phthalimidomethyl Esters . . . . .	37
2.8 <i>tert</i> -Butyl Esters . . . . .	38
Addition of <i>N</i> <sup>z</sup> -Acylamino Acids to Isobutylene . . . . .	38
L-Proline <i>tert</i> -Butyl Ester . . . . .	38
Transesterification with <i>tert</i> -Butyl Acetate . . . . .	39
Esterification of Free Amino Acids through Acid Catalyzed Addition to Isobutylene . . . . .	39
L-Tyrosine <i>tert</i> -Butyl Ester . . . . .	39
2.9 Phenacyl Esters . . . . .	40
Benzyloxycarbonylglycine Phenacyl Ester . . . . .	40
2.10 2-Trimethylsilylethyl Esters . . . . .	41
2.11 4-Picolyl Esters . . . . .	41
Benzyloxycarbonyl-L-phenylalanine 4-Picolyl Ester . . . . .	41
Benzyloxycarbonyl-L-valine 4-Picolyl Ester . . . . .	42
2.12 9-Fluorenylmethyl Esters . . . . .	43
<i>tert</i> -Butyloxycarbonyl-L-phenylalanine 9-Fluorenylmethyl Ester . . . . .	43
2.13 2-Benzyloxyphenyl Esters . . . . .	44
L-Alanine 2-Benzyloxyphenyl Ester Hydrochloride . . . . .	44

2.14	Phenyl Esters . . . . .	45
2.15	Allyl Esters . . . . .	45
3	Protection of Side Chain Functions . . . . .	47
3.1	Serine Ethers . . . . .	47
	<i>N</i> - <i>tert</i> -Butyloxycarbonyl- <i>O</i> -benzyl-L-Serine Cyclohexylammonium Salt . . . . .	47
3.2	Ethers of Threonine . . . . .	48
	<i>O</i> - <i>tert</i> -Butyl-L-threonine . . . . .	48
3.3	Tyrosine Ethers . . . . .	50
	<i>O</i> -Benzyl-L-tyrosine . . . . .	50
3.4	Acylation of the $\epsilon$ -Amino Group of Lysine . . . . .	51
	<i>N</i> $^{\epsilon}$ -Trifluoroacetyl-lysine . . . . .	51
	<i>N</i> $^{\epsilon}$ - <i>p</i> -Toluenesulfonyl-L-lysine . . . . .	52
3.5	Protection of the Guanidino Group of Arginine . . . . .	53
	Nitro-L-arginine . . . . .	53
	<i>N</i> $^{\alpha}$ -Benzyloxycarbonyl- <i>N</i> $^G$ - <i>p</i> -toluenesulfonyl-L-arginine <i>N</i> $^{\alpha}$ -Benzyloxycarbonyl- <i>N</i> $^{\delta}$ , <i>N</i> $^{\omega}$ -bis- (1-adamantyloxycarbonyl)-L-arginine . . . . .	54
	<i>N</i> $^{\alpha}$ -4-Methoxybenzyloxycarbonyl- <i>N</i> $^G$ -mesitylene- sulfonyl-L-arginine Cyclohexylammonium Salt . . . . .	57
	<i>N</i> $^G$ -4-Methoxy-2,3,6-trimethylbenzenesulfonyl-L- arginine . . . . .	57
3.6	Masking the Imidazole in Histidine . . . . .	59
3.6.1	<i>N</i> $^{im}$ - <i>p</i> -Toluenesulfonyl-L-histidine . . . . .	59
	<i>N</i> $^{\alpha}$ -Benzyloxycarbonyl- <i>N</i> $^{im}$ -tosyl-L-histidine . . . . .	59
3.6.2	<i>N</i> $^{\alpha}$ - <i>tert</i> -Butyloxycarbonyl- <i>N</i> $^{\alpha}$ -benzyloxymethyl-L- histidine . . . . .	60
3.6.3	<i>N</i> $^{im}$ -Trityl-L-histidine . . . . .	62
3.7	Blocking of the Indole Nitrogen in Tryptophan . . . . .	62
	<i>N</i> $^{im}$ -Formyl-L-tryptophan . . . . .	62
3.8	Protection of Side Chain Carboxyl Groups . . . . .	63
	L-Aspartic Acid $\beta$ -Benzyl Ester ( $\beta$ -Benzyl-L-aspartate) . . . . .	63
	L-Glutamic Acid $\gamma$ - <i>tert</i> -Butyl Ester . . . . .	64
3.9	Protection of the Carboxamide Function . . . . .	65
	Introduction of the 4,4'-Dimethoxybenzhydryl Group . . . . .	65
3.10	Blocking the Sulfhydryl Group in Cysteine . . . . .	66
	<i>S</i> -Benzyl-L-cysteine . . . . .	66
	<i>S</i> -Ethylcarbamoyl-L-cysteine . . . . .	67
	<i>S</i> -Acetamidomethyl-L-cysteine . . . . .	68
	<i>S</i> -Triphenylmethyl-L-cysteine ( <i>S</i> -Trityl-L-cysteine) . . . . .	68
	<i>N</i> - <i>tert</i> -Butyloxycarbonyl- <i>S</i> -(3-nitro-2-pyridinesulfenyl)- L-cysteine . . . . .	69
	<i>S</i> - <i>tert</i> -Butyl-L-cysteine hydrochloride . . . . .	71
3.11	Protection of the Thioether in Methionine . . . . .	72

L-Methionine Sulfoxide . . . . .	72
<i>N</i> - <i>tert</i> -Butyloxycarbonyl- <i>S</i> -methyl-L-methionine <i>p</i> -Nitrophenyl Ester <i>p</i> -Toluenesulfonate . . . . .	72
<b>III Activation and Coupling . . . . .</b>	<b>75</b>
1 The Acid Chloride Procedure . . . . .	77
<i>p</i> -Toluenesulfonyl-L-isoleucyl-glycine Ethyl Ester . . . . .	77
<i>p</i> -Toluenesulfonyl-L-isoleucyl-L-glutaminy-L-asparagine . . . . .	77
2 The Azide Process . . . . .	79
2.1 Peptide Hydrazides Through Hydrazinolysis of Peptide Esters . . . . .	79
<i>N</i> -Benzyloxycarbonyl- <i>S</i> -benzyl-L-cysteinyl-L-seryl-L- histidine Hydrazide. . . . .	79
2.2 Preparation of Peptide Hydrazides from Carboxylic Acids . . . . .	80
<i>tert</i> -Butyloxycarbonyl- $\beta$ -benzyl-L-aspartyl-L-leucyl-L- <i>N</i> <sup><math>\epsilon</math></sup> -benzyloxycarbonyl-lysine Hydrazide . . . . .	80
2.3 Protected Hydrazides . . . . .	81
<i>N</i> -Benzyloxycarbonyl-L-prolyl-glycyl- <i>N'</i> - <i>tert</i> - butyloxycarbonyl-hydrazine. . . . .	81
<i>N</i> -Benzyloxycarbonyl-glycyl-glycyl- <i>N'</i> - <i>tert</i> -butyloxy- carbonyl-hydrazine. . . . .	81
Glycine Benzyloxycarbonylhydrazide Trifluoroacetate. . . . . .	82
2.4 Conversion of Hydrazides to Azides and Coupling with Azides. . . . .	83
2.4.1 Generation of the Azide with the Aid of Sodium Nitrite and Coupling . . . . .	83
Benzyloxycarbonyl-L-seryl-L-tyrosyl-L-seryl-L- methionyl- $\gamma$ -benzyl-L-glutamic Acid . . . . .	83
2.4.2 Conversion of a Hydrazide to the Azide with the Aid of Butyl Nitrite and Acylation with the Azide "In Situ" . . . . .	84
Benzyloxycarbonyl-L-tyrosyl-L-isoleucyl-L- glutaminy-L-asparaginy-L- <i>S</i> -benzyl-L-cysteinyl-L- prolyl-L-leucyl-glycinamide. . . . .	84
2.4.3 Conversion of Protected Amino Acid or Peptide Hydrazides to the Azides Followed by Acylation with the Isolated Azide . . . . .	85
3 Symmetrical Anhydrides. . . . .	87
<i>tert</i> -Butyloxycarbonyl-L-phenylalanine Anhydride . . . . .	87
4 Mixed Anhydrides . . . . .	89

4.1	The Isovaleric Acid Mixed Anhydride Method . . . . .	89
	Benzyloxycarbonyl-L-leucyl-glycine Ethyl Ester . . . . .	89
4.2	Trimethylacetic Acid (Pivalic Acid) Mixed Anhydrides.	90
	Benzyloxycarbonyl- $\alpha$ -methylalanyl- $\alpha$ -methylalanine	
	Methyl Ester . . . . .	90
	$N^z$ -Benzyloxycarbonyl- $N^e$ - <i>p</i> -toluenesulfonyl-L-	
	lysylglycine Ethyl Ester . . . . .	91
4.3	The Ethyl Carbonate Mixed Anhydride Method . . . . .	92
	Benzyloxycarbonyl-L-leucyl-glycine Ethyl Ester . . . . .	92
4.4	Isobutylcarbonic Acid Mixed Anhydrides . . . . .	93
	Benzyloxycarbonyl-glycyl-L-phenylalanyl-glycine	
	Ethyl Ester. . . . .	93
4.5	Coupling with the Aid of <i>o</i> -Phenylene	
	Phosphorochloridite . . . . .	94
	Preparation of <i>N</i> -Benzyloxycarbonyl- <i>S</i> -benzyl-L-cysteinyl-	
	L-tyrosyl-L-isoleucyl-L-glutaminy-L-asparaginy-L- <i>S</i> -benzyl-	
	L-cysteinyl-L-prolyl-L-leucyl-glycine Amide . . . . .	94
5	Preparation of Active Esters. . . . .	96
5.1	Cyanomethyl Esters . . . . .	96
	<i>N</i> -Benzyloxycarbonyl- <i>S</i> -benzyl-L-cysteine Cyanomethyl Ester	96
5.2	Preparation of <i>p</i> -Nitrophenyl Esters . . . . .	97
	Benzyloxycarbonyl-L-phenylalanine <i>p</i> -Nitrophenyl Ester	97
5.3	<i>o</i> -Nitrophenyl Esters. . . . .	98
	<i>tert</i> -Butyloxycarbonyl-glycine <i>o</i> -Nitrophenyl Ester . . .	98
5.4	2,4-Dinitrophenyl Esters. . . . .	99
	<i>N</i> -Benzyloxycarbonyl-L-threonine 2,4-Dinitrophenyl	
	Ester . . . . .	99
5.5	2,4,5-Trichlorophenyl Esters . . . . .	100
5.6	Pentachlorophenyl Esters . . . . .	101
	Benzyloxycarbonyl-glycyl-L-phenylalanine	
	Pentachlorophenyl Esters . . . . .	101
5.7	Pentafluorophenyl Esters . . . . .	102
	Benzyloxycarbonyl-glycyl-L-phenylalanine	
	Pentafluorophenyl Ester. . . . .	102
	<i>tert</i> -Butyloxycarbonylamino Acid Pentafluorophenyl	
	Esters. . . . .	103
5.8	<i>N</i> -Hydroxyphthalimide Esters . . . . .	103
5.9	<i>N</i> -Hydroxysuccinimide Esters . . . . .	104
	<i>tert</i> -Butyloxycarbonyl-L-alanine <i>N</i> -Hydroxysuccinimide	
	Ester . . . . .	104
5.10	1-Hydroxypiperidine Esters. . . . .	105
	Benzyloxycarbonyl-L-leucine 1-Hydroxypiperidine Ester	105
5.11	Esters of 5-Chloro-8-Hydroxy-Quinoline . . . . .	106

6	Coupling with Active Esters . . . . .	108
6.1	Coupling in Organic Solvents . . . . .	108
6.1.1	Acylation with Cyanomethyl Esters . . . . .	108
	<i>N</i> -Benzyloxycarbonyl- <i>S</i> -benzyl- <i>L</i> -cysteinyl- <i>L</i> -tyrosine . . . . .	108
6.1.2	Chain Lengthening with <i>p</i> -Nitrophenyl Esters. . . . .	109
	Benzyloxycarbonyl- <i>L</i> -asparaginyl- <i>S</i> -benzyl- <i>L</i> -cysteinyl- <i>L</i> -prolyl- <i>L</i> -leucyl-glycinamide . . . . .	109
6.1.3	Acylation with <i>N</i> -Hydroxysuccinimide Esters . . . . .	110
	<i>tert</i> -Butyloxycarbonyl-glycyl- <i>L</i> -phenylalanyl-glycine Ethyl Ester . . . . .	110
	Benzyloxycarbonyl- <i>L</i> -phenylalanyl- <i>L</i> -tyrosine Ethyl Ester . . . . .	111
6.1.4	Coupling with 2,4-Dinitrophenyl Esters . . . . .	112
	Benzyloxycarbonyl- <i>L</i> -threonyl- <i>L</i> -alanyl- <i>L</i> -alanyl- <i>L</i> -alanine Ethyl Ester . . . . .	112
6.2	Coupling in Organic-Aqueous Media . . . . .	113
6.2.1	Acylation with <i>p</i> -Nitrophenyl Esters . . . . .	113
	Benzyloxycarbonyl- <i>L</i> -phenylalanyl-glycyl- <i>L</i> -proline . . . . .	113
6.2.2	Acylation with <i>N</i> -Hydroxysuccinimide Esters . . . . .	114
	Benzyloxycarbonyl-glycyl- <i>L</i> -proline . . . . .	114
	Benzyloxycarbonyl- <i>L</i> -prolyl-glycine . . . . .	114
6.3	Catalysis of Active Ester Reactions . . . . .	115
6.3.1	Catalysis with Imidazole . . . . .	115
	Benzyloxycarbonyl- <i>L</i> -prolyl- <i>L</i> -tyrosine Methyl Ester . . . . .	115
6.3.2	Catalysis with 1-Hydroxybenzotriazole . . . . .	116
	Benzyloxycarbonyl- <i>L</i> -leucyl- <i>L</i> -valinamide. . . . .	116
6.3.3	Catalysis with 3-hydroxy-3,4-dihydro-quinazoline-4-one . . . . .	116
	Benzyloxycarbonyl- <i>L</i> -isoleucyl-glycinamide . . . . .	116
7	Peptide Bond Formation with the Aid of Coupling Reagents . . . . .	118
7.1	The Dicyclohexylcarbodiimide (DCC, DCCI) Method . . . . .	118
7.1.1	Coupling with DCC . . . . .	118
	<i>N</i> -Phthaloyl- <i>L</i> -threonyl- <i>L</i> -phenylalanine Methyl Ester . . . . .	118
7.1.2	Coupling with Carbodiimides in the Presence of 1-Hydroxybenzotriazole . . . . .	119
	<i>tert</i> -Butyloxycarbonyl- <i>L</i> -leucyl- <i>L</i> -phenylalanine Methyl Ester . . . . .	119
7.1.3	Coupling with Dicyclohexylcarbodiimide in the Presence of <i>N</i> -Hydroxysuccinimide . . . . .	120
	Phthalyl- <i>L</i> -phenylalanyl- <i>L</i> -valyl- <i>L</i> -glutaminy- <i>L</i> -	

	tryptophyl-L-leucyl-L-methionyl-L-asparaginyll- <i>O</i> - <i>tert</i> -butyl-L-threonine <i>tert</i> -Butyl Ester . . . . .	120
	<i>N</i> -Benzyloxycarbonyl- <i>O</i> - <i>tert</i> -butyl-L-tyrosyl-L- leucyl- $\beta$ - <i>tert</i> -butyl-L-aspartic Acid Methyl Ester. . . . .	121
7.2	Coupling with 1-Isobutyloxycarbonyl-2-isobutyloxy- 1,2-dihydroquinoline (IIDQ) . . . . .	121
	Benzyloxycarbonyl-L-alanyl-L-tyrosine Methyl Ester . . . . .	121
7.3	The Carbonyldiimidazole Method . . . . .	122
	Benzyloxycarbonyl-glycyl-L-tyrosine Ethyl Ester . . . . .	122
7.4	Coupling with <i>N</i> -Ethyl-5-phenylisoxazolium-3'- sulfonate. . . . .	123
	<i>N</i> <sup><math>\alpha</math></sup> , <i>N</i> <sup><math>\epsilon</math></sup> -Dibenzylloxycarbonyl-L-lysyl-glycine Ethyl Ester . . . . .	123
7.5	Coupling with 1-Benzotriazolyl-tri-dimethylamino- phosphonium Hexafluorophosphate (BOP-Reagent) . . . . .	124
7.6	<i>O</i> -Benzotriazolyl-tetramethyluronium Hexafluorophosphate . . . . .	125
	Preparation of the HBTU-Reagent . . . . .	125
	Coupling with HBTU . . . . .	125
<b>IV</b>	<b>Removal of Protecting Groups. . . . .</b>	<b>127</b>
1	Hydrogenation . . . . .	129
1.1	Hydrogenolysis of Benzyl Esters, Benzyl Ethers and of the Benzyloxycarbonyl Group . . . . .	129
	L-Prolyl-L-leucyl-glycinamide . . . . .	129
1.2	Catalytic Hydrogenation of Methionine Containing Peptides . . . . .	131
	Benzyloxycarbonyl-glycyl-L-tryptophyl-L-methionyl- $\beta$ - <i>tert</i> -butyl-L-aspartyl-L-phenylalanine Amide. . . . .	131
1.3	Transfer Hydrogenation with 1,4-Cyclohexadiene as Hydrogen Donor . . . . .	133
	<i>N</i> <sup><math>\epsilon</math></sup> - <i>tert</i> -Butyloxycarbonyl-L-lysyl- <i>O</i> - <i>tert</i> -butyl-L- threonine Methyl Ester . . . . .	133
2	Reduction with Sodium in Liquid Ammonia. . . . .	135
	L-Glutaminyl-L-asparagine . . . . .	135
3	Removal of the Phthalyl (Phthaloyl) Group by Hydrazinolysis Glycyl-glycine. . . . .	137
4	Acidolysis . . . . .	138
4.1	Hydrobromic Acid in Acetic Acid . . . . .	138
	Glycyl-L-phenylalanine Benzyl Ester Hydrobromide . . . . .	138
	<i>S</i> -Benzyl-L-cysteinyl-L-prolyl-L-leucyl-glycinamide . . . . .	138
4.2	Hydrobromic Acid in Trifluoroacetic Acid . . . . .	140
	$\alpha$ -Melanotropin . . . . .	140

4.3	Hydrochloric Acid in Acetic Acid . . . . .	141
	Nitro-L-arginyl-copolymer . . . . .	141
4.4	Trifluoroacetic Acid . . . . .	142
	L-Methionyl-L-glutaminyl-L-histidyl-L-phenylalanyl-L-arginyl-L-tryptophyl-glycinamide Acetate. . . . .	142
4.5	Removal of Protecting Groups with Trifluoroacetic Acid-Thioanisole . . . . .	144
	Porcine Vasoactive Intestinal Peptide . . . . .	144
4.6	Liquid Hydrogen Fluoride . . . . .	145
	Oxytocin . . . . .	145
5	Hydrolysis . . . . .	148
5.1	Base Catalyzed Hydrolysis of Alkyl Esters (Saponification with Alkali). . . . .	148
	<i>N</i> -Benzyloxycarbonyl- <i>S</i> -benzyl-L-cysteinyl-L-tyrosine. . . . .	148
5.2	Acid Catalyzed Hydrolysis . . . . .	149
	Phthalyl-L-phenylalanyl-glycine . . . . .	149
5.3	Enzyme Catalyzed Hydrolysis . . . . .	150
5.3.1	Enzymatic Removal of the Phenylacetyl Group from the $\epsilon$ -Amino Group of Lysine Residues. . . . .	150
	Partial Deprotection of a Dipeptide Derivative . . . . .	150
	Desamino Lysine Vasopressin . . . . .	150
5.3.2	Chymotrypsin Catalyzed Hydrolysis of Alkyl Esters . . . . .	151
	L-Prolyl-L-phenylalanine . . . . .	151
	Benzyloxycarbonyl-L-valyl-L-tyrosine . . . . .	152
6	Base Catalyzed Elimination. . . . .	153
6.1	Removal of the 9-Fluorenylmethyloxycarbonyl (Fmoc) Group . . . . .	153
	9-Fluorenylmethyloxycarbonyl-L-asparaginyl- <i>S</i> -benzyl-L-cysteinyl-L-prolyl-L-tryptophyl-glycinamide . . . . .	153
6.2	Cleavage of 9-Fluorenylmethyl Esters. . . . .	155
	L-Leucyl-L-phenylalanine . . . . .	155
7	Nucleophilic Displacement . . . . .	156
7.1	Removal of the <i>o</i> -Nitrobenzenesulfonyl (Nps) Group. . . . .	156
	<i>N</i> <sup>ε</sup> - <i>tert</i> -butyloxycarbonyl-L-lysyl-L-leucyl-L-phenylalanyl- <i>N</i> <sup>ε</sup> - <i>tert</i> -butyloxycarbonyl-L-lysyl- <i>N</i> <sup>ε</sup> - <i>tert</i> -butyloxycarbonyl-L-lysine . . . . .	156
7.2	Cleavage of 2-Trimethylsilylethyl Esters with Fluorides <i>N</i> -Benzyloxycarbonyl- <i>O</i> - <i>tert</i> -butyl-L-threonine . . . . .	157
8	Iodolysis . . . . .	159
	Removal of the <i>S</i> -Trityl Group by Iodolysis with Concomitant Oxidation to the Disulfide . . . . .	159
9	Reduction of Methionine Sulfoxide Containing Peptides. . . . .	161
	L-Prolyl-L-tyrosyl- <i>N</i> <sup>ε</sup> -tosyl-L-lysyl-L-methionine. . . . .	161

<b>V Special Procedures</b> . . . . .	163
1 Ammonolysis of Esters. . . . .	165
1.1 Conversion of a Peptide Ethyl Ester to the Corresponding Amide . . . . .	165
Benzyloxycarbonyl-L-prolyl-L-leucyl-glycinamide . . . . .	165
1.2 Ammonolysis of Active Esters . . . . .	166
Benzyloxycarbonyl-L-asparagine amide . . . . .	166
2 Transesterification . . . . .	167
2.1 Cleavage of the Ester Bond Between Peptide and Polymeric Support by Transesterification Followed by Hydrolysis . . . . .	167
Benzyloxycarbonyl-L-alanyl-L-phenylalanine. . . . .	167
3 Cyclization. . . . .	169
3.1 Cyclization Through the Formation of a Disulfide Bond . . . . .	169
Desamino-oxytocin. . . . .	169
3.2 Ring Closure Through an Amide Bond. . . . .	170
Ditosyl-gramicidin S . . . . .	170
Desthiomalformin . . . . .	171
4 Polycondensation. . . . .	173
4.1 <i>N</i> -Carboxyanhydrides . . . . .	173
<i>N</i> <sup>ε</sup> -Benzyloxycarbonyl- <i>N</i> <sup>α</sup> -carboxy-L-lysine Anhydride . . . . .	173
4.2 Poly- <i>N</i> <sup>ε</sup> -benzyloxycarbonyl-L-lysine. . . . .	174
4.3 Synthesis of Sequential Peptides by Polycondensation . . . . .	175
Poly (L-lysyl-L-alanyl-L-alanine) Trifluoroacetate . . . . .	175
5 Partial Synthesis . . . . .	178
Human Insulin . . . . .	178
Zinc Free Insulin . . . . .	178
<i>N</i> <sup>A1</sup> , <i>N</i> <sup>B1</sup> -Di- <i>tert</i> -butyloxycarbonyl-B(23-30)-desocta- peptide Insulin, (Boc) <sub>2</sub> -DOI. . . . .	179
Human Insulin Through Condensation with Dicyclohexylcarbodiimide. . . . .	179
Human Insulin via Enzyme-Catalyzed Coupling . . . . .	179
 <b>VI Models for the Study of Racemization</b> . . . . .	 181
1 Benzoyl-leucyl-glycine Ethyl Ester . . . . .	183
2 The Anderson-Callahan Test . . . . .	184
Benzyloxycarbonyl-glycyl-L-phenylalanyl-glycine Ethyl Ester . . . . .	184
3 Acylation with Acetyl-L-isoleucine. . . . .	186
Acetyl-L-isoleucine . . . . .	186

Acetyl-L-isoleucyl-glycine Ethyl Ester and Acetyl-D-alloisoleucyl-glycine Ethyl Ester . . . . .	186
4 The Izumiya-Muraoka Model . . . . .	189
Glycyl-alanyl-leucine . . . . .	189
5 Synthesis and Enantioselective Enzymic Hydrolysis of Tetraalanine . . . . .	191
<b>VII Reagents for Peptide Synthesis . . . . .</b>	<b>193</b>
1 <i>tert</i> -Butyl Azidoformate . . . . .	195
<i>tert</i> -Butyl Phenyl Carbonate . . . . .	195
<i>tert</i> -Butyl Carbazate . . . . .	195
<i>tert</i> -Butyl Azidoformate . . . . .	196
2 1-Adamantyl Chlorocarbonate . . . . .	197
3 1-Isobutyloxycarbonyl-2-isobutyloxy-1,2-dihydroquinoline (IIDQ) . . . . .	198
4 Diphenyl Phosphorazidate (Diphenylphosphoryl Azide, DPPA) . . . . .	199
5 3-Hydroxy-3,4-dihydroquinazoline-4-one (4-Hydroxyquinazoline 3-oxide) . . . . .	200
2-Aminobenzhydroxamic Acid . . . . .	200
3-Hydroxy-3,4-dihydroquinazoline-4-one . . . . .	200
6 1-Hydroxybenzotriazole . . . . .	201
7 Ethyl 2-hydroximino-2-cyanoacetate . . . . .	202
8 1-Guanyl-3,5-dimethyl-pyrazole Nitrate . . . . .	203
<b>VIII Appendix . . . . .</b>	<b>205</b>
1 Conversion of Dicyclohexylammonium Salts of Protected Amino Acids to the Free Acids. . . . .	207
<i>N</i> - <i>o</i> -Nitrobenzenesulfonyl- <i>O</i> - <i>tert</i> -butyl-L-threonine <i>N</i> -hydroxysuccinimide Ester . . . . .	207
2 Preparation of Analytical Samples . . . . .	208
2.1 Elemental Analysis . . . . .	208
2.2 Amino Acid Analysis . . . . .	208
2.3 NMR Spectra . . . . .	210
<b>Subject Index . . . . .</b>	<b>211</b>