

Rolf Eligehausen, Rainer Mallée,
John F. Silva

Anchorage in Concrete Construction

Contents

1	Introduction	1
1.1	A historical review	1
1.2	Requirements for fastenings	2
1.3	Nature and direction of actions	2
2	Fastening systems	5
2.1	General	5
2.2	Cast-in-place systems	5
2.2.1	Lifting inserts	6
2.2.2	Anchor channels	7
2.2.3	Headed studs	9
2.2.4	Threaded sleeves	9
2.3	Drilled-in systems	10
2.3.1	Drilling techniques	10
2.3.2	Installation configurations	10
2.3.3	Drilled-in anchor types	11
2.3.3.1	Mechanical expansion anchors	11
2.3.3.2	Undercut anchors	16
2.3.3.3	Bonded anchors	19
2.3.3.4	Screw anchors	25
2.3.3.5	Ceiling hangers	25
2.3.3.6	Plastic anchors	27
2.4	Direct installation	29
3	Principles	33
3.1	General	33
3.2	Behaviour of concrete in tension	34
3.3	Failure mechanisms of fastenings	37
3.3.1	Theoretical studies	37
3.3.2	Experimental studies	45
3.3.3	Conclusions drawn from theoretical and experimental studies	50
3.4	Cracked concrete	51
3.5	Why anchors may use the tensile strength of concrete	54
3.6	Prestressing of anchors	55
3.7	Loads on anchors	58
3.7.1	Calculation according to elastic theory	58
3.7.1.1	Tension load	58
3.7.1.2	Shear loads	59
3.7.2	Calculation according to non-linear methods	61
3.7.3	Calculation of loads on anchors of anchor channels	61
3.7.3.1	Tension loads	61
3.7.3.2	Shear loads	63

4	Behaviour of headed studs, undercut anchors and metal expansion anchors in non-cracked and cracked concrete	65
4.1	Non-cracked concrete	65
4.1.1	Tension load	65
4.1.1.1	Load-displacement behaviour and modes of failure	65
4.1.1.2	Failure load associated with steel rupture	68
4.1.1.3	Failure load associated with concrete cone breakout	69
4.1.1.4	Failure load for local concrete side blow-out failure	93
4.1.1.5	Failure loads associated with pull-out and pull-through failures	97
4.1.1.6	Failure load associated with splitting of the concrete	100
4.1.2	Shear	103
4.1.2.1	Load-displacement behaviour and modes of failure	103
4.1.2.2	Failure load associated with steel rupture	105
4.1.2.3	Failure load associated with pry-out	109
4.1.2.4	Concrete edge failure for a shear load perpendicular to the edge	112
4.1.2.5	Concrete edge breakout load associated with shear loads oriented at an angle $\alpha < 90^\circ$ to the edge	125
4.1.3	Combined tension and shear (oblique loading)	128
4.1.3.1	Load-displacement behaviour and modes of failure	128
4.1.3.2	Failure load	132
4.1.4	Bending of the baseplate	137
4.1.5	Sustained loads	138
4.1.6	Fatigue loading	139
4.2	Cracked concrete	142
4.2.1	Tension	143
4.2.1.1	Load-displacement behaviour and modes of failure	143
4.2.1.2	Failure load corresponding to steel failure	146
4.2.1.3	Failure load associated with concrete cone breakout	146
4.2.1.4	Failure load associated with local blow-out failure	154
4.2.1.5	Failure load associated with pull-out/pull-through failure	155
4.2.1.6	Failure load associated with splitting of the concrete	157
4.2.2	Shear	157
4.2.2.1	Load-displacement behaviour and modes of failure	157
4.2.2.2	Failure load associated with steel failure	157
4.2.2.3	Failure load associated with pry-out failure	158
4.2.2.4	Failure load associated with concrete edge breakout	158
4.2.3	Combined tension and shear	159
4.2.3.1	Load-displacement behaviour and modes of failure	159
4.2.3.2	Failure load	159
4.2.4	Sustained loads	160
4.2.5	Fatigue loading	162
5	Behaviour of cast-in anchor channels in non-cracked and cracked concrete	163
5.1	Non-cracked concrete	163
5.1.1	Tension	163
5.1.1.1	Load-displacement behaviour and modes of failure	163
5.1.1.2	Failure load associated with steel failure	164
5.1.1.3	Failure load associated with concrete cone breakout	165
5.1.1.4	Failure load associated with local concrete side blow-out failure	168
5.1.1.5	Failure load associated with pull-out failure	168

5.1.1.6	Failure load associated with splitting of the concrete	169
5.1.2	Shear	170
5.1.2.1	Load-displacement behaviour and modes of failure	170
5.1.2.2	Failure load associated with steel failure	170
5.1.2.3	Failure load associated with pry-out failure	170
5.1.2.4	Failure load associated with concrete edge failure	170
5.1.3	Combined tension and shear	178
5.1.4	Sustained and fatigue loading	179
5.2	Cracked concrete	179
6	Behaviour of bonded anchors in non-cracked and cracked concrete	181
6.1	Non-cracked concrete	181
6.1.1	Tension load	181
6.1.1.1	Load-displacement behaviour and modes of failure	181
6.1.1.2	Failure load associated with steel failure	184
6.1.1.3	Failure load associated with concrete breakout/pull-out failure	184
6.1.1.4	Failure load associated with splitting	200
6.1.2	Shear load	200
6.1.2.1	Load-displacement behaviour and modes of failure	200
6.1.2.2	Failure load associated with steel failure	200
6.1.2.3	Failure load associated with pry-out failure	200
6.1.2.4	Failure load associated with concrete edge breakout	200
6.1.3	Combined tension and shear load	200
6.1.4	Sustained and fatigue loading	200
6.1.5	Environmental factors	202
6.2	Cracked concrete	204
6.2.1	Tension load	204
6.2.1.1	Load-displacement behaviour and modes of failure	204
6.2.1.2	Failure load corresponding to steel failure	205
6.2.1.3	Failure load corresponding to pull-out failure	205
6.2.1.4	Failure loads corresponding to concrete cone failure and splitting of the concrete	206
6.2.2	Shear load	207
6.2.3	Combined tension and shear load	207
6.2.4	Sustained and fatigue loads	208
6.2.5	Environmental factors	208
6.3	Bonded undercut anchors and bonded expansion anchors	208
6.3.1	Non-cracked concrete	208
6.3.2	Cracked concrete	208
6.3.2.1	Tension load	208
6.3.2.2	Shear and combined tension and shear load	210
7	Behaviour of plastic anchors in non-cracked and cracked concrete	211
7.1	Non-cracked concrete	211
7.1.1	Tension load	211
7.1.2	Shear and combined tension and shear load	215
7.1.3	Long-term behaviour	215
7.2	Cracked concrete	220
7.2.1	Tension load	220
7.2.2	Shear and combined tension and shear load	222
7.2.3	Long-term behaviour	222

8	Behaviour of power actuated fasteners in non-cracked and cracked concrete	223
8.1	Non-cracked concrete	223
8.1.1	Tension load	223
8.1.2	Shear and combined tension and shear load	224
8.1.3	Sustained and repetitive loading	224
8.2	Cracked concrete	225
8.2.1	Tension load	225
8.2.2	Shear and combined tension and shear load	226
9	Behaviour of screw anchors in non-cracked and cracked concrete	227
9.1	Installation	227
9.2	Non-cracked concrete	231
9.2.1	Tension load	231
9.2.1.1	Load-displacement behaviour and failure modes	231
9.2.1.2	Failure loads associated with steel failure	231
9.2.1.3	Failure loads associated with pull-out failure	231
9.2.1.4	Failure loads associated with concrete cone failure	231
9.2.2	Shear load	233
9.2.2.1	Load-displacement behaviour and modes of failure	233
9.2.2.2	Failure load associated with steel failure	233
9.2.2.3	Failure load associated with pry-out failure	233
9.2.2.4	Failure load associated with concrete edge breakout	233
9.2.3	Combined tension and shear load	234
9.2.4	Sustained and fatigue loads	234
9.3	Cracked concrete	234
9.3.1	Tension load	234
9.3.2	Shear load and combined tension and shear load	234
9.3.3	Sustained and fatigue loads	234
10	Behaviour of anchors under seismic loading	237
10.1	Anchor applications	237
10.2	Seismic actions	237
10.3	Assumptions regarding the condition of the concrete	237
10.4	Behaviour of anchors under seismic conditions	240
10.4.1	Tension cycling	240
10.4.2	Shear cycling	240
10.4.3	Combined tension and shear cycling	240
10.4.4	Loading rate	240
10.4.5	Load cycle sequence	240
10.4.6	Crack cycling	240
11	Behaviour of anchors in fire	24
12	Corrosion of anchors	25

13	Influence of fastenings on the capacity of components in which they are installed	259
14	Design of fastenings	265
14.1	General	265
14.2	Verifying the suitability of an anchor system	266
14.3	Design of fastenings with post-installed metal expansion, undercut and bonded expansion anchors according to the EOTA Guideline	267
14.3.1	General	267
14.3.2	Scope	268
14.3.3	Design concept	269
14.3.3.1	Analysis for the ultimate limit state	269
14.3.3.2	Analysis for the serviceability limit state	270
14.3.4	Forces on anchors	271
14.3.5	Characteristic resistances	274
14.3.5.1	Tension resistances	275
14.3.5.2	Shear resistances	277
14.3.5.3	Combined tension and shear	280
14.3.6	Serviceability limit state	281
14.3.6.1	Anchor displacements	281
14.3.6.2	Shear load with changing sign	281
14.3.7	Additional analyses for ensuring the characteristic resistance of concrete member	281
14.3.7.1	General	281
14.3.7.2	Shear resistance of the concrete member	281
14.3.7.3	Resistance to splitting forces	283
14.4	Design of fastenings according to the CEN Technical Specification	283
14.4.1	General	283
14.4.2	Scope	283
14.4.3	Basis of design	285
14.4.4	Partial safety factors	286
14.4.4.1	Static actions, indirect actions and fatigue actions	286
14.4.4.2	Resistances	286
14.4.4.2.1	Ultimate limit state (static loading) and seismic loading	286
14.4.4.2.2	Limit state of fatigue	287
14.4.4.2.3	Serviceability limit state	287
14.4.5	Forces acting on fasteners	287
14.4.5.1	Tension loads	287
14.4.5.2	Shear loads	287
14.4.5.2.1	Distribution of loads	287
14.4.5.2.2	Shear loads without lever arm	288
14.4.5.2.3	Shear loads with lever arm	289
14.4.6	Design of headed fasteners	289
14.4.6.1	Determination of action effects	289
14.4.6.2	Verification of ultimate limit state by elastic analysis	290
14.4.6.2.1	Tension loads	290
14.4.6.2.2	Shear loads	293
14.4.6.2.3	Combined tension and shear loads	302
14.4.7	Design of anchor channels	302
14.4.7.1	Derivation of forces acting on the anchors of the anchor channel	303
14.4.7.1.1	Tension loads	303

14.4.7.1.2	Shear loads	304
14.4.7.2	Tension forces in the supplementary reinforcement	304
14.4.7.2.1	Tension loads	304
14.4.7.2.2	Shear loads	304
14.4.7.3	Verification of ultimate limit state by elastic analysis	305
14.4.7.3.1	Tension loads	305
14.4.7.3.2	Shear loads	309
14.4.7.3.3	Combined tension and shear loads	313
14.4.7.3.3.1	Anchor channels without supplementary reinforcement	313
14.4.7.3.3.2	Anchor channels with supplementary reinforcement	313
14.4.8	Design of post-installed fasteners – mechanical systems	313
14.4.8.1	Scope	313
14.4.8.2	Determination of action effects	313
14.4.8.3	Verification of ultimate limit state by elastic analysis	313
14.4.8.3.1	General	313
14.4.8.3.2	Tension loads	314
14.4.8.3.3	Shear loads	314
14.4.8.3.4	Combined tension and shear loads	315
14.4.9	Design of post-installed fasteners – chemical systems	315
14.4.9.1	Tension resistances	315
14.4.9.2	Shear loads	316
14.4.9.3	Combined tension and shear loads	316
14.4.10	Fatigue loads	316
14.4.11	Seismic loads	319
14.4.11.1	General	319
14.4.11.2	Actions	320
14.4.11.3	Resistances	322
14.4.12	Verification of serviceability limit state	322
14.4.13	Fire	323
14.4.13.1	General	323
14.4.13.2	Partial safety factors	323
14.4.13.3	Resistance	323
14.4.13.3.1	Tension loading	323
14.4.13.3.2	Shear loading	324
14.4.13.3.3	Combined tension and shear loading	325
14.4.14	Plastic design of fastenings with headed fasteners and post-installed fasteners	325
14.4.14.1	Field of application	325
14.4.14.2	Loads on fastenings	326
14.4.14.3	Design of fastenings	328
14.4.14.3.1	Partial safety factors	328
14.4.14.3.2	Resistance to tension load	328
14.4.14.3.3	Resistance to shear load	329
14.4.14.3.4	Resistance to combined tension and shear load	329
14.5	Design of fastenings with cast-in and post-installed metal anchors according to ACI 318-05 Appendix D	330
14.5.1	General	330
14.5.2	Scope	330
14.5.3	Design concept	331
14.5.3.1	Analysis for the ultimate limit state	331
14.5.3.2	Serviceability limit state	333
14.5.4	Forces on anchors	333

14.5.5	Characteristic resistances	333
14.5.5.1	General	333
14.5.5.2	Tension resistance	333
14.5.5.3	Shear resistance	336
14.5.5.4	Combined tension and shear	339
14.5.6	Required edge distances, spacings and member thicknesses to preclude splitting failure	339
14.5.7	Resistance where load cases include seismic forces	340
14.5.8	Provisions of ACI 349-01 Appendix B	340
14.5.8.1	Scope	340
14.5.8.2	Ductile design requirements	340
14.5.8.3	Baseplate design	341
References	343
Subject Index	371