

V/m 13

---

# Fiber-Reinforced Cement Composites

**Perumalsamy N. Balaguru**

*Professor of Civil Engineering  
Rutgers, The State University  
New Brunswick, New Jersey*

**Surendra P. Shah**

*Walter P. Murphy Professor of Civil Engineering  
Director, NSF Center for Advanced  
Cement-Based Materials  
Northwestern University  
Evanston, Illinois*

**Institut f. Massivbau  
der Techn. Hochschule Darmstadt**

Inv.-Nr. 8859

**McGraw-Hill, Inc.**

New York St. Louis San Francisco Auckland Bogotá  
Caracas Lisbon London Madrid Mexico Milan  
Montreal New Delhi Paris San Juan São Paulo  
Singapore Sydney Tokyo Toronto

---

# Contents

Preface	xiii
Acknowledgments	xvii

<b>Chapter 1. Introduction</b>	<b>1</b>
1.1 Historical Development	2
1.2 Synopsis of the Topics Discussed in the Book	8
1.3 Relevant Specifications, Journals, and Special Publications	10
1.3.1 Specifications and recommended procedures	10
1.3.2 Journals and special publications in the area of FRC	11
1.4 Research Needs	13
1.5 References	13
<b>Chapter 2. Interaction between Fibers and Matrix</b>	<b>17</b>
2.1 Fiber Interaction with Homogenous Uncracked Matrix	18
2.2 Fiber Interaction in Cracked Matrix	20
2.2.1 Experimental techniques for evaluating fiber-matrix bond	21
2.2.2 Typical experimental results	24
2.3 Interpretation of Test Data and Analytical Models	27
2.4 Composition of the Matrix	31
2.5 References	33
<b>Chapter 3. Basic Concepts and Mechanical Properties: Tension</b>	<b>37</b>
3.1 Basic Concepts: Strong Brittle Fibers in Ductile Matrix	37
3.2 Strong Fibers in a Brittle Matrix	38
3.3 Tensile Behavior of Fiber-Cement Composites	41
3.4 Experimental Evaluation of Conventional Fiber-Cement Composites	44
3.4.1 Tensile stress-displacement response	45
3.4.2 Localization of deformation	46
3.4.3 Optical crack-width measurements	47
3.4.4 Residual deformation	47
3.5 Elastic Response in Tension	49
3.5.1 Composite stiffness	49
3.5.2 Fiber orientation and length efficiency factors	50
3.5.3 Critical fiber volume fraction	52

3.6	Prediction of Composite Strength Based on Empirical Approaches	53
3.7	Experimental Evaluation of High-Volume Fraction Fiber Composites	55
3.7.1	Interaction effects of fibers and matrix	56
3.7.2	Quantitative image analysis	57
3.7.3	Laser holographic interferometry	60
3.7.4	Acoustic emission	61
3.8	Fracture Mechanics Approach	64
3.8.1	Historical perspective	64
3.8.2	The compliance approach	66
3.9	Applications Based on Linear Elastic Fracture Mechanics	68
3.9.1	Single-fiber pull-out problem	68
3.9.2	Uniaxial tensile specimen	70
3.9.3	Comparisons with experimental results	71
3.10	Nonlinear Fracture Mechanics	72
3.10.1	Two-parameter fracture model of Jenq and Shah	73
3.10.2	R-curve formulations	74
3.10.3	R-curve formulation for cement-based composites	75
3.10.4	Comparison of theoretical and experimental results	78
3.11	Other Models for the Prediction of Failure Stress	79
3.12	References	81
<b>Chapter 4. Basic Concepts and Mechanical Properties: Bending</b>		<b>85</b>
4.1	Mechanism of Fiber Contribution to Bending	85
4.2	Flexural Toughness	87
4.2.1	Techniques for toughness measurement	88
4.2.2	Methods of deflection measurement and their influence on toughness index	93
4.2.3	Effect of fiber type and volume fraction on toughness	95
4.2.4	Effect of specimen size and notch	96
4.2.5	Possible new techniques for toughness measurement	97
4.3	Prediction of Load-Deflection Response	99
4.4	References	100
<b>Chapter 5. Properties of Constituent Materials</b>		<b>101</b>
5.1	Cement	101
5.2	Aggregates	103
5.3	Water and Water-Reducing Admixtures	104
5.4	Mineral Admixtures	105
5.5	Other Chemical Admixtures	105
5.6	Special Cements	106
5.7	Metallic Fibers	106
5.7.1	Fiber geometry and manufacturing methods	106
5.8	Polymeric Fibers	108
5.8.1	Acrylic	108
5.8.2	Aramid	109
5.8.3	Nylon	109
5.8.4	Polyester	109
5.8.5	Polyethylene	109
5.8.6	Polypropylene	109

5.9	Carbon Fibers	110
5.10	Glass Fibers	110
5.11	Naturally Occurring Fibers	110
5.11.1	Akwara fibers	110
5.11.2	Bamboo fibers	112
5.11.3	Coconut fibers	112
5.11.4	Flax and vegetable fibers	112
5.11.5	Jute fibers	112
5.11.6	Sisal fibers	113
5.11.7	Sugar cane bagasse fibers	113
5.11.8	Wood fibers (cellulose fibers)	113
5.11.9	Other fibers	113
5.12	References	114
<b>Chapter 6. Mixture Proportions, Mixing and Casting Procedures</b>		<b>115</b>
6.1	Mix Proportions for FRC Containing Coarse Aggregates	116
6.1.1	Special requirements for FRC with steel fibers (SFRC)	118
6.1.2	Mixes with lightweight aggregates	118
6.1.3	Special requirements for concrete reinforced with polymeric fibers	119
6.2	Mixing and Casting Procedures	120
6.2.1	Concrete reinforced with steel fibers	120
6.2.2	Concrete reinforced with polymeric fibers	123
6.3	References	124
<b>Chapter 7. Properties of Freshly Mixed FRC Containing Coarse Aggregates</b>		<b>125</b>
7.1	Workability Tests	125
7.1.1	Slump cone test	126
7.1.2	Inverted slump cone test	126
7.1.3	V-B test	126
7.2	Tests for Air Content, Yield, and Unit Weight	127
7.3	Steel Fiber-Reinforced Concrete	128
7.4	Polymeric Fiber-Reinforced Concrete	139
7.5	Other Fibers	143
7.6	Relations Between Slump, V-B Time, and Inverted Slump Cone Time, and Their Significance	143
7.7	References	146
<b>Chapter 8. Properties of Hardened FRC</b>		<b>149</b>
8.1	Behavior under Compression: Steel Fibers	149
8.2	Behavior under Compression: Polymeric Fibers	152
8.3	Behavior under Tension: Steel Fibers	154
8.4	Behavior under Tension: Polymeric Fibers	155
8.5	Behavior under Flexure: Steel Fibers	155
8.5.1	Influence of fiber volume fraction	156
8.5.2	Influence of fiber length	157
8.5.3	Influence of fiber geometry	160

8.5.4	Influence of specimen size and notch on toughness indices	160
8.5.5	Influence of matrix composition	161
8.6	Behavior under Flexure: Polymeric Fibers	162
8.7	Behavior under Shear, Torsion and Bending: Steel and Polymeric Fibers	166
8.8	Unit Weight, Abrasion Resistance, Friction and Skid Resistance, Thermal and Electrical Conductivity: Steel and Polymeric Fibers	166
8.9	Freeze-Thaw Durability	167
8.10	Moisture Absorption and Permeability	175
8.11	References	177
<b>Chapter 9. FRC under Fatigue and Impact Loading</b>		<b>179</b>
9.1	Fatigue Loading	179
9.1.1	Basics of fatigue testing	180
9.1.2	Fatigue behavior of steel fiber-reinforced concrete	183
9.1.3	Fatigue behavior of polymeric fiber-reinforced concrete	186
9.1.4	Beams reinforced with continuous bars and discrete fibers	189
9.2	Impact Loading	189
9.2.1	Test methods: drop-weight test	191
9.2.2	Test methods: instrumented impact tests	193
9.2.3	Impact resistance of steel fiber-reinforced concrete: drop-weight test	195
9.2.4	Impact resistance of polymeric fiber-reinforced concrete: drop-weight test	196
9.2.5	Impact resistance of steel fiber-reinforced concrete: instrumented impact tests	199
9.2.6	Impact resistance of polymeric fiber-reinforced concrete: instrumented impact tests	210
9.2.7	Impact resistance of beams reinforced with continuous bars and discrete polypropylene fibers: instrumented impact tests	211
9.3	References	213
<b>Chapter 10. Creep, Shrinkage, and Long-Term Performance</b>		<b>215</b>
10.1	Creep and Shrinkage of Steel Fiber-Reinforced Concrete	215
10.1.1	Creep behavior of steel fiber-reinforced concrete	216
10.1.2	Shrinkage behavior of steel fiber-reinforced concrete	228
10.2	Creep and Shrinkage of Polymeric Fiber-Reinforced Concrete	232
10.3	Long-Term Performance	232
10.3.1	Corrosion of steel fibers	233
10.3.2	Durability of polymeric fibers	236
10.4	References	247
<b>Chapter 11. Plastic and Early Drying Shrinkage</b>		<b>249</b>
11.1	Plastic Shrinkage	250
11.1.1	Test procedures to evaluate the plastic shrinkage-reduction potential of fibers	250

11.1.2	Contribution of polymeric fibers to plastic shrinkage crack reduction	251
11.1.3	Contributions of steel fibers to plastic shrinkage crack reduction	255
11.1.4	Theoretical models for the prediction of plastic shrinkage crack widths	256
11.2	Drying Shrinkage	256
11.2.1	Test procedures to evaluate the contribution of fibers to drying shrinkage crack reduction	257
11.2.2	Contribution of polymeric fibers to drying shrinkage crack reduction	263
11.2.3	Contribution of steel fibers to drying shrinkage crack reduction	266
11.2.4	Theoretical model for the prediction of crack widths under restrained drying shrinkage conditions	270
11.3	References	277
<b>Chapter 12. Fiber-Reinforced Shotcrete</b>		<b>279</b>
12.1	Constituent Materials	279
12.1.1	Cement	280
12.1.2	Aggregates	280
12.1.3	Additives and admixtures	281
12.1.4	Fibers	282
12.2	Mixture Proportions	282
12.2.1	Steel fiber shotcrete	282
12.2.2	Polymeric fiber shotcrete	283
12.3	Batching and Mixing	284
12.3.1	Dry process	284
12.3.2	Wet process	285
12.4	Installation	286
12.5	Rebound	288
12.5.1	Factors affecting rebound of fibers	288
12.5.2	Comparison of plain and fiber shotcrete	288
12.5.3	Techniques to reduce rebound	289
12.6	Physical Properties	289
12.6.1	Test methods	289
12.6.2	Compressive strength	290
12.6.3	Flexural strength	295
12.6.4	Flexural toughness and load-deflection behavior	296
12.6.5	Tensile strength	298
12.6.6	Impact strength	299
12.6.7	Shrinkage	300
12.6.8	Bond strength between shotcrete and rock surface	301
12.6.9	Fatigue strength	301
12.6.10	Permeability and porosity	301
12.6.11	Freeze-thaw durability and air-void characteristics	302
12.6.12	Pull-out strength for measuring quality of in-place concrete	303
12.7	Applications	303
12.7.1	Slope stabilization	303
12.7.2	Underground applications	304
12.7.3	Shell structures	305
12.7.4	Repairs	305
12.7.5	Miscellaneous applications	306

12.8	Design Procedures	306
12.8.1	Empirical design	306
12.8.2	Analytical models	306
12.8.3	Precautions	307
12.9	References	307
<b>Chapter 13. Glass Fiber-Reinforced Concrete</b>		<b>311</b>
13.1	Development of GFRC	312
13.1.1	Alkali-resistant glass fiber	313
13.1.2	Modified-cement matrices	313
13.2	Constituent Materials of GFRC: Special Requirements	313
13.2.1	Cement	314
13.2.2	Aggregates	314
13.2.3	Admixtures	314
13.2.4	Coatings	315
13.2.5	Decorative face mixes	315
13.3	Fabrication of GFRC	316
13.3.1	Forms	316
13.3.2	Mixture proportions	316
13.3.3	Fabrication using the spray-up process	317
13.3.4	Fabrication using the premix process	318
13.3.5	Surface finish	318
13.4	Quality Control Tests	319
13.4.1	Equipment calibration tests	319
13.4.2	Thickness test	320
13.4.3	Slurry consistency slump test	320
13.4.4	Wet density test	321
13.4.5	Fiber content (wash-out test)	321
13.4.6	Tests for hardened GFRC	321
13.5	Physical Properties	322
13.5.1	Behavior under tensile and flexural loads: short- and long-term behaviors	322
13.5.2	Compressive strength	343
13.5.3	Shear strength	344
13.5.4	Elastic modulus	345
13.5.5	Creep and shrinkage	346
13.5.6	Freeze-thaw resistance	349
13.5.7	Moisture absorption and density	351
13.5.8	Fire resistance	351
13.5.9	Other physical properties	351
13.6	Design Procedures	352
13.6.1	Design loads and load combinations	353
13.7	Supporting Systems	354
13.7.1	Design and fabrication of steel stud frame	354
13.7.2	Flex-anchor connections	357
13.7.3	Gravity anchor connections	357
13.7.4	Anchor details for seismic areas	358
13.7.5	Attaching a GFRC panel to a steel stud frame	359
13.8	Applications	359
13.9	References	362

<b>Chapter 14. Thin-Sheet Products</b>	<b>365</b>
14.1 Thin Sheets Reinforced with Polymeric Fibers, Fabrics, or Meshes	367
14.1.1 Polypropylene fibers	367
14.1.2 Polypropylene film	372
14.1.3 Woven polypropylene fabrics	377
14.1.4 Comparison of filament, film and woven fabrics	382
14.1.5 Other polymeric fibers	382
14.2 Thin Sheets Reinforced with Carbon Fibers	384
14.2.1 Materials and mixture proportions	384
14.2.2 Workability of plastic (fresh) mix	385
14.2.3 Mechanical properties	386
14.2.4 Durability and drying shrinkage	389
14.2.5 Water absorption	390
14.2.6 Effect of a curing regime on engineering properties	391
14.2.7 Recent developments	394
14.3 Thin Sheets Reinforced with Cellulose Fibers	394
14.3.1 Materials and mixture proportions	395
14.3.2 Properties of sheets made using the premixing process	396
14.3.3 Properties of sheets made using the dewatering process	397
14.3.4 Long-term durability of cellulose fibers	406
14.4 Thin Sheets Reinforced with Other Natural Fibers	409
14.5 Comparative Behavior and Use of Thin-Sheet Products Made Using Various Fibers	410
14.6 References	410
 <b>Chapter 15. Slurry-Infiltrated Fiber Concrete</b>	 <b>413</b>
15.1 Preparation of SIFCON	413
15.2 Constituent Materials and Mix Proportions	415
15.2.1 Fibers	415
15.2.2 Matrix	416
15.2.3 Mix proportions	416
15.3 Engineering Properties	416
15.3.1 Unit weight	416
15.3.2 Behavior in compression	416
15.3.3 Behavior in tension	424
15.3.4 Behavior under flexural loading	429
15.3.5 Behavior in shear	434
15.3.6 Drying shrinkage strain	437
15.3.7 Resistance to freezing and thawing	440
15.3.8 SIFCON under fatigue loading	441
15.3.9 Resistance to impact and blast loading	441
15.4 SIFCON with Steel Bar Reinforcement	441
15.5 Applications	441
15.5.1 Security vaults	442
15.5.2 Explosive-resistant containers	444
15.5.3 A repair material for structural components	444
15.5.4 Bridge rehabilitation	446
15.5.5 Pavement rehabilitation	446
15.5.6 Precast products	446
15.5.7 Refractory applications	446
15.5.8 <i>Potential new applications</i>	446
15.6 References	447



<b>Chapter 16. The Use of FRC for Structural Components</b>	<b>449</b>
16.1 Behavior under Flexure	450
16.2 Behavior under Shear	454
16.3 Behavior under Torsion	458
16.4 Behavior under Combined Bending, Shear and Torsion	461
16.5 Deep Beams and Corbels	464
16.6 Beam-Column Connections	467
16.7 Columns	472
16.8 Prestressed Concrete Beams	477
16.9 Design Concepts	478
16.9.1 Flexure	479
16.9.2 Shear	481
16.9.3 Combined bending, shear, and torsion	481
16.9.4 Columns	482
16.10 Nonlinear Analysis and Computation of Ductility	482
16.10.1 Stress-strain behavior in compression	483
16.10.2 Stress-strain behavior in axial tension	485
16.10.3 Bond characteristics of reinforcement bars embedded in fiber-reinforced concrete	487
16.11 The Behavior of FRC under Biaxial Loading	487
16.12 References	489
<b>Chapter 17. Field Performance and Case Studies</b>	<b>493</b>
17.1 Field Performance and Lessons Learned	494
17.2 Case Studies: Pavements	495
17.2.1 Airport pavements	495
17.2.2 Highway and street pavements	503
17.2.3 Industrial floors and pavements used by heavy trucks	505
17.3 Bridge Deck Overlays	506
17.4 Patching	507
17.5 Other Cast-In-Place Applications	508
17.6 The Use of FRC in Precast Form	509
17.7 References	509
Appendix	513
Illustration Source Notes	515
Index	523