DYNAMICS OF STRUCTURES Theory and Applications to Earthquake Engineering

International Edition

ŝ

Anil K. Chopra

University of California at Berkeley

Fourth Edition

PEARSON

Prentice Hall

Boston Columbus Indianapolis New York San Francisco Upper Saddle River Amsterdam Cape Town Dubai London Madrid Milan Munich Paris Montréal Toronto Delhi Mexico City São Paulo Sydney Hong Kong Seoul Singapore Taipei Tokyo-

Contents

.

з

| | Forew | ord | xxi |
|----------|-----------------|---|-----------|
| | Prefac | | xxiii |
| | Ackno | owledgments | хххі |
| PARTI SI | NGLE-D | EGREE-OF-FREEDOM SYSTEMS | 1 |
| 1 | Equati Metho | ions of Motion, Problem Statement, and Solution ds | 3 |
| | 1.1 | Simple Structures 3 | |
| | 1.2 | Single-Degree-of-Freedom System 7 | 1 |
| | 1.3 | Force–Displacement Relation 8 | |
| | 1.4 | Damping Force 12 | |
| | 1.5 | Equation of Motion: External Force 14 | |
| | 1.6 | Mass-Spring-Damper System 19 | |
| | 1.7 | Equation of Motion: Earthquake Excitation 23 | a start . |
| | 1.8 | Problem Statement and Element Forces 26 | |

ix

| 1.9 [°] | Combining Static and Dynamic Responses 28 |
|-------------------------|--|
| 1.10 | Methods of Solution of the Differential Equation 28 |
| 1.11 | Study of SDF Systems: Organization 33 |
| , | Appendix 1: Stiffness Coefficients for a Flexural Element 33 |

2 Free Vibration

| 2.1 | Undamped Free Vibration 39 | |
|-----|---------------------------------|----|
| 2.2 | Viscously Damped Free Vibration | 48 |
| 2.3 | Energy in Free Vibration 56 | |
| 2.4 | Coulomb-Damped Free Vibration | 57 |

3 Response to Harmonic and Periodic Excitations

| Part A: | Viscously Damped Systems: Basic Results 66 |
|-----------|---|
| 3.1 | Harmonic Vibration of Undamped Systems 66 |
| 3.2 | Harmonic Vibration with Viscous Damping 72 |
| Part B: ` | Viscously Damped Systems: Applications 85 |
| 3.3 | Response to Vibration Generator 85 |
| 3.4 | Natural Frequency and Damping from Harmonic Tests 87 |
| 3.5 | Force Transmission and Vibration Isolation 90 |
| 3.6 | Response to Ground Motion and Vibration Isolation 91 |
| 3.7 | Vibration-Measuring Instruments 95 |
| 3.8 | Energy Dissipated in Viscous Damping 99 |
| 3.9 | Equivalent Viscous Damping 103 |
| Part C: | Systems with Nonviscous Damping 105 |
| 3.10 | Harmonic Vibration with Rate-Independent Damping 105 |

3.11 Harmonic Vibration with Coulomb Friction 109

X

4

Part D: Response to Periodic Excitation 113

3.12 Fourier Series Representation 114 Response to Periodic Force 114 3.13 Appendix 3: Four-Way Logarithmic Graph Paper 118 Response to Arbitrary, Step, and Pulse Excitations Part A: Response to Arbitrarily Time-Varying Forces 125 4.1 Response to Unit Impulse 126 4.2 Response to Arbitrary Force 127 Part B: Response to Step and Ramp Forces 129 4.3 Step Force 129 4.4 Ramp or Linearly Increasing Force 131 4.5 Step Force with Finite Rise Time 132 Part C: Response to Pulse Excitations 135 4.6 Solution Methods 135 4.7 Rectangular Pulse Force 137 4.8 Half-Cycle Sine Pulse Force 143 4.9 Symmetrical Triangular Pulse Force 148 4.10 Effects of Pulse Shape and Approximate Analysis for Short Pulses 151 4.11 Effects of Viscous Damping 154 4.12 **Response to Ground Motion** 155

5 Numerical Evaluation of Dynamic Response

| 5.1 | Time-Step | oping | Methods | 165 |
|-----|-----------|-------|---------|-----|
| | | | | |

- 5.2 Methods Based on Interpolation of Excitation 167
- **5.3** Central Difference Method 171
- 5.4 Newmark's Method 174
- 5.5 Stability and Computational Error 180

xi

165

| | 5.6 | Nonlinear Systems: Central Difference Method 183 | |
|---|--------|---|-----|
| | 5.7 | Nonlinear Systems: Newmark's Method 183 | |
| 6 | Earthq | uake Response of Linear Systems | 197 |
| | 6.1 | Earthquake Excitation 197 | |
| | 6.2 | Equation of Motion 203 | |
| | 6.3 | Response Quantities 204 | |
| | 6.4 | Response History 205 | |
| | 6.5 | Response Spectrum Concept 207 | |
| , | 6.6 | Deformation, Pseudo-Velocity, and Pseudo-Acceleration Response Spectra 208 | |
| | 6.7 | Peak Structural Response from the Response Spectrum 217 | |
| | 6.8 | Response Spectrum Characteristics 222 | |
| | 6.9 | Elastic Design Spectrum 230 | |
| | 6.10 | Comparison of Design and Response Spectra 239 | |
| | 6.11 | Distinction between Design and Response Spectra 241 | |
| ř | 6.12 | Velocity and Acceleration Response Spectra 242 | |
| | | Appendix 6: El Centro, 1940 Ground Motion 246 | |
| 7 | Earthq | uake Response of Inelastic Systems | 257 |
| | 7.1 | Force–Deformation Relations 258 | |
| | 7.2 | Normalized Yield Strength, Yield Strength Reduction Factor, and Ductility Factor 265 | |
| | 7.3 | Equation of Motion and Controlling Parameters 266 | 2 |
| | 7.4 | Effects of Yielding 267 | |
| | 7.5 | Response Spectrum for Yield Deformation and Yield Strength 274 | |
| | 7.6 | Yield Strength and Deformation from the Response Spectrum 278 | |
| | 7.7 | Yield Strength–Ductility Relation 278 | |

| | 7.8 | Relative Effects of Yielding and Damping 280 | |
|-----------|-----------------|---|-----|
| | 7.9 | Dissipated Energy 281 | |
| | 7.10 | Supplemental Energy Dissipation Devices 284 | |
| | 7.11 | Inelastic Design Spectrum 289 | |
| | 7.12 | Applications of the Design Spectrum 296 | |
| | 7.13 | Comparison of Design and Response Spectra 302 | |
| 8 | Genera | alized Single-Degree-of-Freedom Systems | 307 |
| | 8.1 | Generalized SDF Systems 307 | |
| • | 8.2 | Rigid-Body Assemblages 309 | |
| | 8.3 | Systems with Distributed Mass and Elasticity 311 | |
| | 8.4 | Lumped-Mass System: Shear Building 323 | |
| | 8.5 | Natural Vibration Frequency by Rayleigh's Method 330 | |
| | 8.6 | Selection of Shape Function 334 | |
| | | Appendix 8: Inertia Forces for Rigid Bodies 338 | |
| PART II M | ULTI-DE | GREE-OF-FREEDOM SYSTEMS | 345 |
| 9 | Equati Metho | ions of Motion, Problem Statement, and Solution ds | 347 |
| | 9.1 | Simple System: Two-Story Shear Building 347 | |
| | 9.2 | General Approach for Linear Systems 352 | |
| | 9.3 | Static Condensation 369 | |
| | 9.4 | Planar or Symmetric-Plan Systems: Ground Motion 372 | |
| | 9.5 | One-Story Unsymmetric-Plan Buildings 377 | |
| | 9.6 | Multistory Unsymmetric-Plan Buildings 383 | |
| | 9.7 | Multiple Support Excitation 387 | |
| | 9.8 | Inelastic Systems 392 | |
| | 9.9 | Problem Statement 392 | |

xiii

•

| 9.10 | Element Forces 393 | | |
|---|--|--|--|
| 9.11 | Methods for Solving the Equations of Motion: Overview 393 | | |
| Free Vi | bration | | |
| Part A: | Natural Vibration Frequencies and Modes 404 | | |
| 10.1 | Systems without Damping 404 | | |
| 10.2 | Natural Vibration Frequencies and Modes 406 | | |
| 10.3 | Modal and Spectral Matrices 408 | | |
| 10.4 | Orthogonality of Modes 409 | | |
| 10.5 | Interpretation of Modal Orthogonality 410 | | |
| 10.6 | Normalization of Modes 410 | | |
| 10.7 | Modal Expansion of Displacements 420 | | |
| Part B: | Free Vibration Response 421 | | |
| 10.8 | Solution of Free Vibration Equations: Undamped Systems 421 | | |
| 10.9 | Systems with Damping 424 | | |
| 10.10 | Solution of Free Vibration Equations: Classically Damped Systems 425 | | |
| Part C: | Computation of Vibration Properties 428 | | |
| 10.11 | Solution Methods for the Eigenvalue Problem 428 | | |
| 10.12 | Rayleigh's Quotient 430 | | |
| 10.13 | Inverse Vector Iteration Method 430 | | |
| 10.14 | Vector Iteration with Shifts: Preferred Procedure 435 | | |
| 10.15 | Transformation of $\mathbf{k}\phi = \omega^2 \mathbf{m}\phi$ to the Standard Form 440 | | |
| Damping in Structures | | | |
| Part A: Experimental Data and Recommended Modal Damping Ratios 447 | | | |

- **11.1** Vibration Properties of Millikan Library Building 447
- **11.2** Estimating Modal Damping Ratios 452

xiv

10

11

ſ

ŝ

403

447

and the second s

| | Part B: | Construction of Damping Matrix 454 | |
|----|--------------|---|-----|
| | 11.3 | Damping Matrix 454 | |
| | 11.4 | Classical Damping Matrix 455 | |
| | 11.5 | Nonclassical Damping Matrix 464 | |
| 12 | Dynan | nic Analysis and Response of Linear Systems | 467 |
| | Part A: | : Two-Degree-of-Freedom Systems 467 | |
| | 12.1 | Analysis of Two-DOF Systems Without Damping 467 | |
| | 12.2 | Vibration Absorber or Tuned Mass Damper 470 | |
| | Part B: | Modal Analysis 472 | |
| | 12.3 | Modal Equations for Undamped Systems 472 | |
| | 12.4 | Modal Equations for Damped Systems 475 | |
| | 12.5 | Displacement Response 476 | |
| | 12.6 | Element Forces 477 | |
| | 12.7 | Modal Analysis: Summary 477 | |
| | Part C: | Modal Response Contributions 482 | |
| | 12.8 | Modal Expansion of Excitation Vector $\mathbf{p}(t) = \mathbf{s}p(t)$ 482 | |
| | 12.9 | Modal Analysis for $\mathbf{p}(t) = \mathbf{s}p(t)$ 486 | |
| | 12.10 | Modal Contribution Factors 487 | |
| | 12.11 | Modal Responses and Required Number of Modes 489 | |
| | Part D: | Special Analysis Procedures 496 | |
| | 12.12 | Static Correction Method 496 | |
| | 12.13 | Mode Acceleration Superposition Method 499 | |
| | 12.14 | Mode Acceleration Superposition Method: Arbitrary Excitation 500 | |
| 13 | Earthq | uake Analysis of Linear Systems | 513 |
| | Part A: | Response History Analysis 514 | |
| | 13.1 | Modal Analysis 514 | |
| | 13.2 | Multistory Buildings with Symmetric Plan 520 | |
| | | | |

Contents

,

| | 13.3 | Multistory Buildings with Unsymmetric Plan 540 |
|----|---------|--|
| | 13.4 | Torsional Response of Symmetric-Plan Buildings 551 |
| | 13.5 | Response Analysis for Multiple Support Excitation 555 |
| | 13.6 | Structural Idealization and Earthquake Response 561 |
| | Part B: | Response Spectrum Analysis 562 |
| | 13.7 | Peak Response from Earthquake Response Spectrum 562 |
| | 13.8 | Multistory Buildings with Symmetric Plan 567 |
| | 13.9 | Multistory Buildings with Unsymmetric Plan 579 |
| | 13.10 | A Response-Spectrum-Based Envelope for Simultaneous Responses 587 |
| | 13.11 | Peak Response to Multicomponent Ground Motion 595 |
| 14 | Analys | is of Nonclassically Damped Linear Systems 617 |
| | Part A: | Classically Damped Systems: Reformulation 618 |
| | 14.1 | Natural Vibration Frequencies and Modes 618 |
| | 14.2 | Free Vibration 619 |
| | 14.3 | Unit Impulse Response 620 |
| | 14.4 | Earthquake Response 621 |
| | Part B: | Nonclassically Damped Systems 622 |
| | 14.5 | Natural Vibration Frequencies and Modes 622 |
| | 14.6 | Orthogonality of Modes 623 |
| | 14.7 | Free Vibration 627 |
| | 14.8 | Unit Impulse Response 632 |
| | 14.9 | Earthquake Response 636 |
| | 14.10 | Systems with Real-Valued Eigenvalues 638 |
| | 14.11 | Response Spectrum Analysis 646 |
| | 14.12 | Summary 647 |
| | | Appendix 14: Derivations 648 |

| 15 | Reduc | tion of Degrees of Freedom | 657 |
|----|---------------|--|------------|
| | 15.1 | Kinematic Constraints 658 | |
| | 15.2 | Mass Lumping in Selected DOFs 659 | |
| | 15.3 | Rayleigh–Ritz Method 659 | |
| | 15.4 | Selection of Ritz Vectors 663 | |
| | 15.5 | Dynamic Analysis Using Ritz Vectors 668 | |
| 16 | Numei | rical Evaluation of Dynamic Response | 673 |
| | 16.1 | Time-Stepping Methods 673 | |
| | 16.2 | Linear Systems with Nonclassical Damping 675 | |
| | 16.3 | Nonlinear Systems 681 | |
| 17 | Syster | ns with Distributed Mass and Elasticity | 697 |
| | 17.1 | Equation of Undamped Motion: Applied Forces 698 | |
| | 17.2 | Equation of Undamped Motion: Support Excitation 699 | |
| | 17.3 | Natural Vibration Frequencies and Modes 700 | |
| | 17.4 | Modal Orthogonality 707 | |
| | 17.5 | Modal Analysis of Forced Dynamic Response 709 | |
| | 17.6 | Earthquake Response History Analysis 716 | |
| | 1 7. 7 | Earthquake Response Spectrum Analysis 721 | |
| | 17 .8 | Difficulty in Analyzing Practical Systems 724 | |
| 18 | Introd | uction to the Finite Element Method | 729 |
| | Part A | : Rayleigh–Ritz Method 729 | |
| | 18.1 | Formulation Using Conservation of Energy 729 | |
| | 18.2 | Formulation Using Virtual Work 733 | |
| | 18.3 | Disadvantages of Rayleigh–Ritz Method 735 | |
| | Part B | : Finite Element Method 735 | |
| | 18.4 | Finite Element Approximation 735 | **** |
| , | 18.5 | Analysis Procedure 737 | |

xvii

| VV/HI | |
|----------|--|
| VA A III | |

| | 18.6 | Element Degrees of Freedom and Interpolation Functions 739 | |
|--------|---------|---|-----|
| | 18.7 | Element Stiffness Matrix 740 | |
| | 18.8 | Element Mass Matrix 741 | |
| | 18.9 | Element (Applied) Force Vector 743 | |
| | 18.10 | Comparison of Finite Element and Exact Solutions 747 | |
| | 18.11 | Dynamic Analysis of Structural Continua 748 | |
| | | IAKE RESPONSE, DESIGN, AND EVALUATION STORY BUILDINGS | 755 |
| 19 | Earthqu | uake Response of Linearly Elastic Buildings | 757 |
| | 19.1 | Systems Analyzed, Design Spectrum, and Response Quantities 757 | |
| | 19.2 | Influence of T_1 and ρ on Response 762 | |
| | 19.3 | Modal Contribution Factors 763 | |
| | 19.4 | Influence of T_1 on Higher-Mode Response 765 | |
| | 19.5 | Influence of ρ on Higher-Mode Response 768 | |
| | 19.6 | Heightwise Variation of Higher-Mode Response 769 | |
| | 19.7 | How Many Modes to Include 771 | |
| 20 | Earthqu | uake Analysis and Response of Inelastic Buildings | 775 |
| | Part A: | Nonlinear Response History Analysis 776 | |
| L. | 20.1 | Equations of Motion: Formulation and Solution 776 | |
| | 20.2 | Computing Seismic Demands: Factors To Be Considered 777 | |
| | 20.3 | Story Drift Demands 781 | |
| | 20.4 | Strength Demands for SDF and MDF Systems 787 | |
| | Part B: | Approximate Analysis Procedures 788 | |
| | 20.5 | Motivation and Basic Concept 788 | |
| | 20.6 | Uncoupled Modal Response History Analysis 790 | |
| , , | | | |

Contents

.

and the second second

| | 20.7 | Modal Pushover Analysis 797 | ŝ |
|----|---------|---|-----|
| | 20.8 | Evaluation of Modal Pushover Analysis 802 | |
| | 20.9 | Simplified Modal Pushover Analysis for Practical Application 807 | |
| 21 | Earthq | uake Dynamics of Base-Isolated Buildings | 809 |
| | 21.1 | Isolation Systems 809 | |
| | 21.2 | Base-Isolated One-Story Buildings 812 | |
| | 21.3 | Effectiveness of Base Isolation 818 | |
| | 21.4 | Base-Isolated Multistory Buildings 822 | × |
| | 21.5 | Applications of Base Isolation 828 | ~ |
| 22 | Structu | ural Dynamics in Building Codes | 835 |
| | Part A: | Building Codes and Structural Dynamics 836 | |
| | 22.1 | International Building Code (United States), 2009 836 | |
| | 22.2 | National Building Code of Canada, 2010 839 | |
| | 22.3 | Mexico Federal District Code, 2004 841 | |
| | 22.4 | Eurocode 8, 2004 844 | |
| | 22.5 | Structural Dynamics in Building Codes 846 | |
| | Part B: | Evaluation of Building Codes 852 | |
| | 22.6 | Base Shear 852 | |
| | 22.7 | Story Shears and Equivalent Static Forces 856 | |
| | 22.8 | Overturning Moments 858 | |
| | 22.9 | Concluding Remarks 861 | |
| 23 | Structu | ural Dynamics in Building Evaluation Guidelines | 863 |
| | 23.1 | Nonlinear Dynamic Procedure: Current Practice 864 | |
| | 23.2 | SDF-System Estimate of Roof Displacement 865 | |
| | 23.3 | Estimating Deformation of Inelastic SDF Systems 868 | |
| | 23.4 | Nonlinear Static Procedures 874 | |
| | 23.5 | Concluding Remarks 880 | |

-

xix

| | Index | 933 |
|---|--|-----|
| С | Answers to Selected Problems | 917 |
| B | Notation | 905 |
| A | Frequency-Domain Method of Response Analysis | 883 |

л

'n