

---

# Metamorphic Crystallization

---

RALPH KRETZ

*Department of Geology  
The University of Ottawa,  
Ontario, Canada*



*HLuHB Darmstadt*



14501517

JOHN WILEY & SONS

Chichester • New York • Brisbane • Toronto • Singapore

---

# Contents

---

|   |             |
|---|-------------|
| <b>Preface</b>  | <b>xii</b>  |
| <b>Acknowledgements</b>   | <b>xiii</b> |
| <b>Chapter 1 The Geological Background</b>                            | <b>1</b>    |
| 1.1 Metamorphism defined  | 1           |
| 1.2 Historical note   | 2           |
| 1.3 Metamorphic minerals  | 5           |
| 1.4 Microstructure  | 10          |
| 1.5 Volatile components and crystal boundaries                        | 18          |
| 1.5.1 Volatile components   | 18          |
| 1.5.2 Crystal boundaries  | 22          |
| 1.6 Metamorphic rocks   | 27          |
| 1.7 Isograds, mineral zones, and metamorphic facies                   | 28          |
| 1.8 Experimental approach to mineral reactions                        | 36          |
| 1.9 An example of progressive metamorphism: shale to granulite        | 42          |
| 1.10 Metamorphism, structure, and tectonics                           | 47          |
| <b>Chapter 2 Mineral Thermodynamics</b>                               | <b>53</b>   |
| 2.1 Review of some thermodynamic concepts                             | 54          |
| 2.2 The boundary curve  | 74          |
| 2.3 The imperfect gas   | 79          |
| 2.4 Phases of variable composition                                    | 81          |
| 2.5 Reactions involving minerals of variable composition              | 88          |
| 2.6 The Gibbs–Duhem equations   | 92          |
| 2.7 The Gibbs phase rule  | 93          |
| 2.8 Properties of gas mixtures  | 98          |
| 2.9 Mineral mixtures: a microscopic view                              | 101         |
| 2.10 Solution models for minerals                                     | 104         |
| 2.11 Properties of mineral mixtures: olivine, garnet, and plagioclase | 111         |
| <b>Chapter 3 Phase Equilibrium</b>                                    | <b>125</b>  |
| 3.1 Transformations involving minerals of nominally fixed composition | 125         |
| 3.1.1 The aragonite–calcite equilibrium                               | 126         |
| 3.1.2 Al silicate equilibria  | 128         |

|       |  |     |
|-------|--|-----|
| 3.1.3 | Equilibria involving jadeite   | 133 |
| 3.1.4 | High-pressure forms of $\text{SiO}_2$ , C, and $\text{Mg}_2\text{SiO}_4$   | 136 |
| 3.2   | Transformations involving minerals of nominally fixed composition and one or both of $\text{H}_2\text{O}$ and $\text{CO}_2$  | 138 |
| 3.2.1 | Muscovite + quartz = K-feldspar + Al silicate + $\text{H}_2\text{O}$   | 139 |
| 3.2.2 | Equilibria involving talc, anthophyllite, forsterite, and enstatite (system $\text{MgO}-\text{SiO}_2-\text{H}_2\text{O}$ ) and a review of the Schreinemakers method   | 145 |
| 3.2.3 | Equilibria involving calcite, dolomite, quartz, talc, tremolite, diopside, enstatite, forsterite, and a $\text{H}_2\text{O}-\text{CO}_2$ gas mixture (system $\text{CaO}-\text{MgO}-\text{SiO}_2-\text{CO}_2-\text{H}_2\text{O}$ ) | 152 |
| 3.3   | Order-disorder transformations   | 161 |
| 3.3.1 | Order-disorder in $\text{CuZn}$ and dolomite ( $\text{CaMgC}_2\text{O}_6$ )  | 162 |
| 3.3.2 | Order-disorder in K-feldspar ( $\text{KAlSi}_3\text{O}_8$ )  | 168 |
| 3.3.3 | Order-disorder in orthopyroxene, $((\text{Mg}, \text{Fe})^{\text{M}2}(\text{Mg}, \text{Fe})^{\text{M}1}-\text{Si}_2\text{O}_6)$  | 171 |
| 3.4   | Sharing of two components by two phases (solvus equilibria)  | 175 |
| 3.4.1 | The alkali feldspar, $(\text{Na}, \text{K})\text{AlSi}_3\text{O}_8$ , solvus   | 176 |
| 3.4.2 | The calcite ( $\text{CaCO}_3$ )-dolomite ( $\text{Ca}_{0.5}\text{Mg}_{0.5}\text{CO}_3$ ) solvus  | 179 |
| 3.4.3 | The quasi-chemical view of solvus equilibria   | 184 |
| 3.5   | Solvus equilibria in three-component systems   | 186 |
| 3.5.1 | Solvus equilibria in the pyroxene quadrilateral  | 187 |
| 3.5.2 | Solvus equilibria in the feldspar system   | 194 |
| 3.6   | Complex transformations involving minerals of variable composition   | 203 |
| 3.6.1 | The equilibrium, biotite + sillimanite + quartz = garnet + K-feldspar + $\text{H}_2\text{O}$   | 204 |
| 3.6.2 | The equilibrium, cordierite = garnet + sillimanite + quartz  | 208 |
| 3.6.3 | The equilibrium, anorthite (in plagioclase) = grossular (in garnet) + Al silicate + quartz   | 212 |
| 3.7   | Exchange equilibrium: the distribution of Mg and $\text{Fe}^{2+}$ between ferrromagnesian minerals   | 218 |
| 3.7.1 | The distribution of Mg and $\text{Fe}^{2+}$ between biotite and garnet   | 219 |
| 3.7.2 | The distribution of Mg and $\text{Fe}^{2+}$ between orthopyroxene and Ca pyroxene  | 228 |
| 3.7.3 | The distribution of Mg and $\text{Fe}^{2+}$ between olivine and spinel   | 233 |
| 3.8   | The distribution of minor and trace elements between minerals  | 240 |
| 3.8.1 | The distribution of strontium between K-feldspar and plagioclase   | 241 |

|                                    |  |            |
|------------------------------------|--|------------|
| 3.8.2                              | The distribution of Mn between garnet and biotite and between Ca pyroxene and hornblende | 245        |
| 3.8.3                              | The distribution of vanadium among hornblende, biotite, and garnet                       | 249        |
| 3.8.4                              | The distribution of Sr, Mn, and Fe between calcite and dolomite                          | 251        |
| 3.9                                | Oxidation-reduction equilibria   | 255        |
| 3.9.1                              | The magnetite-hematite equilibrium   | 256        |
| 3.9.2                              | The magnetite-ilmenite equilibrium   | 258        |
| 3.9.3                              | Oxide-silicate equilibria  | 260        |
| <b>Chapter 4 Chemical Kinetics</b> |  | <b>263</b> |
| 4.1                                | The reaction rate  | 263        |
| 4.2                                | Experimental study of mineral reactions  | 270        |
| 4.2.1                              | Dehydration of brucite   | 270        |
| 4.2.2                              | Calcite + quartz → wollastonite + CO <sub>2</sub>  | 273        |
| 4.2.3                              | Serpentine + brucite ⇌ forsterite + H <sub>2</sub> O                                     | 275        |
| 4.3                                | Diffusion  | 276        |
| 4.3.1                              | Introduction to diffusion  | 276        |
| 4.3.2                              | Solutions to the first equation of diffusion   | 279        |
| 4.3.3                              | Steady-state theory applied to diffusion problems  | 285        |
| 4.3.4                              | Exchange and self-diffusion  | 287        |
| 4.3.5                              | Crystal-boundary diffusion   | 288        |
| 4.3.6                              | Diffusion and chemical reaction  | 290        |
| 4.3.7                              | Experimental data on diffusion in minerals   | 291        |
| 4.4                                | Crystal nucleation   | 300        |
| 4.4.1                              | Nucleation in a simple phase transformation  | 300        |
| 4.4.2                              | Nucleation and spinodal decomposition during exsolution                                  | 305        |
| 4.4.3                              | Nucleation in a multi-phase crystal assembly   | 310        |
| 4.5                                | Crystal growth   | 313        |
| 4.5.1                              | Growth in a fluid environment  | 314        |
| 4.5.2                              | Growth in a solid environment  | 314        |
| 4.5.3                              | Growth in a multi-phase crystal assembly   | 321        |
| 4.6                                | Reaction rate in terms of nucleation and growth rates                                    | 323        |
| 4.6.1                              | Transformation without impingement   | 323        |
| 4.6.2                              | Nucleation and growth in a multi-phase crystal assembly                                  | 324        |
| 4.6.3                              | Transformation taken to completion: allowance for impingement                            | 325        |
| 4.7                                | Concluding remarks   | 328        |

|  |            |
|--|------------|
| <b>Chapter 5 Granular Microstructures and Crystallization Mechanisms</b>   | <b>330</b> |
| 5.1 Mechanism of reaction, andalusite → sillimanite and kyanite → sillimanite  | 330        |
| 5.2 Kinetics of the crystallization of garnet  | 334        |
| 5.3 Microreaction zones  | 349        |
| 5.3.1 Corona microstructures   | 349        |
| 5.3.2 Crystals of Ca pyroxene with mantles and lamellae of Ca amphibole  | 359        |
| 5.4 Intergrowth microstructures and exsolution kinetics  | 365        |
| 5.4.1 Intergrowths in iron meteorites  | 365        |
| 5.4.2 Exsolution microstructures in alkali feldspar  | 367        |
| 5.4.3 Calcite–dolomite intergrowths  | 373        |
| 5.5 Role of interfacial energy in changing the shape and size of crystals, and a note on plastic deformation and recrystallization | 383        |
| 5.5.1 Plastic deformation and recrystallization  | 383        |
| 5.5.2 Interfacial tension and interfacial energy defined   | 387        |
| 5.5.3 Crystal shape in medium- to high-grade metamorphic terranes  | 392        |
| 5.5.4 The coarsening of crystal size   | 398        |
| 5.6 The spatial distribution of crystals, with special reference to gneiss and granulite   | 404        |
| 5.7 Metamorphic differentiation  | 415        |
| 5.7.1 Metamorphic layering in meta-sediments of the greenschist facies   | 416        |
| 5.7.2 Quartz–plagioclase veins in amphibolite  | 417        |
| 5.7.3 Veins in aluminous schist in a terrane of increasing metamorphic grade   | 419        |
| 5.7.4 Quartz–feldspar veins in granitic gneiss (veined gneiss)   | 420        |
| 5.7.5 Theory of stress-induced metamorphic differentiation   | 431        |
| 5.8 Metasomatic crystallization  | 433        |
| 5.8.1 Crystallization of zoned skarn   | 434        |
| 5.8.2 Metasomatic crystallization of muscovite in granite and tourmaline in schist at contacts with pegmatite                      | 438        |
| <b>Appendices</b>  | <b>452</b> |
| A1. Quantities and units   | 452        |
| A2. SI prefixes  | 453        |
| A3. Constants  | 453        |
| A4. Quantity calculus  | 453        |
| A5. Atomic and molecular weight  | 454        |
| A6. Ionic radius   | 455        |

|                          |     |
|--------------------------|-----|
| CONTENTS                 | ix  |
| A7. Earth data           | 456 |
| A8. Greek alphabet       | 457 |
| A9. Propagation of error | 457 |
| <br>                     |     |
| References               | 460 |
| <br>                     |     |
| Index                    | 499 |