
Innovative Shear Design

Hrista Stamenkovic



London and New York

Contents

<i>Preface</i>	xii
<i>Foreword</i>	xv
1 Introduction	1
2 Mechanism of diagonal failure of a reinforced concrete beam	6
2.1 <i>A brief overview of the problem</i>	6
2.2 <i>Technical analysis</i>	7
2.3 <i>Comment on the existing theory of shear and diagonal tension</i>	8
2.4 <i>Discussion</i>	18
2.5 <i>Comments about our shear diagram based on the new law of physics</i>	42
2.6 <i>Reinforcement for the prevention of diagonal failure at bent concrete elements as required by the new law of physics</i>	45
2.7 <i>Prestressed concrete</i>	66
2.8 <i>Conclusion</i>	68
3 Practical applications of the new theory: the fallacy of the truss analogy theory for reinforced concrete beams	73
3.1 <i>A brief overview of the problem</i>	73
3.2 <i>Introduction</i>	76
3.3 <i>Theoretical considerations</i>	77
3.4 <i>Discussion</i>	79
3.5 <i>Final note</i>	90
3.6 <i>Conclusion</i>	90

4	Mechanism of vibrating fatigue failure of a reinforced concrete beam or any other member (a quantitative point of view)	93
4.1	<i>A brief overview of the problem</i>	93
4.2	<i>Explanation of terms used in this study</i>	93
4.3	<i>Introduction</i>	94
4.4	<i>Theoretical considerations</i>	94
4.5	<i>Discussion</i>	95
4.6	<i>Conclusion</i>	110
5	A triangularly reinforced shear wall can resist higher lateral forces better than an ordinary shear wall	114
5.1	<i>A brief overview of the problem</i>	114
5.2	<i>Introduction</i>	115
5.3	<i>Theoretical analysis</i>	116
5.4	<i>Comparison of cracks in a reinforced concrete beam and a shear wall</i>	124
5.5	<i>Critical review</i>	126
5.6	<i>Reinforcement for our shear wall</i>	130
5.7	<i>Greater liberty for openings (windows, doors) in our shear wall</i>	130
5.8	<i>Remarks</i>	131
5.9	<i>Subfoundation</i>	134
5.10	<i>Effects of internal active forces in seismic failures of ductile steel frame structures: a consequence of the new law of physics</i>	134
5.11	<i>Design and prefabrication of shear wall panels for parallel testing using ACI 318-95 guidelines method and the triangular reinforcement method</i>	139
6	Mechanism of deformation of the horizontal membrane exposed to lateral forces	202
6.1	<i>A brief overview of the problem</i>	202
6.2	<i>Introduction</i>	202
6.3	<i>Discussion</i>	205
6.4	<i>Conclusion</i>	209

7	Combined conclusions	211
7.1	<i>First group of forces as per Newton's third law</i>	<i>211</i>
7.2	<i>Second group of forces as per the new law of physics</i>	<i>211</i>
7.3	<i>Any flexural bending stipulates two critical cross sections, one of which is a result of the new law of physics</i>	<i>215</i>
7.4	<i>Any inverted T beam could be designed to be very safe for bridge structures</i>	<i>215</i>
7.5	<i>Contribution to safer ductile steel frame structure design: the outcome of the new law of physics</i>	<i>216</i>
7.6	<i>New law of physics becomes a unique ally to prestressed concrete</i>	<i>216</i>
7.7	<i>Any classical shear wall could be converted into a new triangularly reinforced shear wall</i>	<i>216</i>
	Appendix	218
1	<i>The existence of internal active and internal resisting forces and the new law of physics</i>	<i>218</i>
	<i>Index</i>	<i>229</i>