



Technische Akademie Esslingen



Symposium on Scale Effects in Modelling Hydraulic Structures

September 3–6, 1984

Scientific Organization

**International Association for Hydraulic Research
– Section on Experimental Techniques –**

**Deutscher Verband für Wasserwirtschaft und
Kulturbau e. V. (DVWK)**

Editor: H. Kobus

Contents

PREFACE

GENERAL LECTURES

- 0.1 R. A. ELDER
Scaling Is Vital to the Practicing Engineer
- 0.2 A. M. PROUDOVSKY
General Principles of Approximate Hydraulic Modelling
- 0.3 P. NOVAK
Scaling Factors and Scale Effects in Modelling Hydraulic Structures

1 HYDRODYNAMIC FORCES

- 1.1 E. NAUDASCHER
Scale Effects in Gate Model Tests
- 1.2 B. CHEN and H. LUO
Model Test and Prototype Observation on Pressure Fluctuation in a Double-Deck Type Outlet
- 1.4 J. MUSKATIROVIC
Analysis of Dynamic Pressures Acting on Overflow Gates
- 1.5 J. SARAIVA and M. RAMOS
Wind-Tunnel Studies in Hydrodynamic-Action Modelling
- 1.6 Q. W. XU and C. P. ZHENG
Some Problems Concerning Similarity of Lock Hydraulic Models
- 1.7 T. LIU and D. WANG
Analysis of Similarity of Dumped Blocks in Model Test on River Closure and the Determination of Model Scale
- 1.8 M. B. de GROOT and J. L. M. KONTER
Prediction of Mattress Stability in Turbulent Flow
- 1.10 E. E. M. ELSAYED and W. R. JENKNER
Modelling of Pressures Generated by the Impact of a Solid Body on a Water Surface
- 1.12 R. NARAYANAN
The Role of Pressure Fluctuations in Hydraulic Modelling

- 1.13 Y. LIU
Scale Effect on Cavitation in Modelling
- 1.14 A. P. KELLER
Scale Effects at Beginning Cavitation Applied to Submerged Bodies
- 1.15 M. J. KENN
Flow Visualization Aids Cavitation Studies
- 1.16 A. CHERVET
Model-Prototype Comparisons of the Defective Behaviour of an Inflatable Dam
- 1.17 M. H. A. KHADER
Modelling of Floating Hydraulic Structure
- 1.18 H. J. DALLWIG and R. C. M. SCHRÖDER
Hydrodynamic Forces Acting on a Floating Tunnel Tube in a River - A Model-Prototype Comparison
- 1.19 J. MARCHAL
Use of the Polymer Polyox WSR 301 in Model Trials of Inland Navigation

2 DISCHARGE CHARACTERISTICS

- 2.1 P. A. KOLKMAN
Considerations about the Accuracy of Discharge Relations of Hydraulic Structures and the Use of Scale Models for their Calibration
- 2.2 R. RAJU
Scale Effects in Analysis of Discharge Characteristics of Weirs and Sluice Gates
- 2.3 E. J. SARGINSON
Scale Effects in Model Tests on Weirs
- 2.4 J. KNAUSS
Scale Effects in Modelling Free Falling Jets Emerging Horizontally from a Slot-Orifice (Model-Family Study)
- 2.5 L. d'ALPAOS and A. GHETTI
Some New Experiments on Surface Tension and Viscosity Effects on the Trajectory of a Falling Jet
- 2.6 G. D. RANSFORD
Are Abnormally High Contraction Coefficients under Partly-raised Model Spillway Gates really the Result of Bad Workmanship?
- 2.7 H. BERNHART and F. BAKOWIES
Discrepancies in Test Results of Two- and Three-Dimensional Model Investigations for a Weir Structure
- 2.8 C. KATOPODIS and N. RAJARATNAM
Similarity of Scale Models of Denil Fishways
- 2.9 W. H. HAGER
Some Scale Effects in Distribution Channels

- 2.10 R. J. KELLER
Boundary Layer Scale Effects in Hydraulic Model Studies of Discharge Measuring Flumes
- 2.11 B. BARCZEWSKI and M. JURASCHEK
Comparison of Rating Curves of Geometrically Similar Venturi Flumes of Different Size
- 2.12 G. C. NOUTSOPOULOS and G. C. CHRISTODOULOU
The Influence of Experimental Conditions on the Brink Depth of an Overfall
- 2.13 O. N. WAKHLU
Scale Effects in Hydraulic Model Studies
- 2.14 R. H. J. SELLIN and P. G. McCRAE
Scale Effects with Model Lift Gate - Diffuser Passage Systems for Tidal Power Barrages
- 2.15 H. NAGO
Scale Effects in Free Efflux from an Underflow Gate
- 2.17 G. C. ZHU and C. Y KUO
Modelling of the Three Gorges Reach of the Yangtze River (China)
- 2.18 G. V. VASILCHENKO
Investigation of Currents on Geometrically Distorted Models
- 2.19 D. DEMMERLE
Discharge Capacity of Low Head Barrages

3 SIMILARITY CONSIDERATIONS ON VARIOUS TOPICS

- 3.1 F. VASCO COSTA
The Modelling of Non-Uniform and of Unsteady Flow
- 3.2 I. A. SHERENKOV
Optimization of Model Scale in Hydraulic Modelling
- 3.3 G. GLAZIK
Influence of River Model Distortion on Hydraulic Similarity of Structures arranged at the Channel
- 3.5 L. J. AINOLA and U. LIIV
Modelling of Unsteady Hydrodynamic Processes in Pipes
- 3.6 Q. LIU and H. CHEN
Modelling of Hydraulic Transient Phenomena in Water Power Engineering
- 3.7 G. GARBRECHT and W. MERTENS
Simulation of the Formation of Ice Jams in Alluvial Rivers
- 3.8 R. CHEN
Similarity of Remote-Controlled Ship-Team Model used in Hydraulic Research of Navigation Route at Gezhouba Project
- 3.9 T. JIN
Similarity between Hydraulic Model Test and Prototype Observation of an Overflow Arch Dam

- 3.10 M. ALTINAKAR and J. BRUSCHIN
Fuse-Plug Spillway Modelling
- 3.11 R. M. KANSOH
Scale Effect in Modelling Steep Channels for Roll Waves Development
- 3.12 N. GÖBEL
Scale Effects in Laboratory Investigation of Solitary Waves
- 3.13 M. MACIEJEWSKI
Hydraulic Model Investigations of Pure Water Reservoirs

4 AIR ENTRAINMENT

- 4.1 I. R. WOOD
Air Entrainment in High Speed Flows
- 4.2 N. L. des S. PINTO
Model Evaluation of Aerators in Shooting Flow
- 4.3 J. BRUSCHIN
Aeration Off-Sets for Spillway Chutes and Bottom Outlets
- 4.4 H.-P. KOSCHITZKY, B. WESTRICH and H. KOBUS
Effects of Model Configuration, Flow Conditions and Scale in Modelling
Spillway Aeration Grooves
- 4.5 P. VOLKART and P. RUTSCHMANN
Rapid Flow in Spillway Chutes with and without Deflectors - a
Model-Prototype Comparison
- 4.6 A. MARCANO and N. CASTILLEJO
Model-Prototype Comparison of Aeration Devices of Guri Dam Spillway
- 4.7 S. PAN and Y. SHAO
Scale Effects in Modelling Air Demand by a Ramp Slot
- 4.8 V. S. SAKHUJA, T. C. PAUL and S. SINGH
Air Entrainment Distortion in Free Surface Flows
- 4.9 S. L. RABBEN and G. ROUVE
Air Demand of High-Head Gates - Model-Family Studies to Quantify Scale
Effects
- 4.10 H. KOBUS
Local Air Entrainment and Detrainment
- 4.11 B. WESTRICH and B. BARCZEWSKI
Model and Field Measurements of the Air Demand of a Cone Valve in a
Closed Conduit
- 4.12 D. OUAZAR and A. LEJEUNE
Theoretical and Experimental Study of Cavitation Prevention by
Ventilation
- 4.13 A. A. AHMED, D. A. ERVINE and E. J. McKEOGH
The Process of Aeration in Closed Conduit Hydraulic Structures

- 4.14 R. FUENTES and J. J. GARCIA
Influence of the Tunnel Length on the Hydraulic Modelling of the Air Entrainment in the Flow Downstream of a High Head Gate
- 4.15 D. A. ERVINE and S. K. HIMMO
Modelling the Behaviour of Air Pockets in Closed Conduit Hydraulic Systems
- 4.16 K. A. SELANGER
Physical Modelling of Air-Water Flow in Rough Tunnels

5 AIR-WATER MIXTURES

- 5.1 S. VIGANDER
Bubbles, Drops and Friction on the Judgment Scale: Case Histories from TVA Engineering Laboratory's Model Tests
- 5.2 D.-Y. WANG and L.-S. LI
A Preliminary Study on the Cause of Formation of Boil-Vortex Flow in Streams and its Similarity in Modelling
- 5.3 E. PLATE, J. MAIER-ERBACHER and R. FRIEDRICH
Modelling of Water Droplet Generation by Wind
- 5.5 A. K. BIN
Air Entrainment by Plunging Liquid Jets
- 5.6 K. HAINDL
Modelling of Two Phase Liquid-Gas Flow Phenomena
- 5.7 H. T. FALVEY
Cavitation Studies in Tunnel Spillways
- 5.8 V. D. KERNITSKY
Estimation of the Scale Effect in Modelling Siphon Conduits
- 5.9 B. T. GOLDRING
Model and Prototype Tests on a Low-Head Siphon
- 5.10 F. NESTMANN
Development of a Mechanical Bubble Aeration System and the Scale-Up of the Results to the Prototype
- 5.11 I. HORVATH and F. NESTMANN
Applications of Similitude in Activated Sludge Treatment
- 5.12 C. IAMANDI and R. DAMIAN
Observations on Scale Effects of Bubble Plumes Dynamics

6 SWIRL AND VORTEX FORMATION

- 6.1 G. E. HECKER
Scale Effects in Modelling Vortices
- 6.2 A. F. BABB and W. C. MIH
Selection of Model Test Programs with Reference to Viscous and Gravity Force Similitude

- 6.3 T. TOYOKURA and K. KAMEMOTO
Introduction of the JSME Standard to Establish a Set of Basic Rules for Model Testing of Pump Sump Performance
- 6.4 J. WIJDIEKS
Practice and Criteria of Pump Sump Model Investigation
- 6.5 D. SCHULTHESS
Model Tests with Vortices - El Cajon Project (Honduras)
- 6.6 J. L. BOILLAT, J. BRUSCHIN and D. ROLEWICZ
A Boundary Layer Suction Vortex Suppressor
- 6.7 S. C. JAIN and J. F. KENNEDY
Vortex-Flow Drop Structures
- 6.8 S. VENKATARAMANA and P. J. DINAKAR
On the Conflicting Modelling Criteria, Causative Scale Effects and the (in) Compatibility of Scale Modelling of Vortices - A Case Study
- 6.9 R. MARTINS
Vortex Similitude in Hydraulic Models
- 6.10 A. J. ODGAARD
Fluid Properties and their Scale Effects in Froude-Scaled Hydraulic Models

7 ENERGY DISSIPATION

- 7.1 D. VISCHER
Modelling Energy Dissipation with Hydraulic Structures: a Phenomenon with Insignificant Scale Effects?
- 7.2 R. A. LOPARDO, F. C de LIO and G. F. VERNET
Model-Prototype Comparisons on Pressure Fluctuations in Hydraulic Jump Energy Dissipators
- 7.3 P. K. NAGARKAR, V. C. SHAHANE, J. M. SONAWANE, B. G. GOWARDHANE and N. R. BHAVSAR
Case Studies of Energy Dissipation Structures on Dams in Maharashtra
- 7.4 M. SAS
Model Investigations of the Sakhahuaya Power Plant with Emphasis on the Simulation of the Head Losses
- 7.5 J. GANOULIS and J. KRESTENITIS
Hydraulic Modelling of a Vortex Drop in Sewer System
- 7.6 F. OLIVEIRA LEMOS and C. MATIAS RAMOS
Hydraulic Modelling of Free Jet Energy Dissipation
- 7.7 D N. BHARGAVA, A. S. RAJPUT and S. S. TIAGI
Energy Dissipation through Diffusion of Jets and Air Entrainment - Model Simulation
- 7.8 P. K. NAGARKAR, V. C. SHAHANE and J. M. SONAWANE
A Case Study of Air Vent Design

- 7.10 H. OUMERACI
Scale Effects in Coastal Hydraulic Models
- 7.11 R. J. H. STIVE
Wave Impact on Uniform Steep Slopes at Approximately Prototype Scale
- 7.12 J. J. SHARP and M. H. A. KHADER
Scale Effects in Harbour Models Involving Permeable Rubble Mound Structures
- 7.14 J. K. KOSTENSE and K. den BOER
Effect of Model Scale on the Stability of Concrete-Block Slope Revetments
- 7.15 K. den BOER
A Model Technique for Determining Damage to Armour Units

AUTHOR LIST