

W. Blum L. Rolandi

Particle Detection with Drift Chambers

With 198 Figures and 44 Tables



Springer-Verlag

Berlin Heidelberg New York
London Paris Tokyo
Hong Kong Barcelona
Budapest

Contents

1. Gas Ionization by Charged Particles and by Laser Rays .	1
1.1 Gas Ionization by Fast Charged Particles.	1
1.1.1 Ionizing Collisions.	1
1.1.2 Different Ionization Mechanisms	3
1.1.3 Average Energy Required to Produce One Ion Pair.	5
1.1.4 The Range of Primary Electrons	7
1.1.5 The Differential Cross-Section $d\sigma/dE$	7
1.2 Calculation of Energy Loss	9
1.2.1 Force on a Charge Travelling through a Polarizable Medium	9
1.2.2 The Photo-Absorption Ionization Model	11
1.2.3 Behaviour for Large E	14
1.2.4 Cluster-Size Distribution	15
1.2.5 Ionization Distribution on a Given Track Length.	17
1.2.6 Velocity Dependence of the Energy Loss	25
1.2.7 The Bethe-Bloch Formula.	30
1.2.8 Energy Deposited on a Track - Restricted Energy Loss	33
1.2.9 Localization of Charge Along the Track.	36
1.2.10 A Measurement of N_{eff}	37
1.3 Gas Ionization by Laser Rays.	38
1.3.1 The n th Order Cross-Section Equivalent	39
1.3.2 Rate Equations for Two-Photon Ionization.	40
1.3.3 Dependence of Laser Ionization on Wavelength.	43
1.3.4 Laser-Beam Optics	44
References.	47
2. The Drift of Electrons and Ions in Gases.	50
2.1 An Equation of Motion with Friction	50
2.1.1 Case of E Nearly Parallel to B	52
2.1.2 Case of E Orthogonal to B	53
2.2 The Microscopic Picture	54
2.2.1 Drift of Electrons	54

2.2.2	Drift of Ions	57
2.2.3	Inclusion of Magnetic Field	65
2.2.4	Diffusion	69
2.2.5	Electric Anisotropy	72
2.2.6	Magnetic Anisotropy	74
2.2.7	Electron Attachment	77
2.3	Results from the Complete Microscopic Theory . .	81
2.3.1	Distribution Function of Velocities	81
2.3.2	Drift	83
2.3.3	Inclusion of Magnetic Field	83
2.3.4	Diffusion	85
2.4	Applications	85
2.4.1	Determination of $\sigma(\epsilon)$ and $\lambda(\epsilon)$ from Drift Measurement	85
2.4.2	Example: Argon–Methane Mixture	87
2.4.3	Experimental Check of the Universal Drift Velocity for Large $\omega\tau$	88
2.4.4	A Measurement of Track Displacement as a Function of Magnetic Field	91
2.4.5	A Measurement of the Magnetic Anisotropy of Diffusion	91
2.4.6	Calculated and Measured Electron Drift Velocities in Crossed Electric and Magnetic Fields	95
	References	97
3.	Electrostatics of Wire Grids and Field Cages	99
3.1	Wire Grids	100
3.1.1	The Electric Field of an Ideal Grid of Wires Parallel to a Conducting Plane . .	100
3.1.2	Superposition of the Electric Fields of Several Grids and of a High-Voltage Plane	103
3.1.3	Matching the Potential of the Zero Grid and of the Electrodes of the Field Cage . . .	106
3.2	An Ion Gate in the Drift Space	108
3.2.1	Calculation of Transparency	108
3.2.2	Setting the Gating Grid Potential with Respect to the Zero-Grid Potential . .	113
3.3	Field Cages	113
3.3.1	The Difficulty of Free Dielectric Surfaces . .	114
3.3.2	Irregularities in the Field Cage	116
3.4	Wire Displacements Due to Gravitational and Electrostatic Forces	119
3.4.1	Gravitational Force	120

3.4.2	Electrostatic Forces	121
	References.	122
4.	Amplification of Ionization	124
4.1	The Proportional Wire	124
4.2	Beyond the Proportional Mode.	127
4.3	Lateral Extent of the Avalanche.	129
4.4	Amplification Factor (Gain) of the Proportional Wire	131
4.4.1	The Diethorn Formula	133
4.4.2	Dependence of the Gain on the Gas Density	135
4.4.3	Measurement of the Gain Variation with Sense-Wire Voltage and Gas Pressure	136
4.5	Local Variations of the Gain	137
4.5.1	Variation of the Gain Near the Edge of the Chamber	138
4.5.2	Local Variation of the Gain Owing to Mechanical Imperfections	138
4.5.3	Space Charge Near the Wire	141
4.6	Statistical Fluctuation of the Gain	143
4.6.1	Distributions of Avalanches Started by Single Electrons (Theory).	144
4.6.2	Distributions of Avalanches Started by Single Electrons (Measurements)	148
4.6.3	The Effect of Avalanche Fluctuations on the Wire Pulse Heights	149
4.6.4	A Measurement of Avalanche Fluctuations Using Laser Tracks	151
	References.	152
5.	Creation of the Signal	155
5.1	Signal Generation on the Wire	155
5.2	Signal Generation on Cathode Strips.	158
5.2.1	Pad Response Function	159
5.2.2	Principle of the Measurement of the Coordinate along the Wire Direction Using Cathode Strips	163
5.3	Ramo's Theorem.	164
	References.	166
6.	Coordinate Measurement and Fundamental Limits of Accuracy	167
6.1	Methods of Coordinate Measurement	167

6.2	Basic Formulae for a Single Wire.	169
6.2.1	Frequency Distribution of the Coordinates of a Single Electron at the Entrance to the Wire Region	170
6.2.2	Frequency Distribution of the Arrival Time of a Single Electron at the Entrance to the Wire Region	172
6.2.3	Influence of the Cluster Fluctuations on the Resolution – the Effective Number of Electrons.	173
6.3	Accuracy in the Measurement of the Coordinate in or near the Wire Direction	177
6.3.1	Inclusion of a Magnetic Field Perpendicular to the Wire Direction: the Wire $\mathbf{E} \times \mathbf{B}$ Effect	177
6.3.2	Case Study of the Explicit Dependence of the Resolution on L and θ	179
6.3.3	The General Situation – Contributions of Several Wires, and the Angular Pad Effect	179
6.3.4	Consequences of (6.34) for the Construction of TPCs	184
6.3.5	A Measurement of the Angular Variation of the Accuracy	184
6.4	Accuracy in the Measurement of the Coordinate in the Drift Direction	186
6.4.1	Inclusion of a Magnetic Field Parallel to the Wire Direction: the Drift $\mathbf{E} \times \mathbf{B}$ Effect	187
6.4.2	Average Arrival Time of Many Electrons	188
6.4.3	Arrival time of the M th Electron	189
6.4.4	Variance of the Arrival Time of the M th Electron: Contribution of the Drift-Path Variations.	190
6.4.5	Variance of the Arrival Time of the M th Electron: Contribution of the Diffusion	191
	Appendix. Influence of the Cluster Fluctuations on the Measurement Accuracy of a Single Wire	194
	References.	200
7.	Geometrical Track Parameters and Their Errors	201
7.1	Linear Fit.	202
7.1.1	Case of Equal Spacing between x_0 and x_N	203
7.2	Quadratic Fit.	204
7.2.1	Error Calculation	205
7.2.2	Origin at the Centre of the Track – Uniform Spacing of Wires.	206

7.2.3	Sagitta.	207
7.2.4	Covariance Matrix at an Arbitrary Point Along the Track	208
7.2.5	Comparison Between the Linear and Quadratic Fits in Special Cases	209
7.2.6	Optimal Spacing of Wires	211
7.3	A Chamber and One Additional Measuring Point Outside	212
7.3.1	Comparison of the Accuracy in the Curvature Measurement	213
7.3.2	Extrapolation to a Vertex	214
7.4	Limitations Due to Multiple Scattering	216
7.4.1	Basic Formulae	216
7.4.2	Vertex Determination.	219
7.4.3	Resolution of Curvature for Tracks Through a Scattering Medium	220
7.5	Spectrometer Resolution	221
7.5.1	Limit of Measurement Errors	221
7.5.2	Limit of Multiple Scattering	222
	References.	223
8.	Ion Gates	224
8.1	Reasons for the Use of Ion Gates.	224
8.1.1	Electric Charge in the Drift Region.	224
8.1.2	Ageing.	227
8.2	Survey of Field Configurations and Trigger Modes.	227
8.2.1	Three Field Configurations	227
8.2.2	Three Trigger Modes	229
8.3	Transparency under Various Operating Conditions	229
8.3.1	Transparency of the Static Bipolar Gate.	230
8.3.2	Average Transparency of the Regularly Pulsed Bipolar Gate.	232
8.3.3	Transparency of the Static Bipolar Gate in a Transverse Magnetic Field	235
	References.	238
9.	Particle Identification by Measurement of Ionization	240
9.1	Principles	240
9.2	Shape of the Ionization Curve.	244
9.3	Statistical Treatment of n Ionization Samples of One Track.	246
9.4	Accuracy of the Ionization Measurement	248
9.4.1	Variation with n and x	248

9.4.2	Variation with the Particle Velocity	249
9.4.3	Variation with the Gas	250
9.5	Particle Separation	253
9.6	Cluster Counting	255
9.7	Ionization Measurement in Practice	256
9.7.1	Track-Independent Corrections	257
9.7.2	Track-Dependent Corrections	257
9.8	Performance Achieved in Existing Detectors	259
9.8.1	Wire Chambers Specialized to Measure Track Ionization.	259
9.8.2	Ionization Measurement in Universal Detectors	264
	References.	268
10.	Existing Drift Chambers – An Overview.	270
10.1	Definition of Three Geometrical Types of Drift Chambers	270
10.2	Historical Drift Chambers	271
10.3	Drift Chambers for Fixed-Target and Collider Experiments.	274
10.3.1	General Considerations Concerning the Directions of Wires and Magnetic Fields.	275
10.3.2	The Dilemma of the Lorentz Angle	276
10.3.3	Left–Right Ambiguity	277
10.4	Planar Drift Chambers of Type 1	278
10.4.1	Coordinate Measurement in the Wire Direction.	278
10.4.2	Five Representative Chambers	278
10.4.3	Type 1 Chambers without Field-Shaping Electrodes	285
10.5	Large Cylindrical Drift Chambers of Type 2.	287
10.5.1	Coordinate Measurement along the Axis – Stereo Chambers	287
10.5.2	Five Representative Chambers with (Approximately) Axial Wires	287
10.5.3	Drift Cells	288
10.5.4	The UA1 Central Drift Chamber.	294
10.6	Small Cylindrical Drift Chambers of Type 2 for Colliders (Vertex Chambers)	296
10.6.1	Six Representative Chambers.	297
10.7	Drift Chambers of Type 3	304
10.7.1	Double-Track Resolution in TPCs.	305
10.7.2	Five Representative TPCs.	305

10.7.3	A Type 3 Chamber with a Radial Drift Field	310
10.7.4	A TPC for Heavy-Ion Experiments	310
10.7.5	A Type 3 Chamber as External Particle Identifier	311
10.7.6	A TPC for Muon-Decay Measurements .	313
10.8	Chambers with Extreme Accuracy.	314
	References.	316
11.	Drift-Chamber Gases	320
11.1	General Considerations Concerning the Choice of Drift-Chamber Gases.	320
11.2	Inflammable Gas Mixtures	321
11.3	Gas Purity, and Some Practical Measurements of Electron Attachment	326
11.3.1	Three-Body Attachment to O_2 , Mediated by CH_4 , $i-C_4H_{10}$ and H_2O	326
11.3.2	'Poisoning' of the Gas by Construction Materials.	328
11.3.3	The Effect of Minor H_2O Contamination on the Drift Velocity.	330
11.4	Chemical Compounds Used for Laser Ionization. .	331
11.5	Choice of the Gas Pressure.	333
11.5.1	Point-Measuring Accuracy	333
11.5.2	Lorentz Angle.	335
11.5.3	Drift-Field Distortions from Space Charge	335
11.6	Deterioration of Chamber Performance with Usage ('Ageing')	336
11.6.1	General Observations in Particle Experiments	336
11.6.2	Dark Currents.	338
11.6.3	Ageing Tests.	340
	References.	342
	Subject Index	345