

Contents

| | |
|---|------|
| Preface | xiii |
| Acknowledgements | xv |
| NMR Acronyms and Abbreviations | xvii |
| CHAPTER ONE | 1 |
| Introduction | 1 |
| 1.1 Overview | 1 |
| 1.2 Examples | 3 |
| 1.3 References | 11 |
| CHAPTER TWO | 13 |
| Principles of NMR of Organic Solids | 13 |
| 2.1 Introduction | 13 |
| 2.2 Semiclassical description of pulsed NMR | 13 |
| 2.3 Concepts of NMR in terms of textbook quantum mechanics | 16 |
| 2.4 Hamiltonians and spectra | 18 |
| 2.4.1 Important NMR interactions and their Hamiltonians | 18 |
| 2.4.2 Segmental-orientation dependence of NMR frequencies | 21 |
| 2.4.3 Powder lineshapes | 28 |
| 2.4.4 Motional averaging of interaction tensors and NMR spectra | 32 |
| 2.4.5 Basics of sample spinning (MAS and OMAS) | 35 |
| 2.4.6 ^{13}C and ^1H chemical shifts in theory and practice | 37 |
| 2.4.7 Intermediate motional regime | 41 |
| 2.5 Quantum-mechanical calculations of NMR time evolutions | 43 |
| 2.5.1 Density operator $\hat{\rho}$ and magnetization | 43 |
| 2.5.2 The action of Hamiltonians on $\hat{\rho}$: time evolution | 45 |
| 2.5.3 Matrix representations of spin operators | 47 |
| 2.5.4 Time evolution of the density matrix | 48 |
| 2.5.5 ^2H quadrupolar interaction | 49 |
| 2.5.6 Heteronuclear dipolar couplings | 52 |
| 2.5.7 ^1H wideline spectra | 55 |
| 2.5.8 Rotating frames | 56 |
| 2.6 The effects of radio-frequency (rf) pulses | 58 |
| 2.6.1 Rf pulses and the rotating frame | 58 |
| 2.6.2 Pulse propagators and the sense of precession | 59 |
| 2.6.3 Calculating the Hahn spin echo | 60 |
| 2.6.4 The solid (quadrupolar) echo | 61 |
| 2.6.5 Finite pulse lengths and their excitation effects | 63 |
| 2.6.6 Composite 180° pulses | 66 |
| 2.7 References | 67 |

| | |
|---|------------|
| CHAPTER THREE | 69 |
| High-Resolution NMR Techniques for Solids | 69 |
| 3.1 Introduction | 69 |
| 3.2 Phenomenological descriptions of pulsed techniques | 70 |
| 3.3 Averaging of Hamiltonians | 72 |
| 3.3.1 Homonuclear decoupling by multipulse sequences | 72 |
| 3.3.2 How to determine average Hamiltonians | 75 |
| 3.3.3 The Magnus expansion | 77 |
| 3.3.4 Second averaging | 78 |
| 3.4 Further applications of average-Hamiltonian theory | 79 |
| 3.4.1 Heteronuclear decoupling | 79 |
| 3.4.2 Spin lock | 81 |
| 3.4.3 Cross polarization | 82 |
| 3.4.4 Chemical-shift scaling | 85 |
| 3.5 Homonuclear polarization transfer | 85 |
| 3.5.1 Phenomenological description of spin diffusion | 86 |
| 3.5.2 Polarization transfer between two spins | 86 |
| 3.5.3 Spin exchange in systems of abundant spins | 88 |
| 3.6 Time-dependent perturbation theory | 91 |
| 3.7 Proton-driven ^{13}C spin diffusion, and ^1H spin diffusion | 95 |
| 3.8 Selective excitation by hard pulses | 98 |
| 3.9 Magic-angle spinning (MAS) | 102 |
| 3.9.1 MAS time signals and sidebands | 102 |
| 3.9.2 The mirror-image condition for absorptive sidebands | 107 |
| 3.9.3 Total suppression of spinning sidebands (TOSS) | 109 |
| 3.9.4 Time-reversed TOSS | 112 |
| 3.9.5 Hamiltonians under MAS | 113 |
| 3.10 Averaging of second-order quadrupolar couplings | 115 |
| 3.11 Zero-field NMR | 119 |
| 3.12 Multiple-quantum coherences | 122 |
| 3.13 Incoherent effects in solid-state NMR | 126 |
| 3.13.1 Phenomenology of relaxation in solid-state NMR | 126 |
| 3.13.2 Coherent vs. incoherent processes | 129 |
| 3.13.3 Homogeneous, inhomogeneous, coherent line-broadening | 130 |
| 3.13.4 (In)homogeneous: line-broadening vs. Hamiltonians | 132 |
| 3.14 References | 132 |
| CHAPTER FOUR | 135 |
| Fourier Theory for 1D and 2D NMR | 135 |
| 4.1 Motivation | 135 |
| 4.2 Basic definitions | 136 |
| 4.3 Useful FT relations | 137 |
| 4.4 Important Fourier pairs | 140 |
| 4.5 Specific applications of Fourier theory in NMR | 142 |
| 4.5.1 Quadrature detection and TPPI | 142 |
| 4.5.2 Absorptive and dispersive signals, and constant phase correction | 143 |

CONTENTS

vii

| | | |
|-------|--|-----|
| 4.5.3 | Dead time, linear phase correction, and baseline distortions | 145 |
| 4.6 | Fourier transformation in two-dimensional (2D) NMR | 148 |
| 4.6.1 | The 2D phase problem and its solutions | 148 |
| 4.6.2 | The phase problems in multidimensional MAS sideband spectra | 152 |
| 4.6.3 | The projection/cross-section theorem | 154 |
| 4.6.4 | Shearing of 2D spectra | 155 |
| 4.7 | Mathematical formulation of data sampling | 156 |
| 4.8 | Consequences of data sampling | 157 |
| 4.8.1 | Aliasing | 157 |
| 4.8.2 | Truncation effects and apodization | 157 |
| 4.8.3 | Zero-filling | 160 |
| 4.8.4 | Sampling of the first datapoint | 160 |
| 4.9 | Signal and noise | 161 |
| 4.9.1 | The 'dwell-time theorem' | 162 |
| 4.9.2 | Signal increase by line narrowing | 163 |
| 4.9.3 | Damping, resolution, and measuring time | 164 |
| 4.9.4 | Measuring times: 1D vs. 2D spectra | 166 |
| 4.9.5 | Signal-to-noise ratio and 2D data acquisition | 168 |
| 4.10 | Concluding remarks | 169 |
| 4.11 | References | 169 |

CHAPTER FIVE

171

Short Review of Structure and Dynamics of Solid Polymers

171

| | | |
|-----|---|-----|
| 5.1 | Motivation | 171 |
| 5.2 | Chain and phase structure of semicrystalline polymers | 171 |
| 5.3 | Dynamical processes in polymers | 174 |
| 5.4 | Solid biopolymers | 175 |
| 5.5 | Heterogeneous polymer systems | 176 |
| 5.6 | Liquid-crystalline polymers | 178 |
| 5.7 | List of polymer acronyms | 180 |
| 5.8 | References | 180 |

CHAPTER SIX

182

Multidimensional Separation and Correlation

182

| | | |
|-------|---|-----|
| 6.1 | Introduction | 182 |
| 6.2 | General aspects of 2D spectra and time signals | 182 |
| 6.3 | Separation vs. correlation – Part I | 186 |
| 6.4 | Separation of chemical-shift powder patterns | 188 |
| 6.4.1 | Stop-and-go | 189 |
| 6.4.2 | Magic-angle hopping and ultraslow MAS | 190 |
| 6.4.3 | Variable-angle spinning 2D experiments | 194 |
| 6.4.4 | MAS with chemical-shift patterns recovered by 180° pulses | 195 |
| 6.5 | Separation of MAS chemical-shift sideband patterns | 198 |
| 6.5.1 | Why simple combinations of TOSS and MAS fail | 199 |
| 6.5.2 | Isotropic-shift separation via TOSS and deTOSS | 201 |

| | | |
|-------|--|-----|
| 6.5.3 | Separation of sidebands by their order, and PASS | 202 |
| 6.6 | Separation of dipolar patterns by isotropic shifts | 205 |
| 6.6.1 | Separation of heteronuclear dipolar sideband patterns | 205 |
| 6.6.2 | Separation of heteronuclear powder patterns | 210 |
| 6.6.3 | ^1H - ^{13}C Pake patterns in unlabelled solids | 210 |
| 6.6.4 | ^{13}C - ^{13}C dipolar recovery at the magic angle (DRAMA) | 211 |
| 6.6.5 | Rotational-echo double resonance (REDOR) | 212 |
| 6.6.6 | ^1H -wideline separation (WISE) | 213 |
| 6.7 | Correlation experiments | 216 |
| 6.7.1 | Homonuclear ^{13}C chemical-shift correlation for single crystals | 216 |
| 6.7.2 | Heteronuclear correlation of isotropic chemical shifts | 217 |
| 6.7.3 | Correlation of static ^{13}C chemical-shift and ^{13}C - ^1H dipolar patterns | 220 |
| 6.7.4 | Correlation of static ^{13}C chemical-shift and ^{13}C - ^1H dipolar patterns under SASS conditions | 225 |
| 6.7.5 | Correlation of ^{13}C chemical-shift and ^{13}C - ^1H dipolar interactions under slow MAS | 226 |
| 6.7.6 | Zero-field correlation experiments | 227 |
| 6.8 | 2D Relaxation NMR | 227 |
| 6.9 | Separation vs. correlation – Part II | 231 |
| 6.10 | References | 233 |

CHAPTER SEVEN

| | | |
|--------|---|-----|
| | Polymer Dynamics: Multidimensional Exchange Experiments | 236 |
| 7.1 | Introduction | 236 |
| 7.2 | Exchange by segmental reorientations | 239 |
| 7.3 | 2D exchange powder spectra for vanishing asymmetry parameter ($\eta = 0$) | 240 |
| 7.4 | The reorientation-angle distribution | 244 |
| 7.5 | 2D Exchange powder spectra for $\eta \neq 0$ | 247 |
| 7.6 | The symmetry of the exchange patterns | 249 |
| 7.7 | Exchange patterns for rotation around a principal axis | 250 |
| 7.8 | 2D exchange spectra of oriented samples | 250 |
| 7.9 | Model-independent information from 2D exchange spectra | 254 |
| 7.10 | 3D Exchange NMR | 255 |
| 7.10.1 | The relevance of 3D exchange NMR in complex solid materials | 255 |
| 7.10.2 | Two-dimensional cross-sections of 3D spectra | 257 |
| 7.11 | The MAS sideband-exchange 2D experiment | 259 |
| 7.12 | Helical jumps in polymer crystallites detected by 2D and 3D NMR | 260 |
| 7.13 | Characterization of dynamics in the glassy state by 2D exchange NMR | 268 |
| 7.14 | Dynamical exchange of isotropic shifts | 269 |
| 7.14.1 | Chemical exchange in low-molar-mass solids | 270 |
| 7.14.2 | Isotropic-shift exchange in PE by chain diffusion in polyethylene | 271 |
| 7.15 | References | 274 |

CONTENTS

ix

| | |
|--|-----|
| CHAPTER EIGHT | 277 |
| Multidimensional Exchange NMR Above the Glass Transition | 277 |
| 8.1 Dynamics above the glass transition | 277 |
| 8.2 2D exchange experiments | 279 |
| 8.3 Exchange near T_g in inhomogeneous systems | 284 |
| 8.4 Reduced 4D experiment | 286 |
| 8.5 Trans-gauche isomerizations above T_g | 289 |
| 8.6 3D exchange NMR above T_g | 292 |
| 8.7 Summary of results of multidimensional exchange NMR above T_g | 294 |
| 8.8 References | 295 |
| CHAPTER NINE | 297 |
| Multidimensional Spectra, Correlation Functions, and Stochastic Processes | 297 |
| 9.1 2D Exchange spectra and correlation functions | 297 |
| 9.1.1 Basics on thermal motions and correlation functions | 297 |
| 9.1.2 Simple and space-time correlation functions | 299 |
| 9.1.3 Exchange NMR signals vs. correlation functions in neutron scattering | 301 |
| 9.1.4 Time-dependent orientational autocorrelation functions $C_L(t)$ | 304 |
| 9.1.5 How to determine $C_L(t)$ from 2D exchange spectra | 305 |
| 9.1.6 Non-ergodicity | 307 |
| 9.1.7 Helical-jump correlation functions | 307 |
| 9.2 Distributions of correlation times | 309 |
| 9.3 Stochastic processes and probabilities | 310 |
| 9.3.1 Markov processes | 311 |
| 9.3.2 Information on stochastic processes from 3D exchange spectra | 313 |
| 9.3.3 Analysis of the reduced 4D experiment | 315 |
| 9.4 The exchange matrix | 316 |
| 9.5 References | 318 |
| CHAPTER TEN | 319 |
| Time-Domain Signals for Multidimensional Spectra | 319 |
| 10.1 Introduction | 319 |
| 10.2 Pulse sequences for exchange spectroscopy | 319 |
| 10.2.1 Amplitude modulation for $S = \frac{1}{2}$ | 319 |
| 10.2.2 Pulse sequences for 2D exchange ^{13}C NMR | 320 |
| 10.2.3 Stimulated echoes in the 2D time signals | 321 |
| 10.2.4 Exchange pulse sequences for ^2H quadrupolar coupling | 323 |
| 10.2.5 T_1 relaxation during the mixing time | 326 |
| 10.2.6 Limits to the mixing times | 328 |
| 10.3 Motion during evolution and detection periods | 328 |
| 10.4 2D MAS exchange time signals | 332 |
| 10.4.1 Time signals in the sideband-exchange experiment | 332 |
| 10.4.2 MAS 'time-reversed' signal | 334 |

CONTENTS

| | | |
|--|---|-----|
| 10.4.3 | Correlation of isotropic chemical shifts with totally isotropic evolution | 336 |
| 10.5 | Practical hints for 2D spectroscopy of polymers | 337 |
| 10.6 | References | 340 |
| CHAPTER ELEVEN | | 341 |
| Multidimensional Exchange Spectra: Simulations, Models, Angle Distributions | | 341 |
| 11.1 | Motivation | 341 |
| 11.2 | Basic technicalities of spectral simulations | 341 |
| 11.3 | 2D powder spectra for axially symmetric coupling ($\eta = 0$) | 342 |
| 11.4 | Reorientation-angle distributions for various models | 343 |
| 11.4.1 | Random jumps | 344 |
| 11.4.2 | Uniaxial rotational diffusion | 344 |
| 11.4.3 | Isotropic rotational diffusion | 347 |
| 11.5 | Spectra for non-axially-symmetric coupling ($\eta > 0$) | 349 |
| 11.5.1 | Simulation for discrete jumps | 349 |
| 11.5.2 | Simulation for random jumps ($\eta > 0$) | 350 |
| 11.5.3 | Simulation for isotropic rotational diffusion ($\eta > 0$) | 351 |
| 11.6 | Model-independent extraction of angular distributions from NMR spectra | 352 |
| 11.7 | Linear least-squares fits | 356 |
| 11.8 | References | 358 |
| CHAPTER TWELVE | | 360 |
| Determination of Order in Polymers by Multidimensional NMR | | 360 |
| 12.1 | Introduction | 360 |
| 12.2 | Angles and coordinate systems | 361 |
| 12.3 | Moment expansions | 363 |
| 12.3.1 | Moment expansions for a uniaxial system | 363 |
| 12.3.2 | P_L -Weighted spectra for the moment expansion | 367 |
| 12.3.3 | Full moment expansion for non-axial systems | 369 |
| 12.4 | Synchronized-MAS 2D experiment: site-resolved orientation measurement | 371 |
| 12.4.1 | Molecular orientation and sidebands intensities in the sync-MAS 2D spectrum | 372 |
| 12.4.2 | Analysis for systems with transverse isotropy | 377 |
| 12.4.3 | Macroscopically uniaxial systems without transverse isotropy | 379 |
| 12.4.4 | Sync-MAS 2D studies of oriented polymers | 380 |
| 12.5 | 3D spectra with side-band separated orientation spectra | 384 |
| 12.6 | 3D correlation of order and motion | 385 |
| 12.7 | The DECODER technique | 388 |
| 12.7.1 | Introduction and motivation | 389 |
| 12.7.2 | Relation between orientational and spectral features | 389 |
| 12.7.3 | Analogy of DECODER NMR and wide-angle X-ray scattering | 396 |

CONTENTS

xi

| | |
|--|-----|
| 12.7.4 Applications of the DECODER experiment | 397 |
| 12.8 References | 401 |
| CHAPTER THIRTEEN 402 | |
| Domain Sizes and Internuclear Distances From Spin Diffusion and Dipolar Couplings | 402 |
| 13.1 Introduction | 402 |
| 13.2 ^1H spin diffusion | 403 |
| 13.2.1 ^1H experiments: principles and 1D spectra | 403 |
| 13.2.2 The CRAMPS 2D exchange experiment | 405 |
| 13.2.3 ^1H spin diffusion with ^{13}C detection | 406 |
| 13.2.4 2D vs. selective 1D ^1H – ^{13}C spectra | 407 |
| 13.2.5 WISE 2D experiments with ^1H spin diffusion | 408 |
| 13.2.6 Selective saturation transfer | 410 |
| 13.2.7 Short review of ^1H spin-diffusion studies | 411 |
| 13.3 Analysis of ^1H spin-diffusion data | 413 |
| 13.3.1 Initial rate, interfacial area, and domain sizes | 414 |
| 13.3.2 Analytical solutions | 417 |
| 13.3.3 Lattice calculations of diffusion | 421 |
| 13.3.4 ^1H spin diffusion compared with small-angle scattering | 422 |
| 13.4 ^1H spin diffusion data at long mixing times | 423 |
| 13.4.1 Effects of T_1 relaxation | 423 |
| 13.4.2 How to obtain complete-exchange intensities | 424 |
| 13.5 ^{13}C spin diffusion | 425 |
| 13.5.1 Low-abundance problem in short-range structural analysis | 426 |
| 13.5.2 2D exchange powder patterns | 426 |
| 13.5.3 ^{13}C spin exchange between resolved sites | 429 |
| 13.5.4 Speeding-up of ^{13}C spin diffusion | 430 |
| 13.5.5 Radio-frequency-driven spin diffusion | 431 |
| 13.5.6 Rotor-driven ^{13}C spin diffusion | 432 |
| 13.5.7 Rotational resonance | 436 |
| 13.6 References | 438 |
| APPENDICES 440 | |
| Appendix A Trigonometric and Geometric Relations, Complex Numbers | 440 |
| A.1 Simple trigonometry | 440 |
| A.2 Complex numbers and complex exponentials | 441 |
| A.3 Miscellaneous | 443 |
| Appendix B Rotations and Euler Angles | 444 |
| B.1 Active vs. passive rotations | 444 |
| B.2 Euler angles and rotation matrices | 445 |
| B.3 Rotation of functions | 448 |
| B.4 Rotations in spin space | 449 |
| B.5 Irreducible tensors and Wigner rotation matrices | 449 |

| | | |
|-------------------|---|-----|
| Appendix C | Evolution of ^2H Density-Operator Terms Under Pulses and Quadrupole Coupling | 453 |
| Appendix D | Useful Tools in Matrix Algebra | 454 |
| D.1 | Introduction | 454 |
| D.2 | The principal-value problem | 454 |
| D.3 | Diagonalization and the principal-axes system | 455 |
| D.4 | How to simplify exponential matrices by diagonalization | 456 |
| Appendix E | Differential Conservation of the Integral and the Jacobian Determinant | 457 |
| Appendix F | Ellipses, Ellipsoids, and the Lissajou Representation | 461 |
| Appendix G | Truncation of Hamiltonians | 463 |
| Index | | 466 |