

Mass transport in solids and fluids

David S. Wilkinson

Department of Materials Science and Engineering,
McMaster University

Cover photograph: Transmission electron micrograph images of an Al–4 wt% Cu alloy during *in-situ* annealing within the electron microscope at 320 °C. These two micrographs, taken 15 minutes apart, show the progressive dissolution of platelike particles of CuAl_2 . The field of each micrograph is about 4 μm wide. (Courtesy of Prof. G. C. Weatherly, McMaster University.)



CAMBRIDGE
UNIVERSITY PRESS

Contents

Preface *xiii*
Principal symbols *xv*

Part A: Overview *1*

- 1 Introduction to mass transport mechanisms *3*
- 1.1 Mass transport processes *3*
- 1.2 Statement of Fick's First Law *4*
- 1.3 Mechanisms of diffusion *6*
- 1.4 Diffusion in solids *7*
- 1.4.1 Interstitial diffusion *8*
- 1.4.2 Vacancy diffusion *11*
- 1.4.3 Diffusion in alloys *13*
- 1.4.4 Diffusion in compounds *14*
- 1.5 Diffusion in liquids *14*
- 1.6 Diffusion in gases *15*
- 1.7 Diffusion data *17*
- 1.8 Mass transport by convection *19*
- 1.9 Further reading *20*
- 1.10 Problems to chapter 1 *20*

Part B: Solid-state diffusion in dilute alloys *23*

- 2 Steady-state diffusion *25*
- 2.1 Fick's First Law *26*
- 2.2 Applications to steady-state problems *26*
- 2.2.1 Measurement of the diffusion coefficient *26*
- 2.2.2 Permeability of gases through a solid *29*
- 2.2.3 Diffusion in parallel through a composite solid *35*

| | | |
|-------|---|----|
| 2.3 | Growth of surface layers – pseudo steady state | 39 |
| 2.3.1 | Growth of oxide films | 39 |
| 2.3.2 | Slip casting | 43 |
| 2.4 | Further reading | 44 |
| 2.5 | Problems to chapter 2 | 44 |
| | | |
| 3 | Transient diffusion problems | 47 |
| 3.1 | Fick's Second Law | 47 |
| 3.2 | Solutions to Fick's Second Law | 50 |
| 3.2.1 | Introduction | 50 |
| 3.2.2 | Approaches to solving transient diffusion problems | 51 |
| 3.3 | Solutions to Fick's Second Law at short time (far from equilibrium) | 54 |
| 3.3.1 | Plane initial source | 54 |
| 3.3.2 | Diffusion from a distributed source | 60 |
| 3.3.3 | Diffusion from a surface at fixed concentration | 64 |
| 3.3.4 | Diffusion between two solids with different initial solute concentration | 68 |
| 3.4 | The nominal diffusion distance | 68 |
| 3.5 | Solution methods for Fick's Second Law at longer time (near equilibrium) | 72 |
| 3.5.1 | Diffusion in a slab from a plane initial source | 72 |
| 3.5.2 | Use of image sources | 73 |
| 3.5.3 | General solutions to Fick's Second Law | 77 |
| 3.6 | Standard solutions to long-time transient diffusion problems | 80 |
| 3.6.1 | Uniform initial concentration C_i and fixed surface concentration C_s | 80 |
| 3.6.2 | Uniform initial concentration C_i with fixed surface flux J^* | 85 |
| 3.6.3 | Uniform initial concentration but different boundary conditions | 86 |
| 3.6.4 | Diffusion through a hollow cylinder or sphere | 88 |
| 3.6.5 | Other solutions | 89 |
| 3.7 | Further reading | 90 |
| 3.8 | Problems to chapter 3 | 90 |
| | | |
| 4 | Applications to problems in materials engineering | 96 |
| 4.1 | Introduction | 96 |
| 4.2 | Boundary conditions | 97 |
| | | |
| 5 | Applications involving gas–solid reactions | 99 |
| 5.1 | Introduction | 99 |

| | | |
|-------|--|------------|
| 5.2 | Simple gas–solid reactions | 100 |
| 5.3 | Reactions involving gas mixtures | 104 |
| 5.4 | Semiconductor doping | 105 |
| 5.5 | Gas/solid interfaces without local equilibrium | 107 |
| 5.6 | Further reading | 109 |
| 5.7 | Problems to chapter 5 | 109 |
| 6 | Heat treatment of binary alloys | 114 |
| 6.1 | Introduction | 114 |
| 6.2 | Changing temperature within a two-phase field | 115 |
| 6.2.1 | Solution valid at short time | 117 |
| 6.2.2 | Solution valid at long time | 117 |
| 6.3 | Particle dissolution | 120 |
| 6.3.1 | Dissolution of plates | 120 |
| 6.3.2 | Dissolution of spherical particles | 123 |
| 6.4 | Growth of second-phase particles by solute rejection | 125 |
| 6.4.1 | Planar growth | 125 |
| 6.4.2 | Precipitation of spherical particles | 130 |
| 6.5 | Cooperative growth processes | 132 |
| 6.6 | Further reading | 136 |
| 6.7 | Problems to chapter 6 | 136 |
| | Part C: Mass transport in concentrated alloys and fluids | 147 |
| 7 | Diffusion in concentrated alloys and fluids | 149 |
| 7.1 | Concept of counter diffusion | 150 |
| 7.2 | Kirkendall effect in solids | 153 |
| 7.2.1 | Interdiffusion coefficient | 153 |
| 7.2.2 | Diffusion couples | 157 |
| 7.3 | Solid-state diffusion couples involving immiscible phases | 159 |
| 7.3.1 | Simple diffusion couples for immiscible solids with no intermediate phases | 159 |
| 7.3.2 | Couples with intermediate phases | 162 |
| 7.4 | Diffusion in quiescent fluids | 166 |
| 7.4.1 | Simple evaporation | 167 |
| 7.4.2 | Evaporation involving reactions at a front | 169 |
| 7.4.3 | Particle condensation during evaporation | 171 |
| 7.5 | Near-surface internal precipitation in alloys | 173 |
| 7.6 | Further reading | 176 |
| 7.7 | Problems to chapter 7 | 176 |
| 8 | Mass transport in the presence of convection | 183 |
| 8.1 | Transient diffusion in fluids | 183 |

| | | |
|--------|--|------------|
| 8.2 | Mass transport at a flowing interface | 185 |
| 8.3 | Mass transfer coefficient | 187 |
| 8.3.1 | Mass transfer to spheres | 188 |
| 8.3.2 | Mass transfer coefficient for other geometries | 190 |
| 8.4 | Models for mass transfer | 191 |
| 8.4.1 | Stagnant film model | 191 |
| 8.4.2 | Higbie penetration model | 192 |
| 8.4.3 | Application to modelling evaporation from molten metal | 194 |
| 8.5 | Quiescent systems containing internal reactions | 195 |
| 8.6 | Further reading | 197 |
| 8.7 | Problems to chapter 8 | 197 |
| 9 | Advanced topics | 202 |
| 9.1 | Overall mass balance | 202 |
| 9.2 | Multi-phase resistances | 206 |
| 9.3 | Topochemical reaction kinetics | 209 |
| 9.3.1 | Reduction of oxide pellets | 209 |
| 9.3.2 | Gas diffusivity in porous solids | 212 |
| 9.4 | Further reading | 214 |
| 9.5 | Problems to chapter 9 | 214 |
| | Part D: Alternative driving forces for diffusion | 221 |
| 10 | General driving force for diffusion | 223 |
| 10.1 | Theory | 223 |
| 10.2 | Diffusion due to an electrical field | 226 |
| 10.3 | Diffusion due to mechanical stress | 227 |
| 10.3.1 | Vacancy diffusion due to local forces | 227 |
| 10.3.2 | Application to diffusion creep | 230 |
| 10.4 | Diffusion due to surface curvature | 231 |
| 10.5 | Diffusion due to an activity gradient | 232 |
| 10.5.1 | Application to 'uphill' diffusion | 233 |
| 10.6 | Further reading | 234 |
| 10.7 | Problems to chapter 10 | 234 |
| | Appendices | 236 |
| A | Mathematical methods for the solution of Fick's Second Law | 236 |
| A.1 | Separation of variables method | 236 |
| A.2 | Laplace transform method | 240 |
| B | Selected diffusion data | 242 |
| B.1 | Self-diffusivity of the elements | 242 |

| | | |
|-----|---|-----|
| B.2 | Solute diffusivity in compounds | 242 |
| B.3 | Solute diffusivity in alloys | 243 |
| C | Selected binary and pseudo-binary phase diagrams | 244 |
| D | Solving problems by developing conceptual models | 258 |
| D.1 | Introduction | 258 |
| D.2 | General method (to be adapted for particular cases) | 259 |
| D.3 | Example | 261 |
| D.4 | Problems on modelling | 264 |
| E | Useful fundamental constants and conversions | 267 |
| | <i>Index</i> | 268 |