5 56

Prefabrication with Concrete

A.S.G. BRUGGELING G.F.HUYGHE



Institut f. Massivber der Tochn. Hochschule Dormstadt

Inv.-Nr. 8573

A.A. BALKEMA / ROTTERDAM / BROOKFIELD / 1991

Table of contents

Pr	KEFACE	лш
N	OTATION	xv
LI	ST OF FORMULAS	XIX
1	INTRODUCTION	
1	Prefabrication requires skill	1
2	Consequences of prefabrication	2
3	Precast elements	5
4	The structure	12
	Selection of the structural elements 12; Assembly of precast elements 12;	
	Connections 14; Modular coordination and tolerances 14; Possibilities of	
	demounting 19	
5	Strut and tie model	20
6	The composition of this book	24

2 THE ANCHORAGE OF REINFORCEMENT

1 The anchorage of straight high bond reinforcing bars The anchorage of a reinforcing bar in a wall with a tensile force 26; The anchorage of a reinforcing bar in the tensile zone of a beam with a tensile force 30; The anchorage of a welded mesh with a tensile force 32; The transmission to the concrete of a compressive force in a reinforcing bar 33; The anchorage of a bar with an anchorage plate welded at one bar end with a tensile force 35; The anchorage of a reinforcing bar to a welded cross-bar 36

2 Overlaps and splices in reinforcing bars Overlap or splice of two high bond bars, loaded in tension 37; Overlap of two bars, loaded in compression 40; Splice of two bars in compression by a cold joint 41; Overlap of bars by a grouted duct around a protruding 37

26

×7777

bar 42; Coupling of bars with threaded ends 43; Overlap of two round curved bars, loaded in tension 44; Welded reinforcing bars 45

- 3 Loops, hairpins and round curved reinforcing bars Loop in a reinforcing bar – Symmetrically loaded 46; Overlap of two bars behind a bend of 90° in one of the bars 49; Anchorage of a reinforcing bar by a bend of 90° 51; Hairpin in a reinforcing bar – Symmetrically loaded 53; Overlap of two symmetrical loops loaded in tension 55; Asymmetrical overlap of two loops 57; Asymmetrical overlap of loops in a corner 59
- 4 Anchorage in the bend of stirrups Anchorage in the bend of a stirrup 61; Splice of parts of a stirrup by overlap 62; Splice of parts of a stirrup by hooks 62
- 5 Reinforced concrete tension member in the serviceability state The relationship between a tensile force and the elongation 64; Crack width 64; Maximum elongation 67; The magnitude of the tensile force F at the initiation of the first crack 67; The relationship between the force F and the elongation ε 67; Detailing of the reinforcement of a tension member 68; Values to be used in practical calculations 68; Example of calculation 69

3 THE ANCHORAGE OF PRESTRESSING STEEL

1	Exterior concentrated compressive force	71
	Assumptions 71; The dimensions of the steel bearing plate 71; Tensile	
	forces in the concrete in the zone of transfer 72; Group of bearing plates	
	74; Example of calculation 74	
2	Interior concentrated compressive force	75
	Strut and tie model 75; Example of calculation 77	
3	Prestressing force provided in a connection	78
4	Coupling of prestressing tendons	79
5	Pretensioned prestressing	79
	Transmission of a prestressing force by bond 79; Transverse reinforce-	
	ment in the transmission zone 83	
6	Transfer of prestressing forces to a concrete structure	85

4 JOINTS

1	Mortar joint	87
	Assumptions 87; Determination of the strength of a mortar joint 87;	
	Detailing 89; Execution 91; Example of calculation and example of the	
	cross-section of the reinforcement in a joint between two columns 92	
2	Concrete joints cast in situ	94
	Assumptions 94; Calculation of the strength of concrete joints 94; Rein-	
	forcement crossing concrete joints 99: Reinforcement in the concrete ele-	

46

61

VI Table of contents

ment near the surface of the joint 100; Execution 101; Example of calculation and detailing 102 3 Joints with a bonding agent 103 Assumptions 103: Calculation of the strength of the joints 103: Functions of the bonding agent 104: Execution 105 4 'Cold' joints (match cast joints without a bonding agent) 105 Assumptions 105 5 Shear in the interface between precast concrete units and in situ concrete 106 Introduction 106: The magnitude of the shear stress at ultimate load 108: No reinforcement crossing the interface 109; Reinforcement crossing the interface 110; Execution 112; Example of calculation 112 6 Joints in architectural concrete 113

5 WELDS, GLUED STEEL STRIPS, BEARING PADS

1	Welded connections	117
	General remarks 117; Direct welding of protruding reinforcement 118;	
	Indirect welding of protruding reinforcement with special steel compo-	
	nents 118: Direct welding of steel elements provided in the concrete sur-	
	face 119; Indirect welding of steel elements, anchored in the concrete	
	structure, with special steel components 119	
2	Glued steel strips	120
3	Bearing pads	121
	'Cold' support 123; Mortar joint used as a bearing pad 123; Steel bear-	
	ings 123; Felt bearing pads 124; Lead 124; Plain elastomeric bearing	
	pads 125; Elastomeric sandwich bearings 125; Bearing pads with teflon	
	(P.T.F.E.) 128; Durability, maintenance, replaceability of bearing pads	
	128	

6 CONNECTIONS BETWEEN VERTICAL ELEMENTS

1 A column to base or wall to base connection Column: Reinforcing bars protruding from the foundation into vertical ducts in the bottom of the column 129; Wall: Reinforcing bars protruding from the foundation into ducts situated in the centre of the bottom part of the wall 131; Column: One dowel pin protruding from the foundation into a recess in the centre of the bottom of the column 131; Wall: Dowel pins protruding from the centre of the wall into recesses in the foundation 132; Column: Steel base plates on a mortar joint connected to the foundation and bolted to bars protruding from the foundation 133; Column placed in a box-shaped footing (foundation), termed socket connection 134; Wall (cladding panel) placed in a sleeve in the foundation 137; Column to base connection by prestressing 137; Wall to base connection by prestressing 140

VIII Table of contents

2	Vertical connection of two columns or two walls Column to column connection with bars 140; Wall to wall connection, reinforcing bars 141; Column to column connection, one dowel pin 142; Wall to wall connection, dowel pins 142; Wall to wall connection with dowels 142; Wall to wall connection with a mortar joint only 143; Col- umn to column connection by prestressing 143; Wall to wall connection by prestressing 144; Column to column connection by welding 144; Wall to wall connection by welding 145	140
3	Summary of relevant properties of the Connections VF	147
4	Summary of relevant properties of the Connections VV	147
7	SIMPLY SUPPORTED CONNECTIONS BETWEEN HORIZONTAL AND VERTICAL ELEMENTS AND NON-LOAD-BEARING JOINTS	•
1	Beams on top of a column	148
	Slab(s) on top of a wall 152; Two slabs on top of a wall 153	
2	Beams with a tooth near the support on top of a column or on a corbel Slab with a tooth near the support on top of a wall or on a corbel 158	156
3	Beams with or without a tooth supported on columns with corbels Slabs supported on walls with ribs 162	159
4	Beams supported by mushroomlike corbels	162
•	Slabs supported by mushroomlike corbels 163; Four beams supported by one column 164	
5	Beams supported by steel corbels	164
6	Welded connection of a beam to the support	166
v	Welded connection of a slab to the support 167; Welded connection of a	100
-	11-stab to the support 107	107
1	Non-load-bearing joints	10/
8	Summary of relevant properties of the Connections FS	169

8 RIGID CONNECTIONS BETWEEN TWO HORIZONTAL OR HORIZON-TAL AND VERTICAL ELEMENTS

- 1 Rigid connection between two horizontal elements with a common axis 170 Rigid connection of two beams within their structural height to the reinforcement 170; Rigid connection of two slabs within their structural height to the reinforcement 174; Rigid connection of two beams by a reinforced concrete slab on top of the precast beams, concreted in situ 175; Rigid connection of two slabs by a reinforced concrete slab 175; Rigid connection of two beams within their structural height by prestressing 175
- 2 Connections between horizontal elements and main beams Beams or slabs on top of the main beam or ledger beam rigidly connected to loops 178; Beams or slabs simply supported on top of main beams or ledger beams 180; Beams or slabs simply supported by bottom flanges or corbels on the main beams or ledger beams 181; Beams or slabs sup-

ported on corbels or bottom flanges and rigidly connected to the main beams or ledger beams 182; Composite structures 184

- 3 Rigid connections between horizontal and vertical elements Beam on top of a column 186; Connection between a beam and two columns 187; Connection of a beam to the shaft of a column 187; Beams and columns 189; Beam to column connection by precasting 189; Slabs and walls 190
- 4 Connections between horizontal elements and cores or shear walls Beam free supporting on a corbel of the wall 191; TT-slabs free supporting on ribs of the wall 192; Hollow core slabs on ribs of a wall 193; Beam, free supporting in a recess of the wall 194; TT-slabs free supporting in a recess of the wall 194; Longitudinal joint between a TT-slab and a wall 196; Longitudinal connection between a hollow core slab and a wall 197; Precast concrete frame around a core 198

9 STRUCTURAL SYSTEMS FOR BUILDINGS AND THE ASSOCIATED BUILDING REQUIREMENTS

1	General remarks	199
2	Design and detailing	199
	The system 199; Choice of elements 200; Connections 201; Facades -	
	External walls 201	
3	Strength analysis of the structural components	202
4	Stability	202
5	Progressive collapse	203
6	Fire resistance	206
	Concrete at elevated temperatures 206; Reinforcement 207; Prestressing	
	steel 207; Practical evaluation of the fire resistance 209	
7	Renovation, demounting and demolition	211

10 SINGLE-STOREY BUILDING SYSTEMS

1	General	214
	Type of buildings 214; Functional requirements 214; The structure 214	
2	Systems of the precast structure	215
	Structure S1 composed of columns, beams, TT-slabs 215; Structure S2 composed of columns, beams and roof elements 216; Structure S3 com-	
	TT slobs or hollow core slobs 218	
_	11-stabs of notion core stabs 218	
3	Modular coordination of the dimensions	220
4	Roof structures with supporting columns and the associated connections	221
	Foundation 222; Columns 222; Roof beams 223; Supporting beams 226;	
	Purlins 226	

186

X Table of contents

5	Roof slabs and wall elements with the associated connections	227
	Roof slabs 227; Wall constructions and the associated connections 229	
6	Other aspects	233
	Fire resistance 233: Demountability 233: Expansion joints 234	

11 MULTISTOREY BUILDINGS IN GENERAL

1	General	235
	Type of buildings 235; Functional requirements 235; The structure 237;	
	Design and detailing 237	
2	Floor construction	238
	General 238; TT-slabs 239; Hollow core slabs 241; Solid concrete slabs	
	247; Other floor constructions 248	
3	Load distribution in floor constructions	248
	Load distribution in floor constructions with a reinforced concrete top-	
	ping 248; Load distribution in floor constructions consisting of TT-slabs	
	without concrete topping 249; Load distribution in floor constructions	
	with hollow core slabs without concrete topping 249	
4	Diaphragm action of precast concrete floor constructions	251
	General 251; Flow of forces in a diaphragm consisting of precast ele-	
	ments 252; Types of floor construction with precast elements 254; Lon-	
	gitudinal joints 261	
5	Cores and shear walls	263
•	General 263; Stress distribution 263; Connections 265; Large panel con-	
	structions 267; Facade structure 267	
6	Other aspects	268
	•	

12 INDUSTRIAL AND COMMERCIAL MULTISTOREY BUILDINGS

1	General	270
	Type of buildings 270; Functional requirements 270; The structure 271	
2	Systems of the precast structure	272
	Structure S11 273; Structure S12 273; Cores and shear walls 274; Struc-	
	ture SP – Car-parks 274	
3	Modular coordination	278
4	Vertical elements and the associated connections	279
	Foundation 279; Columns 280; Special vertical structural elements 281;	
	Cores 282; Shear walls 283	
5	Horizontal elements and the associated connections	283
	Beams 283; Floor construction-to-ledger beam connection 284; Floor	
	construction-to-main beam connection 287; Floor construction-to-main	
	beam-to-column connection 289; Floor construction-to-stabilizing core-	
	to-shear wall connection 292	
6	Other aspects	294

13 MULTISTOREY OFFICE AND APARTMENT BUILDINGS

1	General	295
	Type of buildings 295; Functional requirements 295; The structure 296	
2	Systems of the precast structure	297
	Structure S21 297; Structure S22 297; Structure S23 298; Structure S24	
	299; Structure S25 301	
3	Modular coordination	303
4	Vertical elements and the associated connections	303
	Foundation 303; Columns 304; Wall panels 304; Loadbearing facade ele-	
	ments 306; Vertical joints between wall panels 307	
5	Horizontal elements and the associated connections	307
	Beams 307; Floor construction 307; Balconies 310	
6	Other aspects	311

14 VIADUCTS AND BRIDGES

1	General	312
	Type of bridges and viaducts 313; Functional requirements 315; Struc-	
	tures 315	
2	Systems of precast deck structures for viaducts and bridges	317
	BI Solid slabs partly concreted in situ 317; B2 Beams with slabs con-	
	creted in situ on top 319; B3 Beams connected in transverse direction	
	by prestressing 321; B4 Box girders constructed segmentally 324	
3	Modular coordination	326
4	Standardization	327
	Traffic loads 327: Dimensions of precast elements 329: Design of a pre-	
	cast concrete structure for bridges or viaducts 332	
5	The longitudinal shape of the structure	334
-	General 334: Structures of expansion joints 336: Rigid connection above	
	supports 341: Ground-plan 349	
6	Cross-section of the bridge or the viaduct	352
	General 352; Lateral load distribution 353; The bridge deck 354; Road	
	surface 355: Diaphragms 355: Collision 357: Inclined road surface 358	
7	Parapet, handrails, crash barriers etc.	360
	Parapet beam 360; Handrails – Crash barriers 364; Discharge of rain	
	water 365	
8	Piers, abutments, bearings	366
-	General 366: Piers 368: Abutments 370	
9	Segmental construction	370
-	General 370: The cross-section 370: The shape of the longitudinal profile	
	of the structure 371: Match cast joint 371: External prestressing 372	

REFERENCES