

When Psychopharmacology Is Not Enough

Using Cognitive Behavioral Therapy Techniques for Persons
With Persistent Psychosis

Rebekka Lencer^{1,2,3}

Margret S. H. Harris¹

Peter J. Weiden¹

Rolf-Dieter Stieglitz⁴

Roland Vauth⁴

¹ Center for Cognitive Medicine, Department of Psychiatry, University of Illinois at Chicago, Chicago, IL, USA

² Psychiatry and Psychotherapy Clinic, University of Lübeck, Germany

³ Psychiatry and Psychotherapy Clinic, University of Münster, Germany

⁴ Psychiatric Outpatient Department, University Hospital of Psychiatry, Basel, Switzerland

HOGREFE



Table of Contents

Preface to the American Edition (2010)	xi
Preface to the German Edition (2006)	xiii
1 Review of Treatment Approaches for Psychosis	1
1.1 The Biomedical Model: Psychoeducation Directed Toward Medication Adherence	1
1.2 Family Therapy	3
1.3 Personal Therapy: An Individualized Stepwise Treatment Approach	5
1.4 Cognitive Remediation	7
2 Moving Beyond a Biological Model	12
3 Evidence Supporting the Use of Cognitive Behavioral Therapy for Psychosis	15
4 General Aspects of Treatment	18
4.1 Treatment Goals and Treatment Components	18
4.2 Planning of Treatment Sessions	20
4.3 How to Get Patients Into Treatment: The Engagement Phase	22
4.4 Building a Stable Therapeutic Alliance	25
4.5 Special Aspects of Patient Treatment for Chronic Positive Symptoms	31
5 Cognitive Behavioral Therapy Strategies for Chronic Voice Hearing	33
5.1 Reduction of Fear and Increase of Control: Focusing Techniques	33
5.2 Change of Evaluative Processes for Voice Hearing	35
5.3 Improving Coping Strategies	37
6 Cognitive Behavioral Therapy Strategies for Chronic Delusions	43
6.1 Creating the Right Conditions for Change: Normalizing and Using Analogies	43
6.2 Strategies for Cognitive Restructuring of Persistent Delusions	47
6.3 Contradiction and Confirmation of Personal Experiences	53
6.4 Reality Testing and Behavior Experiments	56
6.5 Long-Term Stabilization of Achieved Therapy Effects	58
7 Why Psychopharmacology May Not Be Enough	59
7.1 Basics of Using CBT for Patients Treated With Antipsychotic Medication	59
7.2 A Brief Overview of Antipsychotic Medications	60
7.2.1 What Are Antipsychotic Medications, and How Are They Classified?	61
7.2.2 What Are the Benefits of Antipsychotic Medications?	62
7.2.3 What Are the Limitations of Antipsychotic Medication?	62
7.2.4 Are There Any Other Limitations in “Real World” Clinical Practice?	63
7.2.5 The Problem of Partial Efficacy: Glass Half Full or Half Empty, or Both?	63
7.3 Choosing an Approach: Changing Medication, or a CBT Adjunct?	65

8 Cognitive Behavioral Therapy for Psychosis and Medication Adherence 66

8.1 Understanding Medication Nonadherence: Taking the Patient’s Perspective 66

8.1.1 Impact of Adherence Problems on Clinical Outcomes. 68

8.1.2 The Importance of Understanding Adherence Attitudes 69

8.2 Can a CBT Approach Encourage Nonadherence? 70

8.3 Is CBT Appropriate for Patients Who Refuse Medication? 71

8.4 Using CBT to Assess and Improve Adherence. 73

8.4.1 Frame Any Adherence Discussion in a Way That Preserves the Therapeutic Alliance. 74

8.4.2 Make Sure That You Assess Both Adherence Attitude and Adherence Behavior. 74

8.4.3 Understand the Full Spectrum of Adherence Influences Before Commenting on Adherence 75

8.4.4 Normalize Nonadherence and Nondisclosure of Nonadherence 75

8.4.5 Frame Any Discussion of Adherence Problems in Terms of Desired Outcomes, Not Obedience 75

8.4.6 Eliciting Medication Attitudes and Experience 77

8.5 Indications for the CBT Adherence Intervention 77

8.6 Understanding Adherence Attitudes: The Health Belief Dialogue. 79

8.6.1 Addressing “Lack of Insight” 79

8.6.2. Education and Collaboration With Family and Carers. 81

8.6.3 Patient’s Perspective on Medication Efficacy 81

8.6.4 Distress From Side Effects 82

9 Adapting CBT for Psychosis Strategies to Specific Patient Needs 83

9.1 First-Episode Psychosis 83

9.2. Dual-Diagnosis Patients 88

9.3 CBT for Psychotic Symptoms Occurring in Disorders Other Than Schizophrenia 90

9.4 Using CBT Strategies in Group Therapy Settings 91

9.5 Special Treatment Considerations: How to Deal With Treatment Obstacles. 92

10 Case Examples 94

10.1 Case Example 1: Early Psychosis Work – The Importance of Engagement and Normalizing in Working with Difficult to Engage Early-Psychosis Patients 94

10.2 Case Example 2: Chronic Patient Work – Giving the “Hopeless” Long-Term Patient New Perspectives 97

10.3 Case Example 3: Adherence Work – Using the Health Belief Dialogue to Understand Patients’ Medication Adherence Behaviors and Attitudes 100

References 102

Appendix 111

Session Tools

- Checklist for Treatment Planning
- Guided Exploratory Questions – Medication Attitudes and Experiences
- Strategy Card – Logical Reasoning
- Strategy Card – Voice Hearing