

---

# Magnetobiology: Underlying Physical Problems

Vladimir N. Binhi

General Physics Institute, Russian Academy of Sciences, Moscow



**ACADEMIC PRESS**

An Elsevier Science Imprint

San Diego San Francisco New York Boston  
London Sydney Tokyo

# CONTENTS

---

|   |           |
|---|-----------|
| Foreword  | ix        |
| Acknowledgements  | xi        |
| Notations and physical constants                            | xii       |
| <b>1 Introduction</b>                                       | <b>1</b>  |
| 1.1 An overview of magnetobiological issues                 | 3         |
| 1.2 Statistics  | 12        |
| 1.3 Methodological notes and terms                          | 16        |
| 1.3.1 Notation and terms for magnetic fields                | 17        |
| 1.4 Magnetobiological effect                                | 18        |
| 1.4.1 Evaluation of the thermal action of eddy currents     | 19        |
| 1.4.2 Criterion for classical EMF                           | 22        |
| 1.4.3 Some limitations on an electric field                 | 24        |
| 1.4.4 Limitations on plane waves                            | 26        |
| <b>2 Overview of Experimental Findings</b>                  | <b>29</b> |
| 2.1 A potpourri of experimental work                        | 32        |
| 2.1.1 Objects studied                                       | 32        |
| 2.1.2 Observables   | 34        |
| 2.1.3 EMF ranges  | 36        |
| 2.1.4 Field configurations                                  | 37        |
| 2.2 Biological effects of DC magnetic fields                | 40        |
| 2.2.1 Biological effects of weak magnetic fields            | 41        |
| 2.2.2 Orientation in the Earth's magnetic field             | 41        |
| 2.2.3 Effects of a near-zero magnetic field                 | 43        |
| 2.2.4 Biological effects of gradient magnetic fields        | 47        |
| 2.3 Biological effects of AC magnetic fields                | 50        |
| 2.3.1 Effects of combined AC-DC fields                      | 51        |
| 2.3.2 Participation of some ions in magnetoreception        | 68        |
| 2.4 Correlation of biological processes with GMF variations | 79        |
| 2.4.1 Parameters and indices of the GMF                     | 82        |
| 2.4.2 Characteristic experimental data                      | 83        |
| 2.4.3 Physical aspects of bio-GMF correlations              | 88        |
| 2.5 Spin effects in magnetobiology                          | 92        |
| 2.6 Effects of low-frequency electric fields                | 96        |
| 2.6.1 Weak electric fields                                  | 97        |

---

|          |  |            |
|----------|--|------------|
| 2.6.2    | Frequency–amplitude windows                            | 105        |
| 2.7      | Biological effects of hyperweak fields                 | 107        |
| <b>3</b> | <b>Theoretical Models of MBE</b>                       | <b>111</b> |
| 3.1      | Theoretical studies in magnetoreception                | 111        |
| 3.1.1    | Classification of MBE models                           | 112        |
| 3.1.2    | Overview of MBE mechanisms                             | 116        |
| 3.2      | Fundamental limit of susceptibility to EMF             | 122        |
| 3.2.1    | Noise limits of susceptibility of biostructures to EMF | 125        |
| 3.3      | Chemical-kinetics models                               | 128        |
| 3.4      | Models of biological effects of weak electric fields   | 131        |
| 3.5      | Stochastic resonance in magnetobiology                 | 137        |
| 3.5.1    | Stochastic resonance                                   | 137        |
| 3.5.2    | Possible role of stochastic resonance in MBE: “Gain”   | 140        |
| 3.5.3    | Constraints on the value of detectable signal          | 142        |
| 3.5.4    | SR in chemical reactions                               | 144        |
| 3.6      | Macroscopic models                                     | 148        |
| 3.6.1    | Orientational effects                                  | 148        |
| 3.6.2    | Eddy currents  | 153        |
| 3.6.3    | Superconductivity at the cellular level                | 156        |
| 3.6.4    | Magneto hydrodynamics                                  | 159        |
| 3.6.5    | Macroscopic charged objects                            | 160        |
| 3.7      | Cyclotron resonance in magnetobiology                  | 162        |
| 3.7.1    | Cyclotron resonance                                    | 162        |
| 3.7.2    | Cyclotron resonance in ion channels                    | 164        |
| 3.7.3    | Ion cyclotron resonance                                | 166        |
| 3.7.4    | On the bandwidth of a resonance-like response          | 167        |
| 3.8      | Parametric resonance in magnetobiology                 | 168        |
| 3.8.1    | Parametric resonance of a free particle in an MF       | 168        |
| 3.8.2    | Parametric resonance in atomic spectroscopy            | 173        |
| 3.8.3    | Ion parametric resonance                               | 180        |
| 3.9      | Oscillatory models                                     | 181        |
| 3.9.1    | Quantum oscillator                                     | 181        |
| 3.9.2    | Phase shifts of oscillations in an MF                  | 182        |
| 3.9.3    | Parametric resonance of a classical oscillator         | 184        |
| 3.9.4    | Models of the enzyme reaction                          | 188        |
| 3.10     | Magnetic response of spin particles                    | 188        |
| 3.10.1   | Weak and strong MF approximations                      | 191        |
| 3.11     | Free radical reactions                                 | 193        |
| 3.11.1   | Geminate recombination                                 | 194        |
| 3.11.2   | Representative experiments                             | 199        |
| 3.12     | “kT problem” in magnetobiology                         | 202        |
| 3.12.1   | Why interference?                                      | 208        |

---

|          |  |            |
|----------|--|------------|
| <b>4</b> | <b>Interference of Bound Ions</b>                              | <b>210</b> |
| 4.1      | Dissociation of ion-protein complexes in a magnetic field      | 215        |
| 4.1.1    | Model  | 217        |
| 4.1.2    | Ion states in a protein cavity                                 | 224        |
| 4.1.3    | Width of spectral peaks  | 227        |
| 4.1.4    | Dissociation probability in dimensionless variables            | 229        |
| 4.2      | Non-linear reaction of a protein                               | 233        |
| 4.2.1    | Estimate of contribution of cubic non-linearity                | 233        |
| 4.2.2    | Contribution of fourth-order non-linearity                     | 235        |
| 4.2.3    | Dissociation as a Poisson process                              | 237        |
| 4.3      | Interference in pulsed magnetic fields                         | 239        |
| 4.3.1    | Parallel pulsed and DC magnetic fields                         | 239        |
| 4.3.2    | Interpretation of some experiments with pulsed fields          | 243        |
| 4.3.3    | Amplitude spectra for pulsed modulations of an MF              | 249        |
| 4.4      | Tilted configuration of magnetic fields                        | 253        |
| 4.4.1    | Interference in perpendicular fields                           | 255        |
| 4.4.2    | Interference for tilted field orientations                     | 265        |
| 4.5      | Rotation of an ion-protein complex in a magnetic field         | 266        |
| 4.5.1    | Molecular rotation in AC-DC MF: Amplitude spectrum             | 267        |
| 4.5.2    | Macroscopic rotation in a uniaxial MF: Spectral shifts         | 271        |
| 4.5.3    | A decline in the magnetic vacuum effect                        | 271        |
| 4.6      | Influence of an electric field on interference of ions         | 275        |
| 4.6.1    | Interference of ions in a variable electric field              | 275        |
| 4.6.2    | Electric gradients in a biological tissue                      | 280        |
| 4.6.3    | Gradients due to electron polarization of ligands              | 284        |
| 4.7      | Interference against the background of a magnetic noise        | 286        |
| 4.7.1    | Agreement with experimental evidence                           | 289        |
| 4.8      | Nuclear spins in ion interference mechanisms                   | 292        |
| 4.8.1    | Spin-dependent effects in the weak field approximation         | 293        |
| 4.8.2    | Spin patterns in a uniaxial MF                                 | 298        |
| 4.9      | Comparison of theoretical calculations with experiment         | 302        |
| 4.9.1    | Frequency spectra  | 302        |
| 4.9.2    | Amplitude spectra  | 307        |
| 4.9.3    | Spectra of rotating complexes                                  | 312        |
| 4.9.4    | Pulsed MFs   | 313        |
| 4.9.5    | DC MFs and a magnetic vacuum                                   | 316        |
| 4.9.6    | Spectra in an electric field                                   | 319        |
| 4.10     | Heuristic MBE probability with various ions involved           | 323        |
| 4.11     | Limitations on applicability of the ion interference mechanism | 329        |
| <b>5</b> | <b>Prospects of Electro- and Magnetobiology</b>                | <b>332</b> |
| 5.1      | Possible role of liquid water in magnetobiology                | 332        |
| 5.1.1    | Experimental evidence for water memory                         | 333        |
| 5.1.2    | Stoichiometry and metastable behavior of water                 | 343        |

---

|          |   |            |
|----------|---|------------|
| 5.2      | Biological effects of microwaves and ion interference | 353        |
| 5.2.1    | Spectral measurements and theoretical concepts        | 354        |
| 5.2.2    | Interference in amplitude-modulated microwave fields  | 365        |
| 5.2.3    | Dissociation in circularly polarized EM fields        | 370        |
| 5.2.4    | Raman scattering at organisms and RF field effects    | 372        |
| 5.2.5    | Radio wave luminescence of water and organisms        | 375        |
| 5.3      | General ideas in electromagnetobiology                | 377        |
| 5.4      | Molecular interfering gyroscope                       | 379        |
| 5.4.1    | Relaxation time of the molecular gyroscope            | 381        |
| 5.4.2    | Estimating relaxation time from molecular dynamics    | 383        |
| 5.4.3    | Interference of the gyroscope                         | 385        |
| 5.5      | Magnetobiological problems to solve                   | 392        |
| <b>6</b> | <b>Addenda</b>  | <b>398</b> |
| 6.1      | Angular momentum operators                            | 398        |
| 6.2      | The Lande factor for ions with a nuclear spin         | 399        |
| 6.3      | Magnetic resonance                                    | 402        |
| 6.4      | Estimation of EF gradients on the cell surface        | 409        |
| 6.5      | Davydov soliton                                       | 411        |
| 6.6      | Fröhlich model of coherent dipole excitations         | 414        |
| 6.7      | Quantization of magnetic flux and Josephson effects   | 418        |
|          | <b>Bibliography</b>                                   | <b>424</b> |
|          | <b>Author Index</b>                                   | <b>468</b> |
|          | <b>Subject Index</b>                                  | <b>471</b> |