

Microbial Biochemistry

GEORGES N. COHEN

*Centre National de la Recherche Scientifique, Paris, France
and Institut Pasteur, Paris, France*



KLUWER ACADEMIC PUBLISHERS
DORDRECHT / BOSTON / LONDON

Table of Contents

| | | | |
|--|------|--|----|
| Foreword | xiii | Chapter IV. Cellular permeability | 15 |
| Introduction | xv | Accumulation, crypticity, and selective permeability | 15 |
| Chapter I. Bacterial growth | 1 | β -galactoside permease | 16 |
| The lag phase | 1 | <i>Accumulation in induced cells: kinetics and specificity</i> | 16 |
| The exponential phase | 1 | <i>The induced synthesis of galactoside permease</i> | 19 |
| Linear growth | 2 | <i>Functional significance of galactoside permease. Specific crypticity</i> | 19 |
| The yield of growth | 2 | <i>Functional relationships of permease: induction</i> | 20 |
| Variation of the growth rate at limiting carbon source concentrations | 3 | <i>Genetic relationships of galactosidase and galactoside permease</i> | 20 |
| Continuous growth. The chemostat | 3 | <i>Galactoside permease as protein</i> | 21 |
| Advantages of the continuous exponential culture | 4 | Periplasmic binding proteins and ATP binding cassettes | 23 |
| Diauxic growth | 4 | Phosphotransferases. The PTS system | 25 |
| <i>Selected references</i> | 6 | A few well-identified cases of specific cellular permeability | 26 |
| Chapter II. The outer membrane of Gram-negative bacteria and the cytoplasmic membrane | 7 | <i>Amino acid permeases</i> | 26 |
| The outer membrane of Gram-negative bacteria | 7 | <i>Peptide permeases</i> | 27 |
| The cytoplasmic membrane | 8 | Porins | 27 |
| Energy generation | 8 | Iron uptake | 29 |
| <i>ATP synthase</i> | 8 | Conclusion | 30 |
| Subunit composition of the ATP synthase | 9 | <i>Selected references</i> | 30 |
| <i>Selected references</i> | 10 | Chapter V. Allosteric enzymes | 31 |
| Chapter III. Peptidoglycan synthesis | 11 | Allosteric inhibition and activation | 33 |
| General structure | 11 | Polymeric nature of allosteric enzymes. The model of Monod, Wyman and Changeux | 34 |
| Assembly of the peptidoglycan unit | 11 | An alternative model | 37 |
| a) <i>Formation of UDP-MurNAc</i> | 11 | Conclusion | 37 |
| b) <i>Peptide addition</i> | 11 | <i>Selected references</i> | 38 |
| The membrane steps | 12 | | |
| Assembly of the murein sacculus | 12 | | |
| Penicillin sensitivity | 13 | | |
| <i>Selected references</i> | 13 | | |

| | | | |
|---|----|---|----|
| Chapter VI. Glycolysis, gluconeogenesis and glycogen synthesis | 39 | <i>E. coli</i> isocitrate dehydrogenase | 54 |
| Glycogen degradation | 39 | kinase-phosphatase | 54 |
| Glycolysis | 39 | 5. α -ketoglutarate dehydrogenase complex | 55 |
| 1) Hexokinase | 39 | 6. Succinyl CoA synthetase | 55 |
| 2) Glucose 6-phosphate isomerase | 40 | 7. Succinate dehydrogenase | 56 |
| 3) Phosphofructokinase | 40 | 8. Fumarase | 57 |
| Regulation of phosphofructokinase in bacteria | 41 | 9. Malate dehydrogenase | 59 |
| 4) Fructose 1,6-bisphosphate aldolase | 41 | Organization of the enzymes of the tricarboxylic acid cycle | 60 |
| 5) Triose phosphate isomerase | 42 | The tricarboxylic acid cycle is a source of biosynthetic precursors | 60 |
| 6) Glyceraldehyde-3-phosphate dehydrogenase (GAPDH) | 42 | The anaplerotic glyoxylic pathway bypass | 61 |
| 7) Phosphoglycerate kinase | 42 | | |
| 8) Phosphoglyceromutase | 42 | Chapter IX. Biosynthesis of lipids | 63 |
| 9) Enolase | 43 | Biosynthesis of short chain fatty acids | 63 |
| 10) Pyruvate kinase | 43 | Biosynthesis of long-chain fatty acids | 63 |
| Gluconeogenesis | 43 | 1) Synthesis of acetyl CoA | 63 |
| Fructose biphosphatase in microorganisms | 43 | 2) Synthesis of malonyl CoA. | 63 |
| Glycogen synthesis | 43 | 3) From malonyl CoA to palmitate | 64 |
| Glycogen synthase | 43 | Regulation of yeast fatty acid synthesis at the genetic level | 66 |
| Control of glycogen biosynthesis | 44 | Regulation of fatty acid synthesis in bacteria | 67 |
| Branching enzyme | 44 | Biosynthesis of triglycerides | 67 |
| | | Biosynthesis of phosphoglycerides | 67 |
| Chapter VII. The pentose phosphate and Entner-Doudoroff pathways | 45 | Cyclopropane fatty acid synthase (CFA synthase) | 68 |
| The pentose phosphate pathway | 45 | Selected references | 69 |
| The enzymes of the oxidative phase | 45 | | |
| Glucose 6-phosphate dehydrogenase | 45 | Chapter X. The Archaea | 71 |
| 6-phosphogluconolactonase | 45 | The different types of extremophiles | 71 |
| 6-phosphogluconate dehydrogenase (decarboxylating) | 45 | Chemical characteristics of Archaea | 72 |
| Ribose phosphate isomerase | 45 | Archaea: Fossil Record | 73 |
| The enzymes of the non oxidative phase | 46 | Economic Importance of the Archaea | 73 |
| Transketolase | 46 | Selected references | 74 |
| Transaldolase | 46 | | |
| Ribulose-5-phosphate-3-epimerase | 46 | Chapter XI. Methanogens and methylotrophs | 75 |
| Regulation of the pentose phosphate pathway | 46 | A) Methanogens and Methanogenesis | 75 |
| The Entner-Doudoroff pathway | 47 | Reduction of CO ₂ | 76 |
| | | Formylmethanofuran dehydrogenase | 76 |
| Chapter VIII. The tricarboxylic acid cycle and the glyoxylate bypass | 49 | Formylmethanofuran: tetrahydromethanopterin formyltransferase | 78 |
| The origin of acetyl CoA: the pyruvate dehydrogenase complex | 49 | Methenyltetrahydromethanopterin cyclohydrolase | 78 |
| Overview of the tricarboxylic acid (TCA) cycle | 50 | 5,10-methylenetetrahydromethanopterin dehydrogenase | 79 |
| Origin of the oxaloacetate | 50 | 5,10-methylenetetrahydromethanopterin F ₄₂₀ oxidoreductase | 79 |
| 1. Citrate synthase | 50 | The methylreductase. Methyl Coenzyme M reductase | 79 |
| 2 and 3. Aconitase (from citrate to isocitrate through cis-aconitate) | 52 | Simplification of the methylreductase system | 80 |
| 4. Isocitrate dehydrogenase (IDH) | 53 | | |

| | | | |
|---|-----|---|-----|
| <i>Structure of the methylreductase</i> | 81 | Chapter XVI. Positive regulation | 115 |
| <i>Source of the energy needed for the growth of methanogens</i> | 81 | The promoter region | 115 |
| B) Methylootrophs | 82 | Role of cyclic AMP and of the CAP protein in the binding of RNA polymerase to the promoter region | 116 |
| <i>Methanotrophs</i> | 82 | The synthesis and degradation of cyclic AMP | 117 |
| <i>Metabolism of methyl compounds</i> | 82 | How does glucose exert its inhibitory effect on <i>E. coli</i> β -galactosidase synthesis? | 118 |
| <i>Methanol dehydrogenase (MDH)</i> | 83 | <i>Selected references</i> | 118 |
| <i>Methylamine dehydrogenase</i> | 83 | | |
| <i>Carbon assimilation by methylootrophs</i> | 83 | Chapter XVII. The ribosomes | 119 |
| C) Carboxydootrophs | 83 | The components of <i>E. coli</i> ribosomes | 120 |
| <i>Selected references</i> | 85 | The ribosomes of eukaryotes and of archaea | 120 |
| Chapter XII. Enzyme induction in catabolic systems | 87 | Mechanistic aspects of translation of messenger RNA to protein by ribosomes | 121 |
| The specificity of induction | 87 | <i>Selected references</i> | 121 |
| De novo synthesis of β -galactosidase | 88 | | |
| Constitutive mutants | 89 | Chapter XVIII. The genetic code, the transfer RNAs and the aminoacyl-tRNA-synthetases | 123 |
| Pleiotropy of the constitutive mutants | 89 | The genetic code | 123 |
| The genetic control and the cytoplasmic expression of inducibility in the synthesis of β -galactosidase in <i>E. coli</i> . The Lac repressor | 90 | The transfer RNAs | 124 |
| Operators and operons | 93 | <i>Selected references</i> | 126 |
| <i>Selected references.</i> | 95 | | |
| Chapter XIII. Transcription. RNA polymerase | 97 | Chapter XIX. Attenuation | 127 |
| The synthesis of messenger RNA. The bacterial RNA polymerase | 97 | General remarks on regulatory mechanisms | 130 |
| Termination of transcription in prokaryotes | 99 | <i>Selected references</i> | 130 |
| <i>Yeast RNA polymerases</i> | 100 | Chapter XX. The biological fixation of nitrogen | 131 |
| <i>Archaeal RNA polymerases</i> | 100 | Control of nitrogenase synthesis and activity | 132 |
| Transcription termination and polyA tails | 101 | <i>Selected references</i> | 134 |
| <i>Selected references</i> | 101 | | |
| Chapter XIV. Negative regulation | 103 | Chapter XXI. How biosynthetic pathways have been established | 135 |
| Induction is correlated with the synthesis of a specific messenger | 103 | Use of isotopes | 135 |
| Isolation of the Lac repressor | 104 | Use of auxotrophic mutants | 136 |
| The <i>lac</i> operator is a DNA sequence | 106 | Enzymatic analysis | 137 |
| <i>Selected references</i> | 109 | <i>Selected references</i> | 138 |
| Chapter XV. Enzyme repression in anabolic pathways | 111 | Chapter XXII. The aspartic acid family of amino acids. Biosynthesis | 139 |
| Description of the phenomenon | 111 | The biosynthesis of aspartic acid and asparagine | 139 |
| Isolation of derepressed (constitutive) mutants in biosynthetic pathways. The use of structural analogues | 113 | Biosynthesis of lysine from aspartate semialdehyde in bacteria | 140 |
| Replacement of methionine by selenomethionine in proteins | 114 | The synthesis of dipicolinic acid, a substance present in the spores of Gram-positive bacilli | 142 |
| <i>Selected references</i> | 114 | The reduction of aspartate semialdehyde to homoserine, the common precursor of methio- | |

| | | | |
|---|-----|--|-----|
| nine and threonine | 143 | Appendix: More on regulons | 168 |
| Biosynthesis of methionine from homoserine | 143 | <i>Selected references</i> | 169 |
| S-adenosylmethionine (SAM) biosynthesis | 146 | | |
| Biosynthesis of threonine from homoserine | 146 | Chapter XXIV. Other patterns of regulation of the synthesis of amino acids of the aspartate family | 171 |
| Biosynthetic threonine dehydratase | 147 | Concerted feedback inhibition of aspartokinase activity in <i>Rhodobacter capsulatus</i> (formerly <i>Rhodopseudomonas capsulata</i>) | 171 |
| Isoleucine biosynthesis | 147 | Pseudomonads | 172 |
| Summary of the biosynthetic pathway of the aspartate family of amino acids | 149 | Specific reversal of a particular feedback inhibition by other essential metabolites. The case of <i>Rhodospirillum rubrum</i> | 173 |
| <i>Selected references</i> | 149 | <i>The particular case of spore-forming bacilli</i> | 173 |
| | | Some other cases | 175 |
| Chapter XXIII. Regulation of the biosynthesis of the amino acids of the aspartic acid family in <i>Enterobacteriaceae</i> | 151 | Conclusion | 175 |
| I. A PARADIGM OF ISOFUNCTIONAL AND MULTIFUNCTIONAL ENZYMES AND OF THE ALLOSTERIC EQUILIBRIUM | 151 | <i>Selected references</i> | 176 |
| Two aspartokinases in <i>E. coli</i> | 152 | | |
| The threonine-sensitive homoserine dehydrogenase of <i>E. coli</i> | 152 | Chapter XXV. Biosynthesis of the amino acids of the glutamic acid family and its regulation | 177 |
| Isolation of a mutant lacking the lysine-sensitive aspartokinase and of revertants thereof | 153 | I. The biosynthesis of glutamine | 177 |
| Evidence that the threonine-sensitive aspartokinase and homoserine dehydrogenase of <i>E. coli</i> are carried by the same bifunctional protein | 154 | <i>Biosynthesis of glutamine. Cumulative feedback inhibition</i> | 177 |
| The binding of threonine to aspartokinase I-homoserine dehydrogenase I | 154 | <i>Biosynthesis of glutamine. The covalent modification of glutamine synthetase</i> | 178 |
| The binding of pyridine nucleotides to aspartokinase I-homoserine dehydrogenase I | 156 | <i>Glutamine synthetase structure</i> | 179 |
| The effects of threonine on aspartokinase I-homoserine dehydrogenase I are not only due to direct interactions | 156 | <i>Reversible adenylylation of the glutamine synthetase</i> | 181 |
| The allosteric transition of aspartokinase I-dehydrogenase I -- | 158 | <i>Regulation of glutamine synthetase activity by covalent adenylylation</i> | 181 |
| Aspartokinase II-homoserine dehydrogenase II | 160 | <i>The regulation of the synthesis of glutamine synthetase also involves the two forms of PII and UTase/UR</i> | 182 |
| Aspartokinase III | 160 | <i>Glutamine synthetase in other microorganisms</i> | 183 |
| From homoserine to methionine | 161 | II. The biosynthesis of glutamate | 184 |
| From threonine to isoleucine | 161 | <i>Glutamate dehydrogenase</i> | 184 |
| Multifunctional proteins | 162 | <i>Glutamate synthase</i> | 184 |
| II. REGULATIONS AT THE GENETIC LEVEL | 162 | III. Biosynthesis of proline | 185 |
| The threonine operon | 162 | a) <i>In Enterobacteriaceae.</i> | 185 |
| Regulation of the lysine regulon at the genetic level | 163 | b) <i>In other genera</i> | 185 |
| Regulation of methionine biosynthesis at the genetic level | 164 | <i>Utilization of proline</i> | 186 |
| The methionine repressor | 165 | IV. The biosynthesis of arginine and polyamines | 186 |
| The metR gene and its product | 167 | <i>Biosynthesis of arginine</i> | 186 |
| The regulation of isoleucine synthesis at the genetic level | 168 | <i>Regulation of arginine biosynthesis at the transcriptional level</i> | 188 |
| | | <i>The arginine repressor</i> | 188 |
| | | <i>Polyamine biosynthesis</i> | 188 |

| | | | |
|---|-----|---|-----|
| <i>Utilization of arginine as sole nitrogen source by B. subtilis</i> | 190 | Chapter XXVIII. Biosynthesis of aromatic amino acids and its regulation | 209 |
| V. The biosynthesis of lysine in yeasts and molds | 191 | I. The common pathway (Shikimic pathway) | 209 |
| <i>The aminoadipic acid pathway</i> | 191 | <i>Formation of shikimic acid</i> | 209 |
| <i>Selected references</i> | 193 | <i>Formation of chorismic acid</i> | 211 |
| Chapter XXVI. Biosynthesis of amino acids derived from phosphoglyceric acid and pyruvic acid | 195 | <i>Physiological aspects of the regulation of the common pathway</i> | 212 |
| I. Biosynthesis of glycine and serine | 195 | <i>Characteristics of the common pathway in several organisms</i> | 213 |
| <i>Regulation of serine hydroxymethyltransferase at the transcriptional level</i> | 196 | II. Biosynthesis of phenylalanine and tyrosine from chorismic acid | 213 |
| II. Biosynthesis of cysteine | 196 | <i>The tyrR regulon</i> | 214 |
| <i>O-acetylation of serine</i> | 198 | <i>Regulation of the pheA gene by attenuation</i> | 215 |
| <i>Allosteric regulation of cysteine synthesis</i> | 198 | <i>Other organisms. The arogenate pathway of phenylalanine and tyrosine biosynthesis</i> | 215 |
| <i>Regulation of cysteine synthesis at the genetic level</i> | 198 | III. The biosynthesis of tryptophan from chorismic acid | 215 |
| III. Biosynthesis of alanine | 199 | <i>Anthranilate synthase-anthranilate phosphoribosyltransferase</i> | 215 |
| IV. Biosynthesis of valine | 199 | <i>Phosphoribosylantranilate isomerase-indoleglycerophosphate synthase</i> | 216 |
| V. Biosynthesis of leucine | 200 | <i>Tryptophan synthase</i> | 217 |
| VI. Regulation of valine, isoleucine and leucine biosynthesis | 201 | <i>Regulation of tryptophan biosynthesis at the genetic level. The tryptophan repressor</i> | 219 |
| <i>Selected references</i> | 202 | <i>A unitary model for induction and repression</i> | 220 |
| Chapter XXVII. Selenocysteine and selenoproteins | 203 | <i>Isolation of the Trp repressor</i> | 221 |
| Outlook | 203 | IV. Enterochelin (enterobactin) biosynthesis | 222 |
| Enzymes containing selenocysteine | 203 | <i>The synthesis of 2,3-dihydroxybenzoic acid</i> | 222 |
| <i>Formate dehydrogenases</i> | 203 | <i>Selected references</i> | 224 |
| <i>The glycine reductase complex</i> | 204 | Chapter XXIX. The biosynthesis of histidine and its regulation | 225 |
| <i>The nicotinic acid hydroxylase of Clostridium barkeri</i> | 204 | Regulation of histidine biosynthesis at the genetic level | 227 |
| <i>Hydrogenases</i> | 205 | <i>Selected references</i> | 230 |
| <i>Xanthine dehydrogenase</i> | 205 | Chapter XXX. The biosynthesis of nucleotides | 231 |
| <i>Acetoacetyl CoA thiolase</i> | 205 | I. The biosynthesis of pyrimidine nucleotides | 231 |
| <i>Gene products involved in selenocysteine biosynthesis and incorporation</i> | 206 | <i>Synthesis of 5-phosphoribosyl-1-pyrophosphate (PRPP)</i> | 231 |
| <i>Selenocysteine synthase</i> | 206 | <i>Synthesis of carbamylphosphate</i> | 231 |
| <i>Selenophosphate synthetase</i> | 206 | <i>The synthesis of cytidine and uridine triphosphates</i> | 232 |
| <i>Selenocysteine lyase</i> | 206 | <i>Direct utilization of pyrimidines and of their derivatives</i> | 234 |
| <i>Selenocysteyl t-RNA</i> | 206 | <i>Aspartate transcarbamylase of E. coli</i> | 234 |
| <i>Insertion sequences (SECIS elements)</i> | 207 | <i>Regulation of pyrimidine nucleotide synthesis at the genetic level</i> | 238 |
| <i>Selenocysteine and Archaea</i> | 207 | II. The biosynthesis of purine nucleotides | 239 |
| Biochemical function of the selenocysteine residue in catalysis | 208 | | |
| <i>Selected references</i> | 208 | | |

x Table of Contents

| | | | |
|--|-----|---|-----|
| <i>Biosynthesis of 5-amino-4-imidazole carboxamide ribonucleotide</i> | 239 | Biosynthesis of lipoic acid | 266 |
| <i>Synthesis of inosinic acid</i> | 240 | Biosynthesis of pantothenate and Coenzyme A | 267 |
| <i>The synthesis of guanylic and adenylic acids</i> | 241 | a) <i>The synthesis of pantothenic acid</i> | 267 |
| <i>Remarks on the control of purine nucleotide biosynthesis</i> | 241 | b) <i>The synthesis of coenzyme A from pantothenic acid</i> | 267 |
| <i>From nucleoside monophosphates to nucleoside diphosphates and triphosphates</i> | 243 | c) <i>The acyl carrier protein</i> | 268 |
| <i>Selected references</i> | 243 | The biosynthesis of inositol | 268 |
| | | Biosynthesis of pyrroloquinoline quinone | 269 |
| | | <i>Selected references</i> | 270 |
| Chapter XXXI. The biosynthesis of deoxyribonucleotides | 245 | Chapter XXXIII. Biosynthesis of carotene, vitamin A, sterols, ubiquinones and menaquinones | 271 |
| The formation of deoxyribonucleoside diphosphates from ribose nucleoside diphosphates | 245 | Synthesis of the common precursor | 271 |
| The ribonucleoside diphosphate (NDP) 'reductase system of <i>E. coli</i> | 245 | Synthesis of β -carotene, carotenoids and vitamin A | 272 |
| a) <i>Thioredoxin and thioredoxin reductase</i> | 245 | a) <i>Synthesis of the carotenoids</i> | 272 |
| b) <i>Ribonucleoside reductase</i> | 246 | b) <i>Regulation of carotenoid synthesis</i> | 274 |
| Regulation of the activity of ribonucleoside diphosphate reductase | 248 | <i>Synthesis of vitamin A</i> | 274 |
| dCMP deaminase and thymidylate synthase | 249 | Synthesis of sterols | 274 |
| dUTPase | 249 | The biosynthesis of ubiquinones and menaquinones | 276 |
| The ribonucleoside phosphate reductase of other organisms | 250 | <i>Selected references</i> | 277 |
| A ribonucleotide triphosphate reductase reaction in <i>E. coli</i> grown under anaerobic conditions | 250 | Chapter XXXIV. Biosynthesis of the tetrapyrrole ring system | 279 |
| The synthesis of deoxyribonucleoside triphosphates from the diphosphates | 251 | Synthesis of protoporphyrin | 279 |
| Organization of DNA precursor synthesis in eukaryotic cells | 251 | Synthesis of heme from protoporphyrin | 282 |
| <i>Selected references</i> | 251 | Synthesis of chlorophyll from protoporphyrin | 283 |
| | | Biosynthesis of the phycobilin chromophores. Chromatic adaptation. | 284 |
| Chapter XXXII. Biosynthesis of some water-soluble vitamins and of their coenzyme forms | 253 | A type of chromatic adaptation under conditions of sulfur starvation | 286 |
| Biosynthesis of thiamine and cocarboxylase | 253 | <i>Selected references</i> | 287 |
| Control of thiamine biosynthesis | 254 | Chapter XXXV. Biosynthesis of cobalamins including vitamin B₁₂ | 289 |
| Biosynthesis of riboflavin | 255 | Cobinamide biosynthesis | 291 |
| Biosynthesis of nicotinamide, NAD ⁺ and NADP ⁺ | 257 | From GDP-cobinamide to cobalamin | 292 |
| Regulation of the biosynthesis of nicotinamide and its derivatives | 258 | <i>Selected references</i> | 293 |
| NAD ⁺ and the ADP-ribosylation of proteins | 258 | Chapter XXXVI. Interactions between proteins and DNA | 295 |
| Biosynthesis of para-aminobenzoic acid, of folic acid and its derivatives | 259 | DNA-binding proteins | 295 |
| Biosynthesis of vitamin B6 pyridoxine, and of its derivatives, pyridoxal, pyridoxamine and pyridoxal phosphate | 262 | Study of the protein-DNA complexes | 296 |
| Biosynthesis of biotin, biotin CO ₂ , and biocytin | 263 | Some other types of DNA-binding proteins | 302 |
| The biotin operon and its repressor | 265 | <i>Selected references</i> | 302 |

| | |
|---|-----|
| Chapter XXXVII. Evolution of biosynthetic pathways | 303 |
| Principles of protein evolution | 303 |
| Two theories for the evolution of biosynthetic pathways | 303 |
| The methionine and cysteine biosynthetic pathways | 304 |
| The threonine, isoleucine, cysteine and tryptophan biosynthetic pathways | 306 |
| The evolutionary pathway leading to the three isofunctional aspartokinases in <i>Escherichia coli</i> | 310 |
| The aspartokinase and homoserine dehydrogenase activities of microorganisms other than Enterobacteriaceae | 314 |
| Transmembrane facilitators | 316 |
| DNA-binding regulator proteins | 317 |
| <i>Selected references</i> | 317 |
| Abbreviations | 319 |
| Subject Index | 323 |