

The Geology and Origin of Australia's Mineral Deposits

M. SOLOMON

*formerly of Australian Geological Survey Organisation
Canberra, Australia*

and

D.I. GROVES

*Key Centre for Strategic Mineral Deposits
Department of Geology and Geophysics
University of Western Australia
Nedlands, Australia*

with a contribution by

A.L. JAQUES

*Australian Geological Survey Organisation
Canberra, Australia*

CLARENDON PRESS · OXFORD

1994

Contents

PART I – OVERVIEW

1 Introduction	3
1.1. General	3
1.2. Discovery of Australia's mineral deposits	5
1.3. Mineral production	8
1.4. Time-scale	10
1.5. Notation	10
2 A summary of the geological setting of Australia's mineral deposits	11
2.1. Introduction	11
2.2. The Archaean in Australia	12
2.3. The Early and Middle Proterozoic in Australia	14
2.3.1. Early Proterozoic	14
The Barramundi Orogeny	16
Post-Barramundi, Early and Middle Proterozoic events	17
2.4. The Late Proterozoic–Phanerozoic in Australia	18
2.4.1. General	18
2.4.2. Early phases	19
2.4.3. The Lachlan Fold Belt	19
2.4.4. The New England Fold Belt	20
2.4.5. The Australian Craton	20
2.4.6. The South-west Pacific rim	20
3 A review of the genesis, timing, and tectonic setting of the major types of mineral deposit in Australia	22
3.1. A genetic classification of Australian mineral deposits	22
3.2. The distribution in time of Australia's mineral deposits	23
3.2.1. Introduction	23
3.2.2. Australian metallogenic history	29
3.0 to 2.5 Ga	30
2.5 to 1.7 and 1.7 to 1.0 Ga	30
1.0 Ga to present	31
3.3. The tectonic setting of Australia's mineral deposits	34

PART II – THE ARCHAEOAN

4 The geological setting of mineralization in the Western Australian Shield	37
4.1. Tectonic overview	37
4.2. Western Gneiss Terrain	38
4.2.1. North Western Gneiss Terrain	38
4.2.2. South Western Gneiss Terrain	39
4.2.3. Mineralization	42
4.3. Murchison Province	42
4.3.1. Volcano-sedimentary successions	42
4.3.2. Deformation, metamorphism, and granitoid emplacement	42
4.3.3. Mineralization	43
4.4. Southern Cross Province	44
4.4.1. Volcano-sedimentary successions	44
4.4.2. Deformation, metamorphism, and granitoid emplacement	44
4.4.3. Mineralization	44
4.5. Eastern Goldfields Province	44
4.5.1. Northeastern Goldfields	44
4.6. Norseman–Wiluna Belt	45
4.6.1. Volcano-sedimentary successions	45
4.6.2. Deformation, metamorphism, and granitoid emplacement	47
4.6.3. Mineralization	48
4.7. Pilbara Craton	48
4.7.1. Volcano-sedimentary successions	48
4.7.2. Deformation, metamorphism, and granitoid emplacement	49
4.7.3. Mineralization	50
4.8. Brief summary	50
5 The lode gold deposits of the Western Australian Shield	54
5.1. Introduction	54
5.2. Nature of deposits	54
5.2.1. Introduction	54
5.2.2. Size and grade	56
5.2.3. Structural styles	56
5.2.4. Host rocks	59
5.2.5. Mineralization and wall-rock alteration	62

5.2.6. Ore geochemistry	64	6.7.2. Magma generation and emplacement	102
5.3. Examples of deposit styles	65	6.7.3. Ore embayments and thermal erosion	103
5.3.1. Shear-zone lodes	65	6.7.4. Sulphur source	105
5.3.2. Breccia lodes	66	6.8. Genetic model	106
5.3.3. Quartz-vein sets	67		
5.3.4. Laminated quartz veins	67		
5.3.5. Stratabound/stratiform sediment-hosted lodes	68		
5.4. Regional distribution of deposits	68	7 Other important mineralization styles in the Western Australian Shield	109
5.4.1. Heterogeneous distribution	68	7.1. Introduction	109
5.4.2. Structural setting	69	7.2. Stratabound massive base-metal sulphide deposits	109
5.4.3. Metamorphic setting	69	7.2.1. Introduction	109
5.4.4. Relationship to intrusive rocks	70	7.2.2. Golden Grove deposits	109
5.4.5. Timing of mineralization	71	7.2.3. Teutonic Bore deposit	111
5.5. Constraints on genetic models	72	7.2.4. Deposits in the west Pilbara	112
5.5.1. Introduction	72	7.2.5. Deposits in the east Pilbara	112
5.5.2. Nature of ore fluids	72	7.3. Stratiform barite deposits	113
5.5.3. Transport and deposition of gold	72	7.4. Porphyry-style copper-molybdenum $\pm$ gold deposits	114
5.5.4. Fluid focusing	76	7.4.1. East Pilbara	114
5.5.5. Source of fluid and ore components	76	7.4.2. Yilgarn Craton	116
5.6. Genetic models	78	7.5. Tin-tantalum-lithium deposits	117
5.7. Tectonic setting of gold mineralization	82	7.5.1. East Pilbara	117
5.8. Summary	83	7.5.2. Greenbushes	118
		7.6. Platinum group element prospects	119
6 Komatiite-associated nickel- sulphide deposits of the Western Australian Shield	85		
6.1. Introduction	85	8 Metallogenic controls in the Western Australian Shield	120
6.2. Classification of deposits	85	8.1. Introduction	120
6.3. Regional setting	86	8.2. High-grade gneiss terrains	120
6.3.1. Heterogeneous distribution	86	8.3. Granitoid-greenstone terranes	122
6.3.2. Stratigraphic setting	88	8.3.1. Introduction	122
6.4. Local environment	89	8.3.2. Pilbara Craton	123
6.4.1. Local stratigraphy	89	8.3.3. Murchison and Southern Cross Provinces (and Northeastern Goldfields)	123
6.4.2. Host peridotites and dunites	89	8.3.4. Norseman-Wiluna Belt	124
6.4.3. Footwall rocks	90	8.4. Importance of Late Archaean metallogeny	125
6.4.4. Interflow sedimentary units	90		
6.4.5. Footwall embayments	91		
6.5. Nature of host komatiites	92		
6.5.1. Introduction	92		
6.5.2. Petrological characteristics	92		
6.5.3. Mineralogical characteristics	92		
6.5.4. Geochemistry	92		
6.6. Nickel sulphide mineralization	94		
6.6.1. Ore characteristics	94		
6.6.2. Ore modification	96		
6.6.3. Ore mineralogy	97		
6.6.4. Ore structures and textures	100		
6.6.5. Ore geochemistry	101		
6.7. Constraints on genetic models	102		
6.7.1. Introduction	102		

PART III – THE PROTEROZOIC

9 The geological setting of mineralization in the Australian Proterozoic	129
9.1. Introduction	129
9.2. Sedimentation, magmatism, orogenesis and mineralization in the Australian Proterozoic	130

9.2.1. General	130	10.2.4. The haematite-goethite ores of the Hamersley province	158
9.2.2. Magmatism	131	10.3. The genesis of banded iron formations in the Hamersley Group	159
9.2.3. Deformation and metamorphism	134	10.3.1. The possible role of buoyant plumes	162
9.2.4. Proterozoic mineralization	135	10.3.2. Summary of the discussion on the genesis of banded iron formations	163
9.3. Crustal character from geophysical data	137	10.4. The genesis of the Hamersley iron ores	163
9.4. The major Proterozoic tectono-stratigraphic sequences of Australia	139	10.4.1. The electrochemical model	165
9.4.1. The Archaean-Proterozoic Transition	139	10.5. Other Australian Proterozoic banded iron formations	165
9.4.2. Pre-Barramundi events	139	10.5.1. The Middleback Ranges Haematite ore	166
9.4.3. Deformation, magmatism, and mineralization of the Barramundi Orogeny	141		167
The tectonics of the Barramundi Orogeny and worldwide events	142		
9.4.4. Post-Barramundi Orogeny-Middle Proterozoic	144	11 Proterozoic sediment-hosted, strati-form (sedex), lead-zinc deposits	168
Early post-Barramundi events	144	11.1. General	168
Mount Isa/McArthur sedimentation and magmatism	145	11.2. A review of sedex deposits worldwide	171
The Isan Orogeny and its equivalents	146	11.2.1. Age	171
Magmatism and hydrothermal activity preceding and following the Isan Orogeny	146	11.2.2. The form of the orebodies	171
The importance of the Mount Isa/McArthur event and the Isa Orogeny	147	11.2.3. The size and composition of the orebodies	171
9.4.5. The Middle Proterozoic (16149 to 1149 Ma)	147	11.2.4. Zoning of the ores	172
9.4.6. The Late Proterozoic	147	11.2.5. Tectonic and structural environment	172
9.5. A review of Proterozoic tectonics and mineralization in Australia	148	11.2.6. Host rocks, depositional environment, and timing of ore formation	172
		11.2.7. The ore fluids	173
		11.2.8. Sulphur and lead isotopes	173
		11.2.9. Wall-rock alteration and exhalites	175
10 Proterozoic banded iron formations and related iron ores	150	11.3. The McArthur Basin	175
10.1. General	150	11.3.1. Structure	178
10.1.1. Composition and banding of banded iron formations	150	11.3.2. Mineralization	178
10.1.2. The age of banded iron formations	150	11.3.3. The Coxco deposit	181
10.1.3. Iron ores associated with banded iron formation	151	Fluid inclusion and isotope data	182
10.2. The Hamersley iron province	151	Ore genesis	183
10.2.1. Stratigraphy, structure, and tectonics	151	11.3.4. The Redbank breccia pipes	184
10.2.2. The nature and composition of banded iron formations of the Hamersley Group	153	Fluid inclusion and stable isotope data	186
10.2.3. Isotopic data from the Hamersley Group	155	Ore genesis	186
Sulphur	155	11.3.5. The HYC deposit	187
Oxygen	157	Deposits adjacent to HYC	188
Samarium/neodymium	157	The HYC mineralized shale	190
		Temperature and isotope data for HYC	192
		Genesis of the HYC deposit	193
		Basin-wide considerations	193
		Deposit-scale considerations	193
		Possible depositional mechanisms	194
		11.4. The Mount Isa Inlier	195

11.4.1. An outline of the geological history of the inlier	195	12.2.1. The Davenport Province	245
11.4.2. Mineralization of the Mount Isa Inlier	201	12.2.2. The Tennant Creek Province	246
11.4.3. The Lawn Hill Platform and its mineralization	205	12.2.3. A hydrothermal event at 1645 Ma	249
Mineralization	205	12.2.4. Mineralization of the Tennant Creek field	249
11.4.4. The Century deposit	207	The Tennant Creek ironstones	249
11.4.5. The Kamarga deposit	207	The gold-copper-bismuth mineralization	250
Fluid inclusion and stable isotope data	207	Timing of the mineralization	250
Genesis of the Kamarga deposit	208	The orebodies	251
11.4.6. The Lady Loretta deposit	208	Fluid inclusion and stable isotope data	253
Isotope data	211	Ore genesis in the Tennant Creek field	255
Ore genesis	212	12.3. The Mount Isa copper ore	256
11.4.7. The Mount Isa deposit	212	12.3.1. Regional geology	257
The ore lenses	213	12.3.2. The 'silica-dolomite' and the copper orebodies	257
Isotope data	215	12.3.3. Fluid inclusion data	260
Ore genesis at Mount Isa	215	12.3.4. Carbon and oxygen isotope data for dolomite	263
11.4.8. The Dugald River deposit	216	12.3.5. Sulphur isotope data	263
The sulphide lode	218	12.3.6. Hydrogen and oxygen data for fluids	264
Stable isotope data	219	12.3.7. Lead isotope data	264
Genesis of the Dugald River lode	219	12.3.8. Copper ore genesis at Mount Isa	265
11.4.9. The Pegmont deposit	219	12.3.9. Factors controlling location of Mount Isa-type copper orebodies	268
11.5. The Willyama Inlier	219	12.3.10. Other copper deposits in the Mount Isa region	269
11.5.1. Regional geology of the Broken Hill district	219	12.4. Syndeformational, contact-aureole, gold-quartz veins and base metal deposits	271
11.5.2. Mineralization in the Willyama Inlier	224	12.4.1. General	271
11.5.3. The Broken Hill Main Lode	226	12.4.2. Syndeformational gold vein deposits of the Pine Creek Inlier	272
The Hores Gneiss	226	Regional geology	272
The Broken Hill lodes	228	Gold deposits of the Pine Creek Inlier	274
Stable isotope data	230	Minerals of the gold-bearing quartz lodes	277
Ore genesis at Broken Hill	230	Fluid inclusion and stable isotope data from the gold deposits	277
11.6. The Bangemall Basin and the Abra lead deposit	231	The Enterprise gold mine at Pine Creek	278
11.7. The genesis of Proterozoic sediment-hosted, stratiform massive sulphide deposits	231	Base metal deposits of the Pine Creek Inlier	279
11.7.1. General	231	The Woodcutters deposit	279
11.7.2. Sulphide deposition	232	The genesis of the Pine Creek gold and base metal deposits	279
11.7.3. Fluid flow at basin scale	233	12.4.3. The Telfer gold deposit, Paterson Province, Western Australia	282
11.7.4. Sources of the ore metals	235	Regional geology	282
11.7.5. A 'hot granite' model for the Australian sedex deposits	236	Geology of the Telfer deposit	283
11.8. Summary	238	Mineralization at Telfer	283
11.9. Exploration	239		
12 Proterozoic gold, copper, and base metal deposits related to deformation and metamorphism	240		
12.1. General	240		
12.2. The Tennant Creek Inlier	240		

Fluid inclusion and stable isotope data	285	13.3.5. Fluid inclusion data from Coronation Hill	328
Ore genesis at Telfer	286	13.3.6. Stable isotope data for the uranium–platinum group element–gold deposits	329
12.5. Review	286	13.4. Genesis of unconformity-related uranium–platinum group element–gold deposits in the Pine Creek Geosyncline	331
13 Proterozoic uranium–platinum group element–gold deposits of the Pine Creek Inlier and the Murphy Inlier	287	13.4.1. Fluid flow in and near the deposits	331
13.1. General	287	13.4.2. Ore fluid composition and temperature	333
13.1.1. The age of unconformity-related uranium deposits	287	13.4.3. Metal transport and deposition	334
13.1.2. Uranium deposits in the Athabasca Basin	287	13.4.4. The sources of uranium and platinum group element in the orebodies	336
13.2. Regional geology of the Pine Creek Inlier	291	13.4.5. A proposed genetic model for the Pine Creek uranium–platinum group element–gold deposits	338
13.2.1. Archaean/Early Proterozoic basement	291	13.5. The Westmoreland Field	340
13.2.2. Early Proterozoic sedimentation and igneous activity in the Pine Creek Inlier	293	13.5.1. Ore genesis in the Westmoreland field	342
13.2.3. The Nimbuwah Event	293	13.6. Summary	343
13.2.4. Post-Nimbuwah sedimentation and magmatic activity	293	13.7. Exploration	343
13.2.5. Early–Middle Proterozoic sedimentation and magmatism	299	14 Proterozoic uranium–rare earth deposits in the Mount Isa Inlier and the Stuart Shelf of South Australia	344
13.3. Uranium–platinum group element–gold mineralization in the Pine Creek Inlier	305	14.1. General	344
13.3.1. General characteristics of the uranium deposits	305	14.2. The Mary Kathleen uranium–rare earth deposit	344
Relationship to the Kombolgie Formation	307	14.2.1. Regional geology	344
Relationship to basement and granitoids	307	14.2.2. Geology of the Mary Kathleen deposit	347
Structural control	307	The skarns	348
Host rocks	310	The uranium–rare earth element ore	350
Hydrothermal alteration haloes	313	Fluid inclusion data	350
The ages of mineralization	317	Ore genesis at Mary Kathleen	350
Compositions of the uranium $\pm$ gold $\pm$ platinum group element ores	318	14.3. The Olympic dam uranium–copper–rare earth element–silver–gold deposit	352
Chemical changes	319	14.3.1. Regional geology	352
Weathering and secondary enrichment	321	14.3.2. The Olympic Dam deposit	353
13.3.2. The Nabarlek deposit	321	The breccia complex	355
The uranium ore at Nabarlek	322	Hydrothermal alteration	356
Ore-associated hydrothermal alteration at Nabarlek	323	Uranium–copper and gold ore	356
13.3.3. Coronation Hill uranium–platinum group element–gold deposit	324	Fluid inclusion data	356
Mineralization	324	Stable isotope data	357
13.3.4. Fluid inclusion data from the Alligator Rivers field	325	Ore genesis at Olympic Dam	358
Origins of the fluids in the Alligator Rivers field	328	The magnetite phase	358
		The haematite phase	358
		14.4. Hydrothermal fluids at Mount Gunson	359

14.4.1. Fluid inclusion and stable isotope data	362
14.4.2. The significance of the Mount Gunson data	362
14.5. The Mount Painter uranium deposit	362
14.6. Review	362

PART IV – THE PHANEROZOIC

15 The geological setting of mineralization in the Tasman Fold Belt System of Eastern Australia

15.1. Introduction	367
15.1.1. The main time and space subdivisions	367
15.1.2. The composition of the crust beneath the Tasman Fold Belt System	372
15.1.3. Magmatism in the Tasman Fold Belt System	372
15.1.4. Gravity and magnetic trends in the Tasman Fold Belt System	373
15.1.5. Mineralization in the Tasman Fold Belt System	374
15.2. The tectonics of the Late Proterozoic–Early Cambrian in eastern Australia	374
15.2.1. The position of Tasmania in the Early Palaeozoic	376
15.2.2. The Early Palaeozoic positions of Antarctica and New Zealand	376
15.3. Late Proterozoic–Early Ordovician events in the Tasman Fold Belt System	377
15.3.1. The Proterozoic rocks of the Tasmanian Fold Belt	377
15.3.2. The Eocambrian–Cambrian in Tasmania	377
The Mount Read Volcanics	380
15.3.3. Late Cambrian deformation and magmatism in Tasmania	381
15.3.4. A review of Tasmanian Late Proterozoic to Early Palaeozoic history	381
15.3.5. The Cambrian–Ordovician history of the Kanmantoo Fold Belt	382
South Australia	383
The Delamerian granitoids	383
The Dundas–Flinders shear	384
Victoria	384
Western New South Wales	385
15.3.6. The Cambrian of the Lachlan Fold Belt	385
15.3.7. The New England Fold Belt	385

15.3.8. The Thomson Fold Belt and the Hodgkinson–Broken River Fold Belt of north Queensland	386
15.3.9. Summary and interpretation of the Late Proterozoic–Early Ordovician in the Tasman Fold Belt System	386
15.4. Ordovician–earliest Silurian events in the Tasman Fold Belt System	388
15.4.1. The Tasmanian Fold Belt	388
15.4.2. The Lachlan Fold Belt	389
Zone (a)	389
Zone (b)	390
Zone (c)	390
The Benambran Orogeny	390
15.4.3. North Queensland	393
15.4.4. The New England Fold Belt	393
15.4.5. The tectonics of the Ordovician–Early Silurian period	393
15.5. Silurian to mid-Devonian events	395
15.5.1. The Lachlan Fold Belt	395
Felsic magmatism in the Lachlan Fold belt	397
Mineralization in the Lachlan Fold Belt	398
15.5.2. The Thomson and Hodgkinson–Broken River Fold Belts	398
Felsic magmatism and mineralization	399
A review of the tectonics of the Silurian to mid-Devonian Hodgkinson–Broken River Fold belt	399
15.5.3. The New England Fold Belt	401
15.5.4. A review of the Silurian–Early Devonian tectonics	402
15.6. The Tabberabberan Orogeny	405
15.7. Late Devonian to Carboniferous	407
15.7.1. The Lachlan Fold Belt	407
Post-tectonic magmatism in Tasmania	407
Post-tectonic magmatism in Victoria	409
Crustal composition and granitoid genesis in Victoria	409
15.7.2. The New England Fold Belt	409
15.7.3. North Queensland	410
15.7.4. The tectonics of the Late Devonian–Carboniferous	410
15.8. The Kanimblan Orogeny	410
15.8.1. North–south folding in the Lachlan and Thomson Fold Belts	415
15.8.2. North–south folding in north Queensland and the New England Fold Belt	415
15.8.3. North–south compression	415
15.9. Middle Carboniferous–Permian	415
15.9.1. Early phases	415

15.9.2. Possible strike-slip and trans-tensional displacements in the New England Fold Belt	417	16.4.1. The form and composition of the deposits	440
15.9.3. The Carboniferous magmatism of the North Queensland Magmatic Province and related mineralization	417	Vein deposits	441
15.9.4. Later phases	419	16.4.2. Ore fluid characteristics	441
15.9.5. Permian magmatism of the North Queensland Magmatic Province and related mineralization	421	16.4.3. Spatial zoning	443
15.9.6. The Gympie Province	421	16.4.4. Stable and radioactive isotopes and fluid sources	443
15.9.7. The tectonics of the Middle Carboniferous–Permian	421	16.5. The East Tasmanian tin–tungsten province	443
15.10. Late Permian–Triassic	422	16.5.1. Granitoids of the Bassian Zone	445
15.10.1. Mineralization	422	The origin of the Lottah Granite	447
15.11. Late Triassic to Cretaceous	424	A tentative model for the origin of the Blue Tier alkali feldspar granites and associated greisens	447
15.12. A review of Carboniferous–Cretaceous (Innaminka) tectonics	426	16.5.2. The tin–tungsten deposits of the East Tasmania province	451
15.13. Some aspects of the geological evolution of the Tasman Fold Belt System	426	Clay deposits at Tonganah	452
15.13.1. Mineralization and plate tectonics	427	The Aberfoyle, Storeys Creek, and Lutwyche vein systems	454
		Fluid inclusion data	455
		Stable isotope data	457
		A model for vein formation at Aberfoyle	457
		The Rex Hill greisen	461
		The zoned Scamander vein field	461
16 The tin–tungsten deposits of the Tasman Fold Belt System	428	16.6. The West Tasmanian tin–tungsten Province	463
16.1. Introduction	428	16.6.1. The granitoids of the West Tasmanian province	463
16.2. Orogenic tin–tungsten deposits worldwide	428	The Heemskirk Granite	463
16.2.1. Location	429	Mineralogy and textures	465
16.2.2. The form and composition of primary tin–tungsten ore deposits	432	The chemical composition of the Heemskirk Granite	465
16.2.3. Ore fluid characteristics	432	Fluid inclusion and stable isotope data of granites and ores	465
16.2.4. Size and grade	434	A summary of the emplacement and mineralization of the Heemskirk Granite	468
16.2.5. Age and geochemical inheritance	434	The Pine Hill Granite at Renison	469
16.2.6. Tectonics	434	Tungsten–molybdenum granites	470
16.2.7. Associated granitoids	435	16.6.2. The tin–tungsten deposits of the West Tasmanian province	470
16.2.8. Relative timing of magmatism and tin mineralization	436	The Renison tin deposit	471
16.3. The nature of the tin granites of the Tasman Fold Belt System	437	Ore types and fluid inclusion data	471
16.3.1. Form and timing of emplacement	438	Hydrothermal alteration of the granites and related fluid inclusion data	474
16.3.2. Composition and classification	438	Stable isotope data	475
16.3.3. Plutons and volcanics associated with tin granites	439	Ore formation at Renison	475
16.3.4. Tectonic setting	439	The Mt Bischoff tin deposit	477
16.3.5. Geochemical inheritance	439	Ore types	478
16.3.6. Rb/Sr isotope compositions	439	Mineral assemblages in the greisenized dykes and related fluid inclusion data	479
16.3.7. Hydrothermal alteration	440		
16.4. The nature of the tin–tungsten ore deposits of the Tasman Fold Belt System	440		

Mineral paragenesis and fluid inclusion data in the carbonate replacement ore	480	Fluids associated with hydrothermal alteration and mineralization	506
Stable isotope data	480	The Go Sam Granite	506
Ore formation at Mount Bischoff	481	The Emuford granites	506
Lead and zinc marginal to carbonate replacement tin deposits in west Tasmania	484	Fluids in the Mount Garnet skarn	507
Zeehan	484	The genesis of the tin–tungsten deposits of the Herberton province	507
16.7. Magmatic sulphur in the East and West Tasmanian tin granites	485	16.12. The Mount Carbine tin–tungsten province	507
16.8. A review of the tin–tungsten deposits of Tasmania	486	16.12.1. The granitoids of the Mount Carbine province	507
16.9. The Wagga tin–tungsten province of the Lachlan Fold Belt	486	16.12.2. The Mount Carbine tungsten deposit	508
16.9.1. The granitoids of the Lachlan Fold Belt	486	Fluid inclusion, isotope data, and ore genesis	509
Granitoid crystallization	487	16.13. The Cooktown tin–tungsten province	509
Tin–tungsten mineralization in the Lachlan Fold Belt	488	16.14. The origin of the granites associated with tin–tungsten mineralization in the Tasman Fold Belt System	509 ⁺
16.9.2. Tectonics of the Wagga province	488	16.14.1. Tungsten in tin granites	514
16.9.3. The mineral deposits of the Wagga province	489	16.14.2. Crystal fractionation and tin granites	514
The Ardlethan deposit	489	16.14.3. Review	514
The breccia pipes	490	16.15. The generation of tin–tungsten ore solutions and the precipitation of tin and tungsten ore minerals	516
The orebodies	491	16.15.1. The composition of magmatic aqueous fluids	516
Fluid inclusion and stable isotope data	491	Tin	516
Ore formation	491	Chlorine	516
16.10. The New England tin–tungsten province	492	Zinc, lead, and copper	517
16.10.1. The granitoids of the New England province	492	Molybdenum and tungsten	517
16.10.2. The tin–tungsten deposits of the New England province	493	Hydrogen isotopes	517
The Mole Granite	493	Rare earth elements	517
Deposits in the Torrington Pendant	494	Sulphur	517
Deposits in the granite	495	16.5.2. The formation of tin and tungsten ores	518
Deposits outside the granite	496	Tin, tungsten, and base metal solubility	518
Fluid inclusion and stable isotope data, and the origin of the mineral deposits of the Mole Granite	496	Greisen deposits	519
Summary		Vein deposits	519
The Ruby Creek Leucogranite	498	Distal skarn, carbonate replacement deposits	520
16.11. The Herberton tin–tungsten province of north Queensland	499	16.16. Exploration	521
16.11.1. The granitoids of the Herberton tin–tungsten province	499		
The Coolgarra Batholith	501	17 The tungsten–molybdenum deposits of the Tasman Fold Belt System	522
The Emu Suite near Emuford	501	17.1. Introduction	522
Magmatic-hydrothermal alteration	501	17.2. The tungsten–molybdenum pipes and their associated granitoids	523
16.11.2. The tin–tungsten deposits of the Herberton province	502	17.2.1. The tungsten–molybdenum deposits of the New England tin–tungsten province	523
Regional and local zoning	502		
The tin–tungsten deposits	503		

17.2.2. The tungsten–molybdenum pipes and greisens of the Herberton tin–tungsten province	523	Continental margin deposits	557
The tungsten–molybdenum pipes at Wolfram Camp	524	18.4.2. Sulphur in porphyry copper magmas	557
The tungsten–molybdenum pipes and greisens at Bamford Hill	524	18.4.3. The copper and molybdenum contents of the source magmas and ore fluids	558
The Bamford Granite	524	18.4.4. Fracturing in porphyry copper genesis	559
Hydrothermal alteration	528	18.4.5. Ore formation	560
Mineralization	528	18.4.6. The tops of porphyry copper systems	560
Fluid inclusion data	528	18.5. Group III – breccia pipes	560
Stable isotope data	531	18.5.1. The Kidston gold deposit	561
Ore formation at Bamford Hill	531	Fluid inclusion and stable isotope data	564
17.3. Scheelite skarns and their related granitoids	531	Ore genesis	564
17.3.1. The King Island scheelite deposit	532	18.6. Group IV – skarn deposits	567
The skarns and the tungsten ores	533	18.6.1. The Red Dome gold deposit	569
Mineral paragenesis and fluid inclusion data	534	Fluid inclusion and stable isotope data	573
Stable isotope data	534	18.6.2. The Ban Ban copper–zinc skarn	573
Ore genesis at King Island	534	18.7. Group V–uranium–fluorine–molybdenum deposits	573
17.4. The evolution of tungsten– molybdenum ore fluids	537	18.7.1. Maureen	573
17.5. Exploration	539	Ore genesis	575
		18.8. High level magmatism and ore genesis	575
		18.9. Exploration for porphyry–related deposits	578
18 Mineralization of the Tasman Fold Belt System related to high level felsic to intermediate magmatism: porphyry copper–molybdenum and porphyry copper–gold deposits, skarns, and gold-bearing breccia pipes	540	19 Volcanic-hosted massive sulphide deposits of the Tasman Fold Belt System	580
18.1. Introduction	540	19.1. Introduction	580
18.1.1. Subduction and porphyry copper deposits	543	19.1.1. Classification	580
18.2. Group I – the copper–molybdenum association	543	19.2. The major characteristics of the copper–zinc deposits (group I) in the Tasman Fold Belt System	584
18.2.1. Age, distribution, and style	543	19.3. The major characteristics of the zinc–lead–copper deposits (group II) of the Tasman Fold Belt System	587
18.2.2. Queensland	546	19.3.1. Rosebery-type ores	587
The Coalstoun prospect	547	19.3.2. Metal and mineral zoning in zinc–lead–copper ores	587
18.2.3. South Australia	547	19.3.3. Host rocks	588
18.3. Group II – the copper–gold association of eastern New South Wales	548	19.3.4. Tectonic setting	588
18.3.1. The regional setting of the Goonumbla copper–gold deposits	550	19.3.5. The environment of ore deposition	589
18.3.2. Endeavour 26 North	552	19.3.6. Wall-rock alteration	589
Fluid inclusion and stable isotope data	553	Footwall alteration	589
Ore genesis	554	Hanging wall alteration	590
18.4. The genesis of copper–molybdenum and copper–gold porphyry deposits	555	19.3.7. Stratigraphic level	590
18.4.1. Tectonics and source magmas	555	19.3.8. Fault control	590
Island arc deposits	555	19.3.9. Distribution of zinc–lead–copper deposits in size and space within VMS provinces	591

[illegible]

20.3.1. The Charters Towers goldfield	661	21.2.8. The timing and origin of gold mineralization	697
The reefs of the Charters Towers goldfield	663	21.2.9. The Magdala mine in the Stawell goldfield	698
Fluid inclusion and stable isotope data	664	Isotopic data	698
Ore genesis at Charters Towers	665	Ore genesis	699
20.4. Epithermal adularia-sericite-type veins (Group III)	666	21.2.10. The Wattle Gully mine of the Castlemaine–Chewton goldfield	700
20.4.1. The Drummond Basin goldfield	668	The mineral composition of the veins	701
The Pajingo gold deposit	668	Fluid inclusion and stable isotope data	701
Fluid inclusion and stable isotope data	670	21.2.11. Ore genesis at Wattle Gully and similar deposits of the Bendigo–Ballarat district	701
Ore genesis			
20.4.2. The Golden Plateau deposit, Cracow goldfield	670	21.3. Turbidite-hosted quartz–gold veins systems outside Victoria	702
Phases of mineralization	672		
Fluid inclusion and stable isotope data	673	21.4. Syndeformational, turbidite-hosted, base metal, and gold deposits of the Cobar–Elura mining field	703
Ore genesis at Cracow	673	21.4.1. The geology of the Cobar Trough	703
20.5. Veins and pipes related to sea water-dominated systems (Group IV)	675	21.4.2. The mineral deposits of the Cobar–Elura Field	703
20.5.1. The Drake gold and base metal field	675	21.4.3. The CSA deposit	705
The Red Rock deposit	677	The CSA orebodies	706
Fluid inclusion and stable isotope data	278	Fluid inclusion and stable isotope data	708
Ore genesis	278	The origin of the CSA deposit	709
20.5.2. The Mineral Hill field	679	21.4.4. The Elura deposit	710
The Parkers Hill stockwork	680	The structure of the Elura ore zone	710
Fluid inclusion and stable isotope data	680	The composition of the Elura ore	711
Ore genesis at Mineral Hill	680	Fluid inclusion and stable isotope data	712
20.6. Review	680	The origin of the Elura orebodies	712
20.6.1. General	680	21.4.5. The origin of the ore fluids and ore components of the Cobar Trough	713
20.6.2. Chemical considerations	682		
20.7. Exploration	683	21.5. The base metal deposits of the Kanmantoo Fold Belt	713
		21.5.1. The geology of the Kanmantoo Fold Belt	713
21 Syndeformational, turbidite-hosted, base metal sulphide ($\pm$gold $\pm$ silver), quartz–gold and quartz–gold–stibnite–scheelite deposits in the Tasman Fold Belt System	684	21.5.2. The Kanmantoo copper deposit	714
21.1. Introduction	684	21.5.3. Ore genesis in the Kanmantoo Fold Belt	715
21.2. The syndeformational, turbidite-hosted, gold–quartz veins of Victoria	686	21.6. The gold–stibnite–scheelite association at Hillgrove, New England	715
21.2.1. The Early Palaeozoic geology of Victoria	688	21.6.1. Fluid inclusion and stable isotope data	716
21.2.2. The quartz–gold vein types of Victoria	689	21.6.2. Ore genesis at Hillgrove	716
21.2.3. The form of the veins	689	21.7. A review of turbidite-hosted, syndeformational ore genesis	717
21.2.4. The mineral composition of the veins	691	21.7.1. General	717
21.2.5. Wall-rock alteration	692	21.7.2. Fluid flow during and after cleavage development	719
21.2.6. Fluid inclusion data	693	21.7.3. The role of stress-induced fluid flow	719
21.2.7. Isotopic data	696	21.7.4. The importance of convection	719

21.7.5. Fluid compositions and ore formation	720	Lead isotope data	754
21.7.6. The origins of the ore fluids	721	Ore genesis on the Lennard Shelf	754
21.7.7. The sources of the ore elements	722	Chemical considerations	756
21.8. Exploration	722	22.5. Base metal mineralization in the Late Proterozoic–Palaeozoic basins of the Australian Craton	758
22 The mineral deposits of the Late Proterozoic to mid-Carboniferous basins of the Australian Craton	724	23 Mid-Carboniferous to Quaternary mineral deposits of the Australian Craton	759
22.1. General	724	23.1. General	759
22.1.1. Late Proterozoic breakup and the Adelaidean regime	724	23.1.1. Mid-Carboniferous to mid-Cretaceous (Innaminka) mineral resources	761
22.1.2. Late Proterozoic orogenic zones	727	23.1.2. Mid-Cretaceous to Recent (Potoroo) mineral resources	764
22.1.3. The Early Cambrian breakup	727	23.2. The manganese deposits of Groote Eylandt	768
22.1.4. The mid-Carboniferous breakup	727	23.2.1. Manganese oxide ore	769
22.1.5. The mineral deposits of the Adelaidean and Uluru regimes	729	23.2.2. Genesis of the manganese ore	769
22.2. Sediment-hosted copper deposits in the copper province of the Adelaide geosyncline and Stuart Shelf	729	23.3. Bauxite in Australia	772
22.2.1. Regional geology	729	23.3.1. The Weipa bauxite and kaolinite deposits	773
22.2.2. The copper deposits of the Adelaide Rift and Stuart Shelf	732	The Weipa bauxite	774
22.2.3. The Cattle Grid and nearby deposits at Mount Gunson, Stuart Shelf	732	The Weipa kaolinite	776
Fluid inclusion and isotope data	736	The origin of bauxite and kaolinite in the weathering profile at Weipa	776
Ore genesis at Mount Gunson	737	23.3.2. The Jarrahdale bauxite profile, Darling Range	777
22.2.4. The Copper Claim deposits of the Adelaide Rift	738	23.4. Nickeliferous laterite at Greenvale	777
Fluid inclusion and stable isotope data	738	23.4.1. Genesis of the laterite profile	777
Ore genesis at Copper Claim	738	23.5. Gold in laterite at Boddington	779
22.2.5. Ore genesis in the Adelaide copper province	738	23.6. Magnesite at Kunwarara, Queensland	782
Nature and source of the ore fluids	740	23.6.1. The genesis of the Kunwarara magnesite	782
22.3. The phosphorite deposits of the Georgina Basin	741	23.7. Heavy mineral sands	785
22.3.1. General	741	24 Diamonds in Australia (A. L. Jaques)	787
22.3.2. Petrography and chemical composition	745	24.1. Introduction	787
22.3.3. The genesis of phosphate deposits	746	24.1.1. Impact of Australian discoveries	787
22.4. Mississippi Valley-type (MVT) deposits of the Canning and Bonaparte Gulf basins	746	24.1.2. Distribution of diamondiferous intrusions in Australia	787
22.4.1. General	746	24.1.3. History of diamonds in Australia	788
22.4.2. The Canning Basin	749	24.2. Classification and nomenclature	790
22.4.3. Lead–zinc deposits of the Canning Basin	750	24.2.1. Kimberlite	790
Present day waters in the Canning basin	751	24.2.2. Lamproite	791
Fluid inclusion, hydrocarbon, and stable isotope data	752	24.2.3. Lamprophyre	794
		24.3. Indicator minerals and exploration	794
		24.3.1. Garnet	794
		24.3.2. Chromite	794

24.3.3. Ilmenite	795	Chromite	805
24.4. Diamond provinces	797	Ilmenite	805
24.4.1. Kimberley region	797	24.5.2. Mantle xenoliths	806
Argyle lamproite	797	24.5.3. Rock composition	807
Lissadell Road lamproite	798	Lamproites	807
West Kimberley lamproites	798	Kimberlites	809
Kimberlites of the Kimberley Basin	799	Lamprophyres and related rocks	809
24.4.2. McArthur Basin	800	Relationship to diamond	810
Emu kimberlite pipes	800	24.5.4. Isotopic compositions	810
Coanjula ultrabasic pipes	801	24.6. Diamonds and their genesis	811
24.4.3. Carnarvon Basin lamprophyres	801	24.6.1. Argyle diamonds	812
24.4.4. Lamprophyres of the Nabberu Basin and Yilgarn Block	801	24.6.2. Ellendale diamonds	813
Nabberu Basin	801	24.6.3. North Kimberley diamonds	814
Yilgarn lamprophyre dykes	802	24.6.4. South Australian diamonds	814
24.4.5. Kimberlites of the Gawler Block and Adelaide Rift	802	24.6.5. Copeton diamonds	816
Cleve kimberlites	802	24.6.6. Genesis of the Argyle and Ellendale diamonds	816
Port Augusta kimberlites	802	24.7. Controls on diamond mineralization	818
Orroroo kimberlites	802	24.7.1. Structural and tectonic controls	818
Terowie kimberlites	802	24.7.2. Host rocks	818
24.4.6. Eastern Australia	803	24.7.3. Mantle sources	819
Kayrunnera pipes of the Wonaminta Block	803	24.7.4. Preservation	819
Basaltic diatremes of the Tasman Fold Belt System	803	24.8. Exploration	819
24.5. Mineral content and chemical and isotopic composition	803	25. Review	821
24.5.1. Indicator minerals	803	References	826
Garnet	803	Index	941