An Econometric Model Integrating Conservation Measures in the Residential Demand for Electricity

by J. DANIEL KHAZZOOM

Department of Economics

University of California, Berkeley



CONTENTS

Dedica	tion	iv
List of	Figures	xi
List of	Tables	xiii
Acknowledgments		x xv
Summo	ary	xvii
	uction	1
Histor	ical Motivation	1
Scope	of This Study	3
	ummarize	5
	Salient Features of the Study	7
	udy in Perspective: Joint Determination	
	Demand for Energy and Conservation:	
	nship with Demand-Side Management	9
Plan o	f the Work	13
	PART I. BACKGROUND	
I.	The Engineering Effect of	
	Conservation	17
II.	An Economic Analysis of the Effect	
	of Conservation	21
III.	A Glance at the State of the Art	29
	"Conditional Demand" for Energy in	
	the Household Sector	30
	The Oak Ridge Residential Model	30
IV.	Issues in the Quantification of	
	Conservation Impact on the	
	Residential Demand for Electricity	33
	Measurability of the Contribution of	
	Individual Measures or Programs	35

'iii	•	CONTENTS

		-
	Criteria Governing the Choice of a	•
	Credible Estimating Framework	35
	Stringency to the Statistical Tests	35
	Guidelines for Disaggregation and the	
	Problem of End-Use Models	36
	A General Discussion	36
	The Problem of Specification	38
	The Quality of the Micro Data	38
	Implications of the Results from the	•
	Literature for Disaggregation	39
	The Problem of End-Use Models	40
	Cost and Benefit of Disaggregation	· 4 0
	Measurement Accuracy	41
	PART II. MODEL SPECIFICATION	
V.	Incorporation of the Appliance	
	Efficiency Variable	49
	Grouping of SMUD's Conservation	
	Measures	49
	The Framework	53
	Derivation of the Average Efficiency of	
	the Capital Stock of an Appliance	57
	Aggregation over Appliances	60
	A Note on Randomizing the Shares of	
	End Uses	66
	A Note on Forecasting the Future	
	Stock of Appliances	69
VI.	Incorporation of Thermal Integrity	71
	and Awareness Variables in the Model	71
	Specification	71
	A Note on the Basic Data Compiled	 -
	for the Thermal Integrity Index	75
	Elements in the Total Thermal	=0
	Integrity Index I _{TITOTij}	78
	I _{TI,j} : Average Thermal Integrity	80
	I _{Aij} : Area Index	82
	I _{Nij} : Number-of-Dwellings Index	83
	Iwij: Weather Index	84
	Aggregation over Dwellings and	~ -
	Within End Use	86

	A Multiplicative Analysis of the Total	
	Thermal Integrity Index	88
	Allowance for Weather Variability	92
	Other Adjustments of the Indices	95
	Adjustments in I _{TI} for Uses Other	
	Than Electric Heating and Air	
	Conditioning	95
	Adjustments of I _{TITOT} for Uses Other	
	than Electric Heating and Air	
	Conditioning	97
	Adjustment of the Product I _{TITOT} ×	
	IAETOT for Double Counting the	
	Capital Widening	101
VII.	Specification of Other Demand-	
	Determining Variables	105
	Marginal Price and Fixed Cost of	
	Electricity	105
	Price of Substitutes	108
	Income	108
	User's Cost	108
	A Remark on the Data	109
	PART III. ESTIMATION	
VIII.	Problems of Estimation	117
	The Simultaneity Problem	117
	Functional Form and Related	
	Estimation Problems	119
IX.	Data and Operational Definitions of	
	the Variables	125
X.	IOLS Estimation Results	127
	Observations on the Estimated Models	127
	Calculation of Elasticity Measures	129
	Conditional IOLS Estimates for	
	Electrically Heated Dwellings	132
	An Analysis of the Preferred Model	
	for Electrically Heated Dwellings	136
	The Short- and Long-Run Elasticities	
	and the Erosion of the Benefit of	
	Conservation	138

x	CONTENTS

	All ' C C I D'C '	
	Allowing for Seasonal Differences in	1.40
	Price Elasticities	142
	Conditional IOLS Results for Gas-	• • •
	Heated Homes	144
XI.	Consistent Estimation	153
	LIML Results for Electrically Heated	
	Homes	153
	Some Tests of Model (5*) of Table	
	11.1	158
	Overidentifying Restrictions	158
	Normality	159
	Serial Correlation	160
	Conclusion	162
	References	165
	Appendix A. Basic Data Used in	
	Constructing Measures of Thermal	
	Efficiency and Appliance Efficiency	171
	Appendix B. Home Insulation Data	
	and Measures of Thermal Efficiency	183
	Appendix C. Data Used in	
	Constructing Measures of Appliance	
	Efficiency	247
	Appendix D. Indices of Appliance	
	Efficiency in SMUD Service Area	263
	Index	297
		431