

Progress in Essential Oil Research

Proceedings of the International Symposium
on Essential Oils
Holzminden/Neuhaus,
Federal Republic of Germany
September 18–21, 1985

Editor
Ernst-Joachim Brunke



UNIVERSITÄTSBIBLIOTHEK
HANNOVER
TECHNISCHE
INFORMATIONSBIBLIOTHEK

Walter de Gruyter · Berlin · New York 1986

RO 3308 (167)

CONTENTS

Preface	V
Otto Wallach memorial session	VII
Acknowledgements	IX
SECTION I	
COMPOSITION OF ESSENTIAL OILS, FLAVOURS AND FLOWER VOLATILES	
The flavour of the passionfruit - a review F.B. Whitfield, J.H. Last	3
Aroma volatiles of <i>Nigella sativa</i> L. seeds E.A. Aboutabl, A.A. El-Azzouny, F.-J. Hammerschmidt	49
Study of the fragrance given off by certain springtime flowers D. Joulain	57
Essential oil composition of some nigerian medicinal plants O. Ekundayo	69
Volatile constituents of <i>Achillea wilhelmsii</i> C. Koch (syn. <i>A. santolina</i> auct. mult.) from egypt and the turkey E.-J. Brunke, F.-J. Hammerschmidt, E.A. Aboutabl	85
Volatiles of <i>Orthosiphon stamineus</i> benth. S. Schmidt, R. Bos	93
The chemical composition of laurel leaf oil, obtained by steam distillation and hydrodiffusion M.H. Boelens, R.J. Sindreu	99
Volatile constituents of coriander fruit cultivated at different localities and isolated by different methods T. Hirvi, I. Salovaara, H. Oksanen, E. Honkanen	111

XII

- Essential oil of *Cedrelela odorata* L. (meliaceae) from brazil -
revised list of constituents 117
E.-J. Brunke, F.-J. Hammerschmidt, F.-H. Köster
- Variations in the essential oil content and composition in
individual plants obtained after breeding experiments with
a valeriana officinalis strain 123
R. Bos, F.M.S. van Putten, H. Hendriks, C. Mastenbroek
- GC/MS analysis of essential oils of some tagetes species 131
É. Héthelyi, B. Dános, P. Tétényi, I. Koczka
- Comparison of the volatile composition of some *Calamintha*/
Satureja species 139
H.L. De Pooter, N.M. Schamp
- The essential oils of three origanum species grown in turkey 151
J.J.C. Scheffer, A. Looman, A. Baerheim Svendsen, E. Sarer
- Chemical composition and variation of the essential oil from
the norwegian *Thymus praecox* ssp. *arcticus* and *Thymus pulegioides* 157
E. Stahl
- Carvacrol and thymol chemotypes of east mediteranean wild
labiatae herbs 163
U. Ravid, E. Putievsky
- The essential oil of portuguese pine needles. First results 169
M.M. Carmo, S. Frazão

SECTION II

NEW CONSTITUENTS OF ESSENTIAL OILS

- Isolation and synthesis of compounds from the essential oil
of *Helichrysum italicum* 177
P. Weyerstahl, H. Marschall-Weyerstahl, M. Weirauch, N. Meier,
E. Manteuffel, J. Leimner, S. Scholz

Analytical results concerning the essential oil of <i>Artemisia pallens</i> (wall.) I. Klimes, D. Lamparsky	197
Isolation and synthesis of (Z,Z)-4,7-Decadienal, the character impact compound in the oil of <i>Acorus calamus</i> L. F.P. van Lier, L.M. van der Linde, A.J.A. van der Weerd	215
New natural products of structural and olfactory interest identified in fig leaf absolute (<i>Ficus carica</i> L.) R. Kaiser	227
An unusual compound isolated from <i>Mentha piperita</i> oil M. Koepsel, A. Krempel, H. Surburg	241
New terpenoids from mexican stevia species C. Zdero, F. Bohlmann	249
A volatile diterpenoid from <i>Ammi visnaga</i> fruits E. Stahl, V. Sinnwell	263
Terpene alcohols in β -D-Glucosides in the leaves of dalmatian <i>Salvia officinalis</i> K. Grzunov, J. Mastelić, N. Ružič	267
Structural elucidation of an irregular sesquiterpene alcohol from <i>Peucedanum palustre</i> (L.) moench K.-H. Kubeczka, G. Schmaus, V. Formaček	271
New constituents from the essential oils of pimpinella species K.-H. Kubeczka, I. Bohn, V. Formaček	279
SECTION III	
SYNTHESIS OF TERPENOIDS	
Sesquiterpene syntheses via cationic π -cyclizations H. Wolf	301

XIV

- First total synthesis of spirosantalol, a sesquiterpene alcohol
from east indian sandalwood oil
E.-J. Brunke, L. Tumbrink 321
- Synthesis of tetramethyl monoterpenes
H.M.R. Hoffmann 329
- Synthesis of fragrance compounds within the bicyclo[2.2.2]octane
series
G. Buchbauer, H. Spreitzer 349
- Synthesis of γ - and δ -lactones and their odorous and plant-growth
regulating activity
R. Ikan, B. Cramer, V. Weinstein, Z. Goldschmidt, H. Spiegelstein 357

SECTION IV

BIOTECHNOLOGY, BIOCHEMISTRY

- Transformations of terpenoids
K. Kieslich, W.R. Abraham, B. Stumpf, B. Thede, P. Washausen 367
- Screening for volatile terpenes in yeasts
H.-P. Hanssen, E. Sprecher, A. Klingenberg 395
- Antimicrobial screening of essential oils - aspects of the agar
overlay technique
A.M. Janssen, J.J.C. Scheffer, A. Baerheim Svendsen 401
- Comparative study on the production and accumulation of essential
oil in the whole plant and in tissue cultures of *Pimpinella anisum*
J. Reichling, R. Martin, G. Burkhardt, H. Becker 421
- Action of terpenoids on energy metabolism
K. Knobloch, H. Weigand, N. Weis, H.-M. Schwarm, H. Vigenschow 429

SECTION V

BIOLOGY, AGRICULTURE, ECOLOGY

Ultrastructure of the essential oil secretion in the oil glands of the fruit peel of mandarin (*Citrus deliciosa* ten.)

A.M. Bosabalidis, I. Tsekos 449

Native south african aromatic plants - a possible vehicle for rural development

E.H. Graven, J.B. Gardner, C.L.C. Tutt 461

Germination and floral biology of jasmines

H.C. Srivastava, P.G. Karmakar 485

Studies on the essential oils from turkish fennel seeds (*Foeniculum vulgare* m. var. dulce)

A. Akgül 487

The commercial exploitation of lichens for the perfume industry

T.H. Moxham 491

SECTION VI

METHODS FOR SEPARATION AND IDENTIFICATION OF VOLATILES

HRGC-FTIR investigations on volatile terpenes

W. Herres, K.-H. Kubeczka, W. Schultze 507

Isolation and gas chromatographic separation of menthol and menthone enantiomers from natural peppermint oils

P. Werkhoff, R. Hopp 529

Application of headspace gas chromatography in essential oil analysis. VII. Hydrodistillation compared with headspace

H. Vuorela, R. Hiltunen, J. Pohjola, I. Laakso 551

XVI

Analysis of the volatiles from fruits of heracleum species by HSGC - an interlaboratory study J.J.C. Scheffer, A. Baerheim Svendsen, R. Hiltunen, M. von Schantz	555
Reaction gaschromatography for structure elucidation of terpenoid alcohols. Sesquiterpene alcohols present in the insecticidal essential oil of <i>Chrysanthemum balsamita</i> U. Kobold, O. Vostrowsky, H.J. Bestmann	565
Analysis of dried plant material directly introduced into a mass spectrometer (part I of investigations on medicinal plants by mass spectrometry) W. Schultze, G. Lange, G. Heinrich	577
The use of high resolution mass spectrometry in GC/MS coupling for analysing complex mixtures of volatiles G. Lange, W. Schultze	597
The reliability of similarity indices for comparing spectral data in the GC-MS analysis of terpenes I. Laakso, R. Hiltunen, T. Seppänen	619
The calculation of column polarities W. Günther, J. Wohland, F. Schlegelmilch	623
Adsorbents for the dynamical headspace W. Günther, J. Wohland, M. Lux, F. Schlegelmilch	637
Ion trap detector: the techniques and it's application H.J. Hübschmann, R. Schubert	643
The thermal conductivity detector (TCD) in capillary gas chromatography W. Günther, J. Wohland, D. Hahn, D. Haferkamp, G. Lösing, F. Schlegelmilch	649
AUTHOR INDEX	653
SUBJECT INDEX	655