ARCH Models for Financial Applications

Evdokia Xekalaki • Stavros Degiannakis

Department of Statistics Athens University of Economics and Business, Greece



Contents

| Preface | × | X | |
|------------------------------|---|----|--|
| Notation | Notation | | |
| 1 What is an ARCH proces | s? | 1 | |
| 1.1 Introduction | | 1 | |
| 1.2 The autoregressive con | nditionally heteroscedastic process | 8 | |
| 1.3 The leverage effect | | 13 | |
| 1.4 The non-trading period | d effect | 15 | |
| 1.5 The non-synchronous | trading effect | 15 | |
| 1.6 The relationship between | en conditional variance and | | |
| conditional mean | | 16 | |
| 1.6.1 The ARCH in n | nean model | 16 | |
| 1.6.2 Volatility and se | rial correlation | 18 | |
| 2 ARCH volatility specifica | tions | 19 | |
| 2.1 Model specifications | | 19 | |
| 2.2 Methods of estimation | | 23 | |
| 2.2.1 Maximum likeli | hood estimation | 23 | |
| 2.2.2 Numerical estim | ation algorithms | 25 | |
| 2.2.3 Quasi-maximum | likelihood estimation | 28 | |
| 2.2.4 Other estimation | methods | 29 | |
| 2.3 Estimating the GARC | H model with EViews 6: | | |
| an empirical example | • | 31 | |
| 2.4 Asymmetric condition | al volatility specifications | 42 | |
| 2.5 Simulating ARCH mo | dels using EViews | 49 | |
| 2.6 Estimating asymmetric | ARCH models with G@RCH 4.2 | | |
| OxMetrics: an empirio | al example | 55 | |
| 2.7 Misspecification tests | | 66 | |
| 2.7.1 The Box-Pierce | and Ljung-Box Q statistics | 66 | |
| 2.7.2 Tse's residual b | ased diagnostic test for | | |
| conditional hete | roscedasticity | 67 | |
| 2.7.3 Engle's Lagrang | ge multiplier test | 67 | |
| 2.7.4 Engle and Ng's | sign bias tests | 68 | |
| 2.7.5 The Breusch–Pa | gan, Godfrey, Glejser, Harvey and White tests | 69 | |

| | ~ ^ > ITTE> ITT |
|------|-----------------|
| V111 | CONTENTS |

| | | 2.7.6 The Wald, likelihood ratio and Lagrange multiplier tests | 69 |
|---|------|--|-----|
| | 2.8 | Other ARCH volatility specifications | 70 |
| | | 2.8.1 Regime-switching ARCH models | 70 |
| | | 2.8.2 Extended ARCH models | 72 |
| | 2.9 | Other methods of volatility modelling | 76 |
| 2 | 2.10 | Interpretation of the ARCH process | 82 |
| | | Appendix | 86 |
| 3 | Fra | ctionally integrated ARCH models | 107 |
| | | Fractionally integrated ARCH model specifications | 107 |
| | | Estimating fractionally integrated ARCH models using | |
| | | G@RCH 4.2 OxMetrics: an empirical example | 111 |
| | 3.3 | A more detailed investigation of the normality of the | |
| | | standardized residuals: goodness-of-fit tests | 122 |
| | | 3.3.1 EDF tests | 123 |
| | | 3.3.2 Chi-square tests | 124 |
| | | 3.3.3 QQ plots | 125 |
| | | 3.3.4 Goodness-of-fit tests using EViews and G@RCH | 126 |
| | | Appendix | 129 |
| 4 | Vol | atility forecasting: an empirical example using EViews 6 | 143 |
| | | One-step-ahead volatility forecasting | 143 |
| | | Ten-step-ahead volatility forecasting | 150 |
| | | Appendix | 154 |
| 5 | Oth | ner distributional assumptions | 163 |
| | | Non-normally distributed standardized innovations | 163 |
| | | Estimating ARCH models with non-normally distributed | |
| | | standardized innovations using G@RCH 4.2 OxMetrics: | |
| | | an empirical example | 168 |
| | 5.3 | Estimating ARCH models with non-normally distributed | |
| | | standardized innovations using EViews 6: an empirical example | 174 |
| | 5.4 | Estimating ARCH models with non-normally distributed | |
| | | standardized innovations using EViews 6: the logl object | 176 |
| | | Appendix | 182 |
| 6 | Vol | atility forecasting: an empirical example using G@RCH Ox | 185 |
| | | Appendix | 195 |
| 7 | Inti | raday realized volatility models | 217 |
| | | Realized volatility | 217 |
| | | Intraday volatility models | 220 |
| | 7.3 | Intraday realized volatility and ARFIMAX models | |
| | | in G@RCH 4.2 OxMetrics: an empirical example | 223 |
| | | 7.3.1 Descriptive statistics | 223 |

| | | CONTENTS | 1X |
|---|-----|---|------------------|
| | | 7.3.2 In-sample analysis | 228 |
| | | 7.3.3 Out-of-sample analysis | 232 |
| 0 | | | 220 |
| 8 | | plications in value-at-risk, expected shortfall and options pricing | 239 |
| | 8.1 | 8 | 239 |
| | | 8.1.1 Value-at-risk | 239 |
| | | 8.1.2 Parametric value-at-risk modelling | 240 |
| | | 8.1.3 Intraday data and value-at-risk modelling | 242 |
| | | 8.1.4 Non-parametric and semi-parametric value-at-risk modelling | 244 245 |
| | | 8.1.5 Back-testing value-at-risk8.1.6 Value-at-risk loss functions | 243 |
| | 0.0 | * = ⁻ | 248 |
| | 0.2 | One-day-ahead expected shortfall forecasting 8.2.1 Historical simulation and filtered historical simulation | 2 4 0 |
| | | | 251 |
| | | for expected shortfall | 251 |
| | 02 | 8.2.2 Loss functions for expected shortfall | 231 |
| | 0.3 | FTSE100 index: one-step-ahead value-at-risk and expected shortfall forecasting | 252 |
| | 0 1 | | 258 |
| | | Multi-period value-at-risk and expected shortfall forecasting ARCH volatility forecasts in Black–Scholes option pricing | 260 |
| | 0.5 | 8.5.1 Options | 261 |
| | | 8.5.2 Assessing the performance of volatility forecasting methods | 269 |
| | | 8.5.3 Black–Scholes option pricing using a set of ARCH processes | 270 |
| | | 8.5.4 Trading straddles based on a set of ARCH processes | 271 |
| | | 8.5.5 Discussion | 279 |
| | 86 | ARCH option pricing formulas | 281 |
| | 0.0 | 8.6.1 Computation of Duan's ARCH option prices: an example | 286 |
| | | Appendix | 288 |
| | | Appendix | 200 |
| 9 | Imj | plied volatility indices and ARCH models | 341 |
| | | Implied volatility | 341 |
| | | The VIX index | 342 |
| | | The implied volatility index as an explanatory variable | 344 |
| | 9.4 | ARFIMAX model for implied volatility index | 349 |
| | | Appendix | 352 |
| | | 1 | |
| 1 | | RCH model evaluation and selection | 357 |
| | 10 | 1.1 Evaluation of ARCH models | 358 |
| | | 10.1.1 Model evaluation viewed in terms of information criteria | 359 |
| | | 10.1.2 Model evaluation viewed in terms of statistical | |
| | | loss functions | 360 |
| | | 10.1.3 Consistent ranking | 367 |
| | | 10.1.4 Simulation, estimation and evaluation | 377 |
| | | 10.1.5 Point, interval and density forecasts | 383 |
| | | 10.1.6 Model evaluation viewed in terms of loss functions based | |
| | | on the use of volatility forecasts | 384 |

| | $\alpha \alpha$ | TOPENTO | |
|---|-----------------|---------------|--|
| X | CON | ITENTS | |

| Subject | Index | 533 |
|------------|--|-----|
| Author | Index | 521 |
| References | | 479 |
| | Appendix | 475 |
| 11.5 | Evaluation of multivariate ARCH models | 473 |
| | Estimating multivariate ARCH models using G@RCH 5.0 | 465 |
| | Estimating multivariate ARCH models using EViews 6 | 456 |
| | Maximum likelihood estimation | 454 |
| | 11.1.2 Asymmetric and long-memory model specifications | 453 |
| | 11.1.1 Symmetric model specifications | 446 |
| 11.1 | Model Specifications | 446 |
| 11 Mul | tivariate ARCH models | 445 |
| | Appendix | 410 |
| 10.4 | The SPA test for VaR and expected shortfall | 408 |
| 40 : | of model selection | 407 |
| | 10.3.3 Median values of loss functions as methods | |
| | 10.3.2 Applying loss functions as methods of model selection | 402 |
| | 10.3.1 Applying the SPEC model selection method | 401 |
| 10.3 | Application of loss functions as methods of model selection | 401 |
| | 10.2.7 Forecast encompassing tests | 400 |
| | 10.2.6 The standardized prediction error criterion | 393 |
| | 10.2.5 Hansen's superior predictive ability test | 390 |
| | 10.2.4 White's reality check for data snooping | 390 |
| | 10.2.3 The Morgan–Granger–Newbold test | 389 |
| | 10.2.2 The Harvey–Leybourne–Newbold test | 389 |
| | 10.2.1 The Diebold-Mariano test | 386 |
| 10.2 | Selection of ARCH models | 386 |