

**SUB Göttingen**  
215 089 251

A standard linear barcode is located at the bottom of the page, consisting of vertical black lines of varying widths on a white background.

2002 B 3392

1

# 9th European Space Mechanisms and Tribology Symposium

*19-21 September 2001  
Liège, Belgium*

**Organised by**  
*The European Space Agency*  
and  
*University of Liège*

**With support from**  
*OSTC, Belgium; CNES, France  
DLR, Germany; Techspace Aero, Belgium*

# ***European Space Agency Agence spatiale européenne***

## Contents

H.M. Briscoe - A Man for All Seasons .....	xi
--	----

### **Opening Session**

*Chairman: J.L.Bozett, ULg, Belgium*

Beagle 2 Mars - Mission and Status .....	3
<i>J. Thatcher, Astrium Ltd, United Kingdom</i>	

The 2007 French Mars mission .....	5
<i>O. Marsal &amp; Ch. Cazaux, CNES, France</i>	

### **Session 1: Mechanisms Miniaturisation**

*Chairman: M.Roe, Astrium, United Kingdom*

Miniaturized atomic force microscope for planetary exploration .....	11
<i>S. Gautsch, U. Staufer, T. Akiyama, N.F. de Rooij, University of Neuchâtel, Switzerland</i>	
<i>H.R. Hidber, A. Tonin, University of Basel, Switzerland</i>	
<i>D. Müller &amp; L. Howald, Nanosurf AG, Switzerland, P. Niedermann, CSEM, Switzerland</i>	

The challenges of miniaturisation for a magnetic bearing wheel .....	17
<i>M. Scharfe, T. Roschke, E. Bindl, D. Blonski, Dresden University of Technology, Germany</i>	
<i>R. Seiler, ESA/ESTEC, The Netherlands,</i>	

Mechanisms for the Beagle2 lander .....	25
<i>N. Phillips, Astrium UK Ltd., United Kingdom</i>	

### **Session 2: Tribology I**

*Chairman: E. Roberts, ESTL, United Kingdom*

Tribology in liquid oxygen of SiC/SiC ceramic matrix composites .....	35
in connection with the design of hydrostatic bearing	
<i>J.L. Bozett, M. Nélis, University of Liège, Belgium</i>	
<i>M. Leuchs, M. Bickel, MAN Technologie AG, Germany</i>	

Ball bearing tests to evaluate Duroid replacements . . . . .	43
<i>M.J. Anderson, ESTL, AEA Technology Space, United Kingdom</i>	
Characterisation of lubrication effect on performances and lifetime . . . . .	49
of ceramic and hybrid ball bearings	
<i>F. Di Gesu, Astrium SAS, France and J. Sicre, CNES, France</i>	
The tribological properties of several silahydrocarbons for use in space mechanisms . . . . .	57
<i>W.R. Jones, NASA Glenn Research Center, U.S.A.</i>	
<i>M.J. Jansen, AYT Corp., U.S.A.</i>	
<i>L.J. Gschwender, C.E. Snyder Jr, S.K. Sharma, Air Force Research Laboratory, U.S.A.</i>	
<i>R.E. Predmore, NASA Goddard Space Flight Center, U.S.A.</i>	
<i>M.J. Dube, Nye Lubricants Inc., U.S.A.</i>	

### **Session 3: Science Instrument Mechanisms I**

*Chairman: E. Suetta, Officine Galileo, Italy*

The MIDAS experiment for the Rosetta mission . . . . .	67
<i>H. Arends, J. Gavira, J. Romstedt, B. Butler, ESA/ESTEC, The Netherlands</i>	
<i>K. Torkar, G. Fremuth, H. Jeszenszky, Space Research Institute of the Austrian Academy of Science, Austria</i>	
<i>G. Coe, M. Yorck, Atos Origin BV, The Netherlands</i>	
The scanning mechanism for ROSETTA/MIDAS: from an engineering model to the flight model . . . . .	75
<i>R. Le Letty, F. Barillot, N. Lhermet, F. Claeysen, Cedrat Recherche, France</i>	
<i>M. Yorck, Atos Origin BV, The Netherlands</i>	
<i>J. Gavira Izquierdo, H. Arends, ESA/ESTEC, The Netherlands</i>	
Mechanisms of the Rosetta high gain antenna . . . . .	83
<i>C. Pereira, HTS AG, Switzerland</i>	
Comet sample acquisition for ROSETTA lander mission . . . . .	91
<i>M. Marchesi, R. Campaci, A. Nista, Tecnomare, Italy</i>	
<i>P. Magnani, E. Re, Tecnospazio, Italy</i>	
<i>R. Mugnuolo, A. Olivieri, Italian Space Agency, Italy</i>	

## **Session 4: In-Flight Experiences and Lessons Learned**

*Chairman: S. Loewenthal*

*Lockheed Martin Space Systems Company, U.S.A.*

Life test of the SCARAB instrument slip-ring units . . . . .	99
<i>J.B. Mondier, CNES, France</i>	
<i>F. Sirou, Ecole Polytechnique, Palaiseau, France</i>	
<i>P. Mäusli, Mecanex, Nyon, Switzerland</i>	
A review of the mechanisms on SOHO/CDS after five years in orbit . . . . .	107
<i>E. Sawyer and J. Long, Rutherford Appleton Laboratory, United Kingdom</i>	
Useful experiences in a series of deployable booms for Cluster satellites . . . . .	113
<i>J.A. Andión and C. Pascual, SENER Ingeniería y Sistemas, Spain</i>	
Space mechanism development lessons to be learned - an independent view . . . . .	121
<i>S.D. Lewis, ESTL, AEA Technology Space, United Kingdom</i>	
<i>M. Humphries, Sula Systems, United Kingdom</i>	

## **Session 5: Deployment Mechanisms, Actuators and Drives**

*Chairman: M. Schmid, Astrium, Germany*

Non explosive low shock reusable 20 kN hold-down release actuator . . . . .	131
<i>J. Vázquez and J. Bueno, SENER Ingeniería y Sistemas, Spain</i>	
High accuracy evaluation method of deployment characteristics . . . . .	137
for large deployable structures	
<i>H. Ishikawa and A. Meguro, NTT Network Innovation Laboratories, Japan</i>	
A low cost hinge for appendices deployment: design, test and applications . . . . .	145
<i>D. Givois, T. Mazoyer, Metravib, France, J. Sicre, CNES, France</i>	
Regulated deployment mechanism for a panel like appendage . . . . .	153
<i>J.I. Bueno, J. Vázquez, SENER Ingeniería y Sistemas, Spain</i>	
<i>J. Gavira, G. Migliorero, ESA/ESTEC, The Netherlands</i>	

## **Session 6: Science Instrument Mechanisms II**

*Chairman: P. Kerhousse, Alcatel, France*

Scan Mechanism for IIR ESSP3-CENA .....	163
<i>C. Laborde, EADS-SODERN, France and Ph. Guay, CNES, France</i>	
Demonstration of a 10 K stirling cycle cooler for space applications .....	165
<i>G.R. Baker, D. Féger, A.S. Gibson, A. Little, Astrium, United Kingdom</i>	
<i>T.W. Bradshaw, M. Crook, A. Orlowska,</i>	
<i>Rutherford Appleton Laboratory, United Kingdom</i>	
<i>B.J. Tomlinson, U.S. Air Force Research Laboratories, U.S.A.</i>	
<i>A. Sargeant, Cubic Applications Inc., U.S.A.</i>	
Wire boom mechanism for BepiColombo mission to Mercury .....	171
<i>J.F. González Lodoso, J.J. Echevarria, SENER Ingeniería y Sistemas, Spain</i>	
<i>J.M. Gavira, ESA/ESTEC, The Netherlands</i>	

## **Session 7: Launch Vehicle Mechanisms**

*Chairman: M. Gruslin, Techspace Aero, Belgium*

Porting aircraft technology to launchers: the EHA case .....	181
<i>F. De Coster, Société Anonyme Belge de Constructions Aéronautiques, Belgium</i>	
Electrically actuated regulation valves for rocket engines .....	183
<i>Chr.F. Promper, Techspace Aero, Belgium</i>	
Development of a reusable, low-shock clamp band separation system .....	191
for small spacecraft release applications	
<i>D. Dowen, S. Christiansen, Starsys Research Corp., U.S.A.</i>	
<i>O. Arjulf, Saab Ericsson Space, Sweden</i>	
Dynamics simulation of pyro actuated "ball lock" separation system .....	199
for micro-satellites to evaluate release shock	
<i>S. Somanath, V. Krishnan Kutty, E.J. Francis,</i>	
<i>Vikram Sarabhai Space Centre, India</i>	

## Session 8: Special Functions

*Chairman: M. Falkner, AAe, Austria*

SMART-1 Electrical propulsion mechanism (EPMEC) . . . . .	209
<i>B. Wood, W. Buff, Ph. Delouard, Contraves Space AG, Switzerland</i>	
A cold focal plane chopper for Herschel-PACS - . . . . .	
critical components and reliability	
<i>R. Hofferbert, D. Lemke, O. Krause, U. Grözinger, A. Böhm, Max-Planck-Institut für Astronomie, Germany</i>	
<i>W. Bollinger, J. Katzer, Carl Zeiss, Germany</i>	
A new and innovative use of the thermal knife and Kevlar . . . . .	
cord components in a restraint and release system	
<i>A. Stewart, NASA Goddard Space Flight Center, U.S.A.</i>	221
Integrated structure and controller systems: a design procedure . . . . .	
for controlled multi-body flexible high performance mechanisms	
<i>E. Rugi, Contraves Space AG, Switzerland</i>	239
Solar paddle actuator for small satellites using shape memory alloy . . . . .	
<i>T. Iwata,, H. Murakami, Y. Toda, National Institute of Advanced Industrial Science and Technology, Japan</i>	249
<i>Y. Fujiwara, A. Ogawa, Actment Co. Ltd, Japan</i>	

## Session 9: Tribology II

*Chairman: J. Marcos, Inasmet, Spain*

Improved tribological behaviour of MoS <sub>2</sub> thin solid films alloyed with WC . . . . .	257
<i>J.I. Oñate, M. Brizuela, A. García-Luis, I. Braceras, J.L. Viviente, Fundación Inasmet, Spain</i>	
<i>J. Gomez-Elvira, Instituto Nacional de Técnica Aeroespacial, Spain</i>	
Hibernation storage testing of a reaction wheel for the ROSETTA programme . . .	
<i>P. McMahon, Astrium UK Ltd, United Kingdom</i>	263
Observations on the influence of launch vibration on bearing torque . . . . .	
and lubricant performance	
<i>S.D. Lewis, S. Söchting, E.W. Roberts, ESTL, AEA Technology Space, United Kingdom</i>	271
<i>I. Sherrington, University of Central Lancashire, United Kingdom</i>	

## Posters

### *Tribology*

TriboLAB – A space tribometer .....	281
<i>J. Serrano, J. Gómez-Elvira, R. Santiago, J. Pazos, Instituto Nacional de Técnica Aeroespacial, Spain J. Oñate, I. Garmendia, A. Rodriguez, Fundación Inasmet, Spain</i>	
Advances in solid lubricant coating technology .....	285
<i>E.W. Roberts and M.J. Anderson, ESTL, AEA Technology Space, United Kingdom</i>	
Evaluation tests of industrial vacuum bearings for space use .....	289
<i>S. Obara, A. Sasaki, M. Haraguchi, K. Imagawa, National Space Development Agency of Japan M. Nishimura, N. Kawashima, Toshiba Corporation, Japan</i>	
Tribological characteristics of solid lubricated bearings .....	297
used in ADEOS-II TCM	
<i>Y. Tanaka, M. Haraguchi, S. Obara, A. Sasaki, S. Kawata, H. Suzuki, National Space Development Agency of Japan</i>	
Advanced tribology design tools for space mechanisms .....	305
<i>E.W. Roberts and S.D. Lewis, ESTL, AEA Technology Space, United Kingdom</i>	
Study of RF PACVD Diamond Like Carbon coatings deposited .....	309
at low bias for vacuum applications	
<i>K. Vercammen, J. Meneve, E. Dekempeneer Flemish Institute for Technological Research, Belgium E. W. Roberts, ESTL, AEA Technology Space, United Kingdom M. Eiden, ESA/ESTEC, The Netherlands</i>	
The Herschel-PACS grating drive mechanism: .....	313
Design status and prototype results	
<i>E. Renotte, J.-M. Gillis, C. Jamar, B. Marquet, J.-Y. Plessier, Centre Spatial de Liège, Belgium B. Collin, C. Delrez, AMOS S.A., Belgium</i>	
Low temperature tribology at the Federal Institute for Materials Research .....	317
and Testing (BAM)	
<i>Th. Gradt, H. Börner, W. Hübner, Federal Institute for Materials Research and Testing, Germany</i>	

## *Mechanisms Components*

Eddy current damper simulation and modeling . . . . .	321
<i>S. Starin, J. Neumeister, CDA Intercorp, U.S.A.</i>	
Celtic Pivots . . . . .	327
<i>M. Coppée, B.E. System, France</i>	
Piezoelectric Stewart platform for general purpose . . . . .	331
active damping interface and precision control	
<i>A. Abu Hanieh, A. Preumont, Université Libre de Bruxelles, Belgium</i>	
<i>N. Loix, Micromega Dynamics, Belgium</i>	
Magnetoresistive position sensors for cryogenic space applications . . . . .	335
<i>O. Krause, U. Grözinger, D. Lemke, A. Böhm, R. Hofferbert,</i>	
<i>Max-Planck-Institut für Astronomie, Germany</i>	
New wheel developments for small spacecraft . . . . .	339
<i>W. Kupferschmitt, G. Dallafina, TELDIX GmbH, Germany</i>	
<i>R. Seiler, ESA/ESTEC, The Netherlands</i>	
High Resolution Standard Proximity Sensor (HRSPS) . . . . .	343
<i>H.-P. Aeby, R. Blaser, N. Mancini, M. Mivelaz, J. Perriard,</i>	
<i>Vibro-Meter S.A., Switzerland</i>	

## *International Space Station*

Heavy duty complete extension slides . . . . .	351
<i>J.I. Bueno, J. Vázquez, SENER Ingeniería y Sistemas (Spain)</i>	

## *Mechanisms Testing*

Building and testing of MIDAS instrument sub-assemblies . . . . .	355
<i>S.D. Lewis, ESTL, AEA Technology Space, United Kingdom</i>	