

SP-554

June 2004

Proceedings of the

5th International Conference on Space Optics (ICSO 2004)

30 March – 2 April 2004
Toulouse, France

SUB Göttingen 7
216 821 347



2005 B 1201

Sponsored by:

CNES

ESA

SFO

SFPT

(46)

**European Space Agency
Agence spatiale européenne**

CONTENTS

Session 1

Optical instruments for Earth / planet surface and atmosphere observation

Chairs: Errico Armandillo (ESA, The Netherlands), Christian Chlebek (DLR, Germany), Mike Cutter (Sira Electro-Optics Ltd, UK), Pierre Hollier (Astrium, France), Marie-Jo Lefevre (SFPT, France), Benoit Boissin (CNES, France)

Co-chairs: Ulrich Johann (Astrium, Germany), Josiane Costeraste (CNES, France), Roland Meynart (ESA, The Netherlands), Mike Cutter (Sira Electro-Optics Ltd, UK), Andrea Mariani (Galileo Avionica, Italy), Kees Smorenburg (TNO, The Netherlands)

| | |
|---|----|
| Invited Paper: Lidar instruments for ESA Earth Observation missions <i>A. Hélière, E. Armandillo et al.</i> | 3 |
| ALADIN: the first European Lidar in space <i>D. Morancais, F. Fabre et al.</i> | 13 |
| ATLID: ATmospheric LIDAR for clouds and aerosol observation combined with radar sounding <i>T. Pain, P. Martimort et al.</i> | 19 |
| WALES: Water vapour Lidar Experiment in Space <i>F. Guerin, T. Pain et al.</i> | 25 |
| Concept & design of the backscatter Lidar for EarthCARE <i>L. Le Hors, C. Wührer and A. Hélière</i> | 33 |
| Design of the Compact High-Resolution Imaging Spectrometer (CHRIS), and future developments <i>M. Cutter and D. Lobb</i> | 41 |
| IASI instrument: technical description and measured performances <i>P. Hébert, D. Blumstein et al.</i> | 49 |
| Lift, a future atmospheric chemistry sensor <i>E. Pailharey, F. Chateaufneuf and D. Aminou</i> | 57 |
| Miniaturisation of imaging spectrometer for planetary exploration <i>P. Drossart, A. Semery et al.</i> | 63 |

| | |
|---|-----|
| Progress report of a static Fourier transform spectrometer breadboard <i>A. Rosak and F. Tintó</i> | 67 |
| Compact high-resolution echelle-AOTF NIR spectrometer for atmospheric measurements <i>O.I. Korablev, J-L. Bertaux et al.</i> | 73 |
| Microbolometer spectrometer opens host of new applications <i>J.A.P. Leijtens, C. Smorenburg et al.</i> | 81 |
| Ozone monitoring instrument flight-model on-ground and in-flight calibration <i>M. Dobber, R. Dirksen et al.</i> | 89 |
| Ratioing methods for in-flight response calibration of space-based spectro-radiometers, operating in the Solar spectral region <i>D. Lobb</i> | 97 |
| Hyperresolution: a hyperspectral and high resolution imager for Earth observation <i>R. De Vidi, L. Chiarantini and A. Bini</i> | 105 |
| Development of the TopSat camera <i>P. Greenway, I. Tosh and N. Morris</i> | 113 |
| Low-cost thermal-IR imager for an Earth Observation microsatellite <i>B.D. Oelrich and C.I. Underwood</i> | 121 |
| POLDER 2 in-flight results and parasol perspectives <i>F. Bermudo, B. Fougnie and T. Bret Dibat</i> | 129 |
| Medium-sized aperture camera for Earth Observation <i>E.D. Kim, Y-W. Choi et al.</i> | 137 |
| From SPOT 5 to Pleiades HR: evolution of the instrumental specifications <i>A. Rosak, C. Latry et al.</i> | 141 |
| Design of the high resolution optical instrument for the PLEIADES HR Earth observation satellites <i>J-L. Lamard, C. Gaudin-Delrieu et al.</i> | 149 |
| HRS Camera: a development and in-orbit success <i>G. Planche, C. Massol and L. Maggiori</i> | 157 |
| SEVIRI, the imaging radiometer on Meteosat second generation: in-orbit results and first assessment <i>P. Coste, F. Pasternak et al.</i> | 165 |
| Design and development of the 2m resolution camera for ROSCAT-2 <i>G. Uguen, P. Luquet et al.</i> | 173 |
| Multiple aperture optical telescopes: some key issues for Earth observation from a GEO orbit <i>L. Mugnier, F. Cassaing et al.</i> | 181 |

Session 1 Poster Papers

| | |
|--|-----|
| Preliminary calibration results of the wide angle camera of the imaging instrument OSIRIS for the Rosetta mission <i>V. Da Deppo, G. Naletto et al.</i> | 191 |
| Method of representation of remote sensing data that facilitates visual interpretation <i>T.A. Sheremetyeva</i> | 199 |

| | |
|---|-----|
| Miniature high-performance infrared spectrometer for space applications <i>R.V. Kruzelecky, E. Haddad et al.</i> | 203 |
|---|-----|

Session 2

Optical instruments for Space Science and Astronomy

Chairs: Ulrich Johann (Astrium, Germany), Marc Séchaud (Onera, France), Kees Smorenburg (TNO, The Netherlands), Rodolphe Krawczyk (Alcatel Space, France)

Co-chairs: Rodolphe Krawczyk (Alcatel Space, France), Marie-Jo Lefevre (SFPT, France), Marc Séchaud (Onera, France), Pierre Hollier (Astrium, France)

| | |
|---|-----|
| Invited Paper: Search for extraterrestrial planets: the DARWIN mission <i>L. D'Arcio and A. Karlsson</i> | 213 |
| EADS Astrium Nulling Interferometer Breadboard for DARWIN and GENIE <i>K. Ergenzinger, R. Flatscher et al.</i> | 223 |
| MAI ² nulling breadboard based on integrated optics: test results <i>M. Barillot, P. Haguenaue et al.</i> | 231 |
| Nulling interferometry for the Darwin mission: polychromatic laboratory test bench <i>F. Brachet, A. Labeque et al.</i> | 237 |
| Nulling at TNO TPD – status update <i>L.L.A. Vosteen, H.J.P. Vink et al.</i> | 243 |
| SPECTRE: a spectro-heliograph for the transition region <i>G. Naletto, E. Antonucci et al.</i> | 251 |
| SWAP: Sun watcher with a new EUV telescope on a technology demonstration platform <i>J.-M. Defise, J.-H. Lecat et al.</i> | 257 |
| MIRI spectrometer optical design <i>B. Kruizinga, H. Visser et al.</i> | 263 |
| JWST: A mid-IR coronagraph for imaging extrasolar planets <i>A. Boccaletti, P. Riaud et al.</i> | 273 |
| COROT mission: accurate stellar photometry <i>V. Costes, P. Bosin et al.</i> | 281 |
| Corot telescope development <i>T. Viard, P. Bodin and A. Magnan</i> | 285 |
| The GAIA payload <i>F. Safa, P. Charvet and F. Chassat</i> | 291 |
| Telescope system of the Space Infrared Telescope for Cosmology and Astrophysics (SPICA) mission <i>T. Onaka, T. Nakagawa et al.</i> | 297 |
| Comparison of near-field measurements and electromagnetic simulations of the focal plane unit of the Heterodyne instrument for the far-infrared <i>W. Jellema, R. Huisman et al.</i> | 303 |

| | |
|--|-----|
| Planck Telescope: optical design and verification <i>P. Martin, J.-B. Riti and D. de Chambure</i> | 323 |
| PLANCK-HFI: performances of an optical concept for the cosmic microwave background anisotropies measurement <i>J. Brossard, V. Yurchenko et al.</i> | 333 |
| The 3,5 m all SiC telescope for Herschel <i>Y. Toulemont, T. Passvogel et al.</i> | 341 |

Session 2 Poster Papers

| | |
|--|-----|
| EUV imager and spectrometer for LYOT and Solar Orbiter space missions <i>A. Millard, P. Lemaire and J.-C. Vial</i> | 351 |
| Autonomous star tracker based on active pixel sensors (APS) <i>U. Schmidt</i> | 355 |
| Delft Testbed Interferometer <i>P.M. Gori, H. van Brug and R.S. Lepoole</i> | 359 |
| Design and evaluation of ALMA band 9 quasioptical system <i>A. Baryshev, M. Carter et al.</i> | 365 |
| Solar full field interferometric imaging with three telescopes <i>L. Damé, S. Cladé and B. Zhao</i> | 373 |
| The Side-Looking Coronagraph (SILC) for the Solar Orbiter mission: optical performances <i>S. Vivès and P. Lamy</i> | 381 |
| Diamond radiation sensors prepared by pulsed glow discharge CVD <i>E. Borchi, R.D'Alessandro et al.</i> | 387 |

Session 3-4

Optical instruments for other applications

Chairs: Jacques Berthon (CNES, France), Bernard Zappoli (CNES, France), Philippe Laurent (Observatoire de Paris, France), Errico Armandillo (ESA, The Netherlands), Roland Meynart (ESA, The Netherlands)

Co-chairs: Bart Snijders (TNO, The Netherlands), Jacques Berthon (CNES, France)

| | |
|--|-----|
| Invited Paper: Inter-satellite optical communications: from SILEX to next generation systems <i>B. Laurent, G. Planche and C. Michel</i> | 395 |
| SILEX in-orbit performances <i>G. Planche and V. Chorvalli</i> | 403 |
| Performance analysis and preliminary experimental verification of a coherent optical receiver for PPM signals in the presence of atmospheric turbulence <i>M. Munoz Fernández and V.A. Vilnrotter</i> | 411 |
| LCTSX: first on-orbit verification of a coherent optical link <i>T. Schwander, R. Lange et al.</i> | 419 |

| | |
|--|-----|
| A breadboard of optically-pumped atomic-beam frequency standard for space applications <i>P. Berthoud, R. Ruffieux et al.</i> | 423 |
| PHARAO space atomic clock: new developments on the laser source <i>M. Saccoccio, J. Loesel et al.</i> | 427 |
| Interferometer for fluid physics experiments in microgravity environment <i>M. Di Giampietro, R. Bardazzi et al.</i> | 437 |
| The optical diagnostics of DECLIC <i>D. Laubier, B. Martin and A. Durieux</i> | 441 |
| Digital holographic microscopy for emulsions on the Fluid Science Laboratory <i>T. Dewandre, F. Dubois et al.</i> | 447 |
| Optical system for the protein crystallisation diagnostics facility (PCDF) of board the ISS <i>L. Jóannes, O. Dupont et al.</i> | 457 |
| The optical diagnostics of the Fluid Science Laboratory <i>O. Dupont, T. Dewandre et al.</i> | 463 |
| Optical tomography for the measurement of 3-dimensional refractive index distribution in a liquid on board the MASER sounding rocket <i>L. Joannes, O. Dupont and K. Löth</i> | 471 |
| Multiple-aperture optical telescopes: cophasing sensor testbed <i>B. Sorrente, F. Cassaing et al.</i> | 479 |
| Wide angle astrometric demonstration on the micro-arcsecond metrology testbed for the space interferometry mission <i>R. Goullioud, T-P.J. Shen and J.H. Catanzarite</i> | 485 |
| MSTAR: an absolute metrology sensor with sub-micron accuracy for space-based applications <i>R.D. Peters, O.P. Lay et al.</i> | 493 |
| High-precision optical metrology for Darwin: design and performance <i>B. Calvel, I. Cabeza et al.</i> | 501 |
| Laser metrology: new generation of MOUSE sensors extends distance and displacement measurement performances <i>A. Poupinet, L. Pujol et al.</i> | 509 |
| Progress towards picometer accuracy laser metrology for the space interferometry mission – update <i>P.G. Halverson, O. Alvarez-Salazar et al.</i> | 515 |

Session 3-4 Poster Papers

| | |
|---|-----|
| New optical technology for cold atom experiments <i>D. Holleville, N. Dimarcq et al.</i> | 525 |
| Low cost Earth Attitude Sensor <i>F. Liberati, G. Perrotta and F. Verzegnassi</i> | 529 |
| Comparative accuracy analysis for two types of scanning IR Earth horizon sensors <i>O. Vetrov, A. Dimitriev and M. Pirogov</i> | 535 |

| | |
|--|-----|
| Straylight analysis of the external baffle of COROT <i>J.Y. Plesseria, E. Mazy et al.</i> | 543 |
| Laboratory test of an APS-based Sun sensor prototype <i>G. Rufino, A. Perrotta and M. Grassi</i> | 551 |
| Absolute distance metrology for space interferometers <i>B.L. Swinkels, T.J. Wendrich et al.</i> | 559 |
| Ultra-stable optical links for space and ground applications <i>F. Narbonneau, M. Lours et al.</i> | 563 |
| Signal processing for order 10 PM accuracy displacement metrology in real-world scientific applications <i>P.G. Halverson and F.M. Loya</i> | 571 |

Session 5

Generic Technology for Space Optics

Chairs: Roland Meynart (ESA, The Netherlands), Christian Chlebek DLR, Germany), Andrea Mariani (Galileo Avionica, Italy), Pierre Hollier (Astrium, France), Bart Snijders (TNO, The Netherlands), Jean-Alain Massoni (Alcatel Space, France), Didier Dantes (Alcatel Space, France), Alain Bardoux (CNES, France)

Co-chairs: Jacques Berthon (CNES, France), Errico Armandillo (ESA, The Netherlands), Jean-Pierre Cariou (Onera, France), Roland Meynart (ESA, The Netherlands), Jean-Alain Massoni (Alcatel Space, France), Alain Bardoux (CNES, France), Kees Smorenburg (TNO, The Netherlands), Andrea Mariani (Galileo Avionica, Italy)

| | |
|---|-----|
| Multi-gigabit optical interconnects for next-generation on-board digital equipment <i>N. Venet, H. Favaro et al.</i> | 581 |
| Optical distribution of local oscillators in future telecommunication satellite payloads <i>B. Bénazet, M. Sotom et al.</i> | 589 |
| Quantum effects in new integrated optical angular velocity sensors <i>M.N. Armenise, C. Ciminelli et al.</i> | 595 |
| High stability, fast tunable single frequency laser source for space based lidar applications <i>F. Heine, K. Schiebe et al.</i> | 599 |
| High energy, single frequency, tunable laser source operating in burst mode for space based lidar applications <i>A. Cosentino, A. Mondello et al.</i> | 603 |
| Frequency stabilized ND:YAG laser for space applications <i>T. Schuldt, C. Braxmaier et al.</i> | 611 |
| A compact, frequency stabilized laser head for RB clocks and wavelength references <i>G. Mileti and C. Affolderbach</i> | 619 |

| | |
|---|-----|
| Optical clocks and ultra-stable optical oscillators for navigation, space science and astronomy <i>P. Gill, G.P. Barwood et al.</i> | 625 |
| High power pulsed sources based on fibre amplifiers <i>G. Canat, Y. Jaouen et al.</i> | 631 |
| Mixed Garnet laser crystals for water vapour DIAL transmitter <i>R. Treichel, C. Czeranowsky et al.</i> | 639 |
| Novel, compact and simple Nd:YVO ₄ laser with 12 W of CW optical output power and good beam quality <i>H. Zimer, B. Langer et al.</i> | 643 |
| Innovative space X-ray telescopes <i>R. Hudec, A. Innemann et al.</i> | 649 |
| All-SiC telescope technology: recent progress and achievements <i>J. Breysse, D. Castel et al.</i> | 659 |
| Development of reaction-sintered SiC mirror for space-borne optics <i>Y.Y. Yui, T. Kimura and Y. Tange</i> | 673 |
| Reaction-sintered silicon carbide: newly developed material for lightweight mirrors <i>K. Tsuno, H. Irikado et al.</i> | 681 |
| Silicon carbide for mirrors by plasma enhanced chemical vapour deposition at low temperature <i>A. Novi, G. Taglioni et al.</i> | 687 |
| Ion beam figuring of CVD silicon carbide mirrors <i>P. Gailly, J.-P. Collette et al.</i> | 691 |
| Cryogenic optical testing of SiC mirrors for ASTRO-F and C/SiC composite mirrors for SPICA <i>H. Kaneda, T. Nakagawa et al.</i> | 699 |
| ELID grinding of SiC ultra-lightweight mirror <i>H. Eto, Y. Dai et al.</i> | 707 |
| Molecular adhesion solutions for integral field spectroscopy and compact static FTS <i>C. Bonneville, E. Prieto et al.</i> | 711 |
| Piezoelectric actuators for active optics <i>R. Le Letty, F. Barillot et al.</i> | 717 |
| Development of optical ground verification method for micrometer to sub-mm reflectors <i>Y. Stockman, C. Thizy et al.</i> | 721 |
| A starting point of an integrated optics concept for a space-based interferometer <i>L. Labadie, P. Kern and I. Schanen</i> | 729 |
| Programmable slits for multi-object spectroscopy modelling and characterization <i>F. Zamkotsian, P. Lanzoni and K. Dohlen</i> | 735 |
| Grism and immersion grating for space telescope <i>N. Ebizuka, K. Oka et al.</i> | 743 |
| The IASI detector chain <i>P. Nicol, J. Fleury et al.</i> | 751 |

| | |
|---|-----|
| Sofradir infrared technologies for space detectors <i>M. Vuillermet and P. Chorier</i> | 759 |
| A 1.3 giga-pixel focal plane for GAIA <i>A. Laborie, P. Pouny et al.</i> | 767 |
| Research-grade CMOS image sensors for demanding space applications <i>O. Saint-Pé, M. Tulet et al.</i> | 775 |
| Photon counting cryogenic detectors for ground-based and space telescopes <i>P. Verhoeve, D. Martin et al.</i> | 781 |
| SEDHI: Development status of the Pléiades detection electronics <i>D. Dantes, J.-M. Biffi et al.</i> | 789 |
| Conduction-cooled compact laser for the MALIS instrument <i>E. Durand, D. Decaux et al.</i> | 797 |

Session 5 Poster Papers

| | |
|--|-----|
| Static and dynamic micro deformable mirror characterization by phase-shifting and time-averaged interferometry <i>A. Liotard and F. Zamkotsian</i> | 801 |
| Development of a 750x750 pixel CMOS imager sensor for tracking applications <i>F. Larnaudie, N. Guardiola et al.</i> | 809 |
| Where size does matter: foldable telescope design for microsat application <i>T. Segert, B. Danziger and M. Lieder</i> | 817 |
| Development of the tunable, narrow-band, and frequency stabilised laser heads in Observatoire Cantonal de Neuchâtel <i>C. Affolderbach, A. Vuillemin et al.</i> | 821 |
| The relativity mission OPTIS: Development of optical techniques <i>S. Schiller, P. Antonini et al.</i> | 826 |
| Linear CCD array TH-7834B performances near 10 Mhz <i>A. Bardoux and J.-J. Quicot</i> | 827 |
| Electrical characterisation of a commercial CCD signal processor <i>J.-M. Biffi and G. Villalon</i> | 829 |
| Ion-plating metal-dielectric coatings for light absorbers <i>F. Lemarquis, M. Cathelinaud et al.</i> | 831 |
| Laser damage test bench for space optics <i>W. Riede and P. Allenspacher</i> | 839 |
| Ageing under mechanical stress: first experiments for a silver based multilayer mirror <i>A. Lalo, G. Ravel et al.</i> | 845 |