



Depositional Environments, Lithostratigraphy, and Biostratigraphy of the White River and Arikaree Groups (Late Eocene to Early Miocene, North America)

Edited by

Dennis O. Terry
Department of Geology
University of Nebraska–Lincoln
Lincoln, Nebraska 68588-0340

Hannan E. LaGarry
Conservation and Survey Division (IANR)
and State Museum
University of Nebraska-Lincoln
Lincoln, Nebraska 68588-0514

and

Robert M. Hunt, Jr.
Division of Vertebrate Paleontology
University of Nebraska–Lincoln
Lincoln, Nebraska 68588

V 164



Contents

re	face
1.	Tephrostratigraphy and source of the tuffs of the White River sequence
<i>2</i> .	Lithostratigraphic revision and correlation of the lower part of the White River Group: South Dakota to Nebraska
<i>3</i> .	Magnetic stratigraphy and biostratigraphy of the Orellan and Whitneyan land mammal "ages" in the White River Group
4.	Lithostratigraphic revision and redescription of the Brule Formation (White River Group) of northwestern Nebraska
	Episodes of carbonate deposition in a siliciclastic-dominated fluvial sequence, Eocene-Oligocene White River Group, South Dakota and Nebraska
6.	The Big Cottonwood Creek Member: A new member of the Chadron Formation in northwestern Nebraska
7.	Magnetic polarity stratigraphy and correlation of the Arikaree Group, Arikareean (late Oligocene-early Miocene) of northwestern Nebraska
8.	The Arikareean Land Mammal Age in Texas and Florida: Southern extension of Great Plains faunas and Gulf Coastal Plain endemism

iv Contents

9. Lithostratigraphy, pateontology, and biochronology of the Chadron, Brute, and Arikaree Formations in North Dakota	185
J. W. Hoganson, E. C. Murphy, and N. F. Forsman	
10. Arikareean and Hemingfordian faunas of the Cady Mountains,	
Mojave Desert Province, California	197
M. O. Woodburne	
Index	211