

GEOLOGICAL SOCIETY SPECIAL PUBLICATION NO. 195

# The Tectonic and Climatic Evolution of the Arabian Sea Region

EDITED BY

P. D. CLIFT

Woods Hole Oceanographic Institution, USA

D. KROON

Free University Amsterdam, The Netherlands

C. GAEDICKE

Bundesanstalt für Geowissenschaften und Rohstoffe (BGR), Germany

and

J. CRAIG

Lasmo plc, UK

2002  
Published by  
The Geological Society  
London

## Contents

|  |     |
|--|-----|
| CLIFT, P. D., KROON, D., GAEDICKE, C. & CRAIG, J. Tectonic and climatic evolution of the Arabian Sea region: an introduction   | 1   |
| ROYER, J.-Y., CHAUBEY, A. K., DYMENT, J., BHATTACHARYA, G. C., SRINIVAS, K., YATHEESH, V. & RAMPRASAD, T. Paleogene plate tectonic evolution of the Arabian and Eastern Somali basins                    | 7   |
| GAEDICKE, C., PREXL, A., SCHLÜTER, H.-U., MEYER, H., ROESER, H. & CLIFT, P. D. Seismic stratigraphy and correlation of major regional unconformities in the northern Arabian Sea                         | 25  |
| UCHUPI, E., SWIFT, S. A. & ROSS, D. A. Tectonic geomorphology of the Gulf of Oman Basin  | 37  |
| CHAUBEY, A. K., DYMENT, J., BHATTACHARYA, G. C., ROYER, J.-Y., SRINIVAS, K. & YATHEESH, V. Paleogene magnetic isochrons and palaeo-propagators in the Arabian and Eastern Somali basins, NW Indian Ocean | 71  |
| VITA-FINZI, C. Neotectonics on the Arabian Sea coasts  | 87  |
| CLIFT, P. D., CARTER, A., KROL, M. & KIRBY, E. Constraints on India–Eurasia collision in the Arabian Sea region taken from the Indus Group, Ladakh Himalaya, India                                       | 97  |
| BURGATH, K.-P., VON RAD, U., VAN DER LINDEN, W., BLOCK, M., KHAN, A. A., ROESER, H. A. & WEISS, W. Basalt and peridotite recovered from Murray Ridge: are they of supra-subduction origin?               | 117 |
| DELISLE, G. & BERNER, U. Gas hydrates acting as cap rock to fluid discharge in the Makran accretionary prism?  | 137 |
| MCCALL, G. J. H. A summary of the geology of the Iranian Makran  | 147 |
| SATTARZADEH, Y., COSGROVE, J. W. & VITA-FINZI, C. The geometry of structures in the Zagros cover rocks and its neotectonic implications  | 205 |
| STOW, D. A. V., TABREZ, A. R. & PRINS, M. A. Quaternary sedimentation on the Makran margin: turbidity current–hemipelagic interaction in an active slope-apron system                                    | 219 |
| CLIFT, P. D. A brief history of the Indus River  | 237 |
| DALEY, T. & ALAM, Z. Seismic stratigraphy of the offshore Indus Basin  | 259 |
| SMEWING, J. D., WARBUTON, J., DALEY, T., COPESTAKE, P. & UL-HAQ, N. Sequence stratigraphy of the southern Kirthar Fold Belt and Middle Indus Basin, Pakistan   | 273 |
| GLENNIE, K. W., SINGHVI, A. K., LANCASTER, N. & TELLER, J. T. Quaternary climatic changes over southern Arabia and the Thar Desert, India  | 301 |

|  |     |
|--|-----|
| WENDLER, I., ZONNEVELD, K. A. F. & WILLEMS, H. Calcareous cyst-producing dinoflagellates: ecology and aspects of cyst preservation in a highly productive oceanic region                       | 317 |
| JUNG, S. J. A., IVANOVA, E., REICHART, G. J., DAVIES, G. R., GANSSEN, G., KROON, D. & HINTE, J. E. V. Centennial–millennial-scale monsoon variations off Somalia over the last 35 ka           | 341 |
| BRUMMER, G. J. A., KLOOSTERHUIS, H. T. & HELDER, W. Monsoon-driven export fluxes and early diagenesis of particulate nitrogen and its $\delta^{15}\text{N}$ across the Somalia margin          | 353 |
| WILLIAMS, A. H. & WALKDEN, G. M. Late Quaternary highstand deposits of the southern Arabian Gulf: a record of sea-level and climate change   | 371 |
| VON RAD, U., KHAN, A. A., BERGER, W. H., RAMMLMAIR, D. & TREPPKE, U. Varves, turbidites and cycles in upper Holocene sediments (Makran Slope, northern Arabian Sea)                            | 387 |
| REICHART, G. J., NORTIER, J., VERSTEEGH, G. & ZACHARIASSE, W. J. Periodical breakdown of the Arabian Sea oxygen minimum zone caused by deep convective mixing                                  | 407 |
| LUCKGE, A., REINHARDT, L., ANDRULEIT, H., DOSE-ROLINSKI, H., RAD, U. V., SCHULZ, H. & TREPPKE, U. Formation of varve-like laminae off Pakistan: decoding five years of sedimentation           | 421 |
| STAUBWASSER, M. & DULSKI, P. On the evolution of the oxygen minimum zone in the Arabian Sea during Holocene time and its relation to the South Asian monsoon                                   | 433 |
| VON RAD, U., BURGATH, K. P., PERVAZ, M. & SCHULZ, H. Discovery of the Toba Ash (c. 70 ka) in a high-resolution core recovering millennial monsoonal variability off Pakistan                   | 445 |
| PEETERS, F. J. C. & BRUMMER, G. J. A. The seasonal and vertical distribution of living planktic foraminifera in the NW Arabian Sea   | 463 |
| SCHULZ, H., RAD, U. V. & ITTEKKOT, V. Planktic foraminifera, particle flux and oceanic productivity off Pakistan, NE Arabian Sea: modern analogues and application to the paleoclimatic record | 499 |
| Index  | 517 |