

The Bug Creek Problem and the Cretaceous-Tertiary Transition at McGuire Creek, Montana

Donald L. Lofgren

UNIVERSITY OF CALIFORNIA PRESS
Berkeley • Los Angeles • London

Contents

Acknowledgments, vii

Abbreviations, ix

Abstract, xi

Introduction	1
Geologic and Biostratigraphic Setting, 1	
McGuire Creek Study Area, 7	
Materials and Methods	9
Geological and Palynological Correlations	13
Facies Analysis and Geological Correlations, 15	
Geologic History of the McGuire Creek Area, 23	
Palynological Correlation of McGuire Creek Lithofacies, 26	
McGuire Creek Biostratigraphy, 30	
The Tedrow Area, 31	
Reworking of Fossils	37
Identification of Reworked Fossils, 39	
“Paleocene” Dinosaurs, 40	
Bug Creek Faunas Represent Contemporaneous Assemblages, 43	
Bug Creek Faunas Contain Reworked Dinosaurs/Lancian Mammals, 44	
McGuire Creek Biochronology and the “Bugcreekian Age”	49
The “Bugcreekian Age”, 51	
Pu0 and Pu1 Interval Zones of the Puercan NALMA, 51	
Informal Biochrons, bk1-bk2-bk3, of the Pu0 Interval Zone, 56	
Lack of Stratigraphic Control, 57	
Sampling Uncertainties, 57	
Taxonomic Uncertainties, 59	

Cretaceous-Tertiary Correlations	61
The Cretaceous-Tertiary Boundary, 61	
"Z" Coal, 62	
Highest Occurrence of Dinosaur Remains, 63	
Palynology, 63	
Iridium, 64	
Age of the Pu0 and Pu1 Interval Zones, 65	
Faunal Turnover During the K-T Transition in Montana	69
Conclusions	73
<i>Appendix 1: Mammalian Systematics, 77</i>	
<i>Appendix 2: Vertebrate Faunal Lists, 161</i>	
<i>Literature Cited, 171</i>	
<i>Plates, in pocket</i>	