EUROPE'S ENVIRONMENT The Dobříš Assessment

Edited by David Stanners and Philippe Bourdeau

The report on the state of the pan-European environment requested by the environment ministers for the whole of Europe at the ministerial conference held at Dobříš Castle, Czechoslovakia, June 1991.

Prepared by the European Environment Agency Task Force (European Commission: DG XI and Phare) in cooperation with:

United Nations Economic Commission for Europe United Nations Environment Programme Organisation for Economic Cooperation and Development The Council of Europe IUCN – The World Conservation Union World Health Organization together with Eurostat and individual European countries.



European Environment Agency Copenhagen




Contents

Foreword	xi
Preface	xiii
Acknowledgements	XU
Summary	xxi

PART I THE CONTEXT

1	Reporting on Europe's environment	3
	Introduction	3
	Scope and coverage of this report	3
	Constraints and limitations	4
	Information selection and assessment	5
	Presentation strategy	6
2	Environmental changes and human development	9
	Environmental change	9
	Sustainability	13
	European and global dimensions	14
	Responses	15
3	Europe: the continent	18
	Extent and boundaries	18
	Geography and geology	18
	Climate	20
	Biogeography	22
	Land-cover and landuse	23






PART II THE ASSESSMENT

4	Air Introduction Urban and local air pollution Regional and transboundary air pollution Global air pollution Summary and conclusions	27 27 29 35 48 53
5	Inland waters Introduction The water resource Groundwater Rivers, reservoirs and lakes Conclusions	57 57 58 64 73 102
6	The seas Introduction Common problems The European seas: overview The Mediterranean Sea The Black Sea and the Sea of Azov The Caspian Sea The White Sea The White Sea The Norwegian Sea The Norwegian Sea The North Sea The North Sea The North Atlantic Ocean Conclusions and the way forward	109 109 111 115 116 121 124 126 127 131 132 136 140 142





/	rature and whenter		
	Introduction		
	Ecosystems		
	Fauna and flora		
	Nature conservation		
	Conclusions		
	Ecosystem site lists		
10	The urban environment		
	The urban (eco)system		

Urban environn	nental quality
Urban flows	1 2
Urban patterns	
Fowards sustain	able European cities


11 Human health

Human health	297
Introduction	297
Environmental health hazards	298
The health of the European population	298
Environment-related health problems in Europe	301
Conclusions	304

PART III PRESSURES

12	Population, production and consumption Introduction Production and consumption Economic growth versus development	307 307 311 315
13	Exploitation of natural resources Introduction Renewable resources Non-renewable resources Physical intrusion	317 317 317 320 321
14	Emissions Introduction Emission inventories Atmospheric emissions Emissions to water Towards integrated pollution prevention and control	323 323 323 326 331 339
15	Waste Introduction Material life-cycle Waste production Waste management Waste movements Closing material cycles Contaminated waste sites Radioactive waste Summary and conclusions	 342 342 342 347 350 352 352 356 357 357
16	Noise and radiation Introduction Noise Non-ionising radiation Ionising radiation	359 359 363 370
17	Chemicals and genetically modified organisms Introduction Chemicals and chemical products Genetically modified organisms Conclusions	375 375 375 380 382
18	Natural and technological hazards Introduction Hazardous events: a separate cause of impacts Sources and consequences Hazardous events as a cause of damage	383 383 383 383 386 395





PART IV HUMAN ACTIVITIES

19	Energy Introduction Environmental impacts Trends in energy production and consumption Future energy use: underlying driving forces Summary and conclusions	399 399 400 405 409 412
20	Industry Introduction Definitions of industry Environmental impacts Resource use by industry Trends in manufacturing activities Industry response to environmental factors Pollution abatement and investment decisions Conclusions	414 414 414 415 419 421 428 431 431
21	Transport Introduction Environmental impacts Trends and underlying forces in the transport system Outlook Conclusions	434 434 435 442 444 445
22	Agriculture Introduction Environmental impacts The evolution of agricultural production in Europe Agricultural practices Agricultural policies Conclusions	447 447 448 451 453 460 461
23	Forestry Introduction Environmental impacts Changes in European forests and forestry Summary and conclusions	464 464 469 477
24	Fishing and aquaculture Introduction An overview of fisheries resources in Europe Environmental impacts of fishing Environmental impacts of aquaculture Fisheries policy Conclusions	479 479 479 481 486 487 487

Tourism and recreation	489
Introduction	489
Key concepts: sustainable tourism,	
indicators and carrying capacities	490
Environmental impacts of tourism	
and recreation	491
Outlook	496
Managing for sustainable tourism	499
Conclusions	500
Households	502
Introduction	502
Definition and importance of households	502
Resource needs of households	504
Emissions from households	505
Driving forces	506
Examples of control measures	509
Conclusions	509


PART V PROBLEMS

Conclusions

25


26

27	Climate change The problem The causes Consequences of climatic changes Goals Strategies	513 513 514 516 519 520
28	Stratospheric ozone depletion The problem The causes The consequences Goals Strategies	523 523 524 525 526 527
29	Loss of biodiversity Introduction Genetic diversity Trends Sustainable goals Strategies	530 530 531 531 532 532





30	Major accidents The problem Goals: setting acceptable risk levels Managing the risks Nuclear accidents	534 534 534 536 538
31	Acidification The problem The causes The consequences The goals Strategies	541 541 542 544 544
32	Tropospheric ozone and other photochemical oxidants The problem The causes The consequences Goals Strategies	547 547 548 549 549 550
33	The management of freshwater The problems: causes and effects Trends and scenarios Transboundary river management Sustainable goals Strategic lines of action	552 552 554 555 556 556
34	Forest degradation Introduction Damage attributed to atmospheric pollution Damage due to fire	558 558 558 563
35	Coastal zone threats and management Introduction Definition of the coastal zone Coastal zone processes The problems: causes and consequences Goals and strategies for coastal zone management Conclusions	568 568 569 570 573 574
36	Waste production and management The problem The causes The consequences Responses Sustainable goals Strategies	576 576 578 579 579 582 582
37	Urban stress The problem Causes and consequences Trends and scenarios Sustainability goals Strategies	584 584 584 587 587 588
38	Chemical risk The problem Goals Strategies	591 591 592 593



PART VI CONCLUSIONS

General findings	599
Highlights and responses	601
pendix 1: An inventory of 56 environmental problems	613
pendix 2: Information strengths and weaknesses	615
onyms and abbreviations	619
s of illustrations	621
ieral index	629
ographical index	663
	Highlights and responses pendix 1: An inventory of 56 environmental problems pendix 2: Information strengths and weaknesses onyms and abbreviations s of illustrations peral index

99 100

112

158

160

160

List of illustrations

 The report model The region model The source account of the tray or The source account of the report model The report model		FIGURES		5.23	Percentage change in annual mean river total phosphorus concentration from the period 1977–82 to 1988–90	94
10 the report mode. 2 11 The global anjhuer adopted the report 2 12 The global anjhuer system 2 13 The global anjhuer system 2 14 The global anjhuer system 2 15 Teends in the intract cancel and interview state 2 14 Concernation in the Danish lase during the periods 1972-89 and 1985-00 15 Teends in the intract cancel and interview state 2 16 Concernation in the Sound Pass-00 2 17 Teends in the intract cancel and interview state 2 18 Concernation in the Sound Pass-00 2 19 Teends in the intract cancel and intr		in the second		5.24		95
12 The solution control of a response of the second se	11	The second model	7	5.25		
11 The global carbon cycle 11 12 The global carbon cycle 12 13 The global carbon cycle 12 14 The global carbon cycle 12 15 Global ensistions of a CD2 and b) CS-11 and CFC-12 2.06 14 Termport classifier of a construction of anomalian carbon construction of a construction of construction of a construction of a construction of a construction of a construction of construction of a construction of a construction of a construction of construction o					concentration in 46 Danish lakes during the periods 1972-79 and	
12 The global support cycle 12 Composition growth 12 Composition growth 13 32.2 13 Global employ in an using loss of a sumspler 13 32.2 Percentage change in annual mean rowth contract concentration of manual mean rowth contract concentration of manual mean rowth contract concentration in concentration of manual mean rowth contract concentration of rowth contract concentration of manual mean rowth contract concentration of manual mean rowth contract concentration of rowth contract contreact contract contract contract contract c					1985–89; and b) The cumulative percentage of summer water	
19 Vorfå population grövenh. 19 19 24 48 19 24 48 19 24 48 19 24 48 19 24 48 19 24 48 19 24 48 48					transparency (Secchi depth) in 46 Danish lakes during the periods	5
21 Growth of world industrial production 13 2.39 Frame in the instructure of the structure of the stru					1972–78 and 1985–89	95
11 Crowth of Vorth attempt from activity productions 13 5.22 Percentage change in annual mean 192-90 12 Gobal entry attempt for soft expoort expoort expoort attempt for soft expoort				5.26	Trends in the nitrate concentration of European rivers	96
 Global emissions of 2 CO2 and b) CPC-11 and CPC-11 an						
11 Overage vertices structure of the stationylever anditions as instructure of the stationylever anditions in the stationylever and and and and and and and and and the station in the station station in the stationylever and and and and andition station and and and the station in the station station in the station station in the station in the stationylever and and and and andition station in the station station in the s	2.5					96
1 Observed and/or weight loss of expose table of dodomic standinova at function of number and mean Q, concentrations in the U. concentration between the period 2019-22 and 1988-90 0 Terrepord evolution of fungene meissions of acidlying econposation of bargene econtrations of the transo econperison of lengene stantics in the stantic acid acid acid econperison of lengene stantics econperison of acidlying econperisons of acid econperison of acidlying econperisons of acid econperison of acid econperisons of the transo econperison of acid econtratics of acid econperison of acid econperison of acid econperison of acid econperison of acid econperison of acid econperison of acid econtrations of acid econperison of acid econperison of	¥.1	Average vertical structure of the atmosphere	28	5.28		
 stadedone as a function of annual mean SO₂ concentrations Termporal evolution of Earopean emissions of aciditying and the analyse end of the acid information acid information of the acid information of the acid informa	4.2	Observed annual weight loss of exposed tables of dolomite		5.20		96
 at the exposure sites				5 20		- 99
 1 Tempolal evaluation of European emissions of acid/pring 1 Comparison of Carbon and Source the Source and Source that and a source concentration of Ead in air at four locations in the UK 2 Annual average concentration of Ead in air at four locations in the UK 3 Annual average concentrations of SQ during a winter mange in the WK 3 Annual average concentrations of Edd in air at four locations in the UK 3 Annual average concentrations of Edd in air at four locations in the transport finding during the reverse from onthere Finding and Diverse reverse the Source in the reverse from onthere Finding and Diverse reverse transport in the reverse from onthere Finding and Diverse reverse the Source in the reverse from onthere finding and Diverse reverse the Source in the reverse from onthere finding and Diverse reverse the Source in the reverse from onthere finding and Diverse reverse the Source in the reverse from energe reverse in Source in the reverse in the reverse in Source in the reverse in the reverse in Source in the reverse in the reverse in Source in the reverse in the reverse in Source in the reverse in the reverse in Source in t			35			97
 compounds since the beginning of the century Dilly average concentration of SQ, during a winter amog epiaode in Northern Bohemia, Crech Republic, February 1993 Annau arcage concentration of lead in air at four locations Tropospheric 2004 concentration of lead in air at four locations Tropospheric 2004 concentration in the Status plant and the entry from northern Timland Tropospheric 2004 concentrations in the Status plant and the entry from northern Timland Comparison of Europe's sease of UV-B and global radiation measured at Jungfraugich observatory, witterfand, 1981–90 Land at the profession of the status plant and the plant and the entry from northern Timland Comparison of Karope's sease at a cadmium, b) mercury (-) copert, d) lead d: plant and the comparison of freelwater pollution Conservatic socurces can apprecision of freelwater pollution Conservation by concerning the status plant and the status plant plant the status plant plant the status plant plant the status plant and the status p	43			5.30		
41 Daily average concentrations of SQ, during a winter smog 4.3.2 Annual mean road years be carrivy in the fiver Rhome 42 Annual average concentration of lead in air at four locations 4.3.3 44 Topospheric concentration of lead in air at four locations 5.34 Chieride concentration in the fiver Rhome 1 45 Topospheric concentrations in the stratosphere and 5.34 Chieride concentration in the fiver Rhome 1 46 Tropospheric concentrations in the stratosphere and 5.34 Chieride concentration in the fiver Rhome 1 47 Topospheric concentrations in the stratosphere and 5.34 Chieride concentration in the sphab zone 1 58 Long-term average conte concentration in the sphab zone 1 2 1 2 2 2 2 2 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 <t< td=""><td></td><td></td><td>40</td><td></td><td></td><td>99</td></t<>			40			99
 Annual varege concentration of law in a four locations in the State four locations of law in the UK Tropospheric toors concentration at various mountain sites in Western Europe, 1880–1990 Average concentration in the Statemphere and temperatures of the context membrangence states at a samalise relative to the average, 1881–1990 Land at temperatures of the context membrangence systems and context membrane at a samalise relative to the average, 1861–1990 Consecutive courrence and perception of freshwater pollution The hydrological cycle with major resroins The hydrological cycle with major resroins The target course of freshwater pollution The target course of the courters in the system courters The target course of the Statem courters The target course of the statement countries Total water absorber target statement countries Total water absorber target statement countries Total water absorber target statement relationship The target state of the statement countries Total water absorber and annumbra of target reservoirs in the UK and in Spain Concentum and mannus and birds alongide reservoirs in the UK and in Spain The difference in the amount of fish and invertobrates in natural and channelide watercourse The difference in the amount of fish and invertobrates in natural and channelide watercourse Difference in the number of small mammals and birds alongide number of law in the decisity in river counters in the Difference in the number of small mammals and birds alongide numanelide watercourse The difference in the numbe	14		10			100
 Annual average concentration of load in air at four locations in the UK Tropospheric oconcentration at various monutani sits in Western Europe, 1882–1990 Average ozone concentration in the stratosphere and tropospheric (99–98 Long-term average ratio of UV-B and global radiation messured at Jungfragioch observatory, Switchend, 1981–90 Land air temperatures of the northern hemisphere expressed as anomalies relative to the average, 1861–1990 / Constructive average, 1861–1990 / Average total renewable average routives Constructive average a	1.1		41			102
 in the UK Tropopheric zoore concentration at various mountain sites in Western Europe, 1880–1990 Average zoore concentrations in the stanophere and upper sector of Europe sector and the Raine sector function in the Stanophere and upper sector and the appendix of Europe sector and the Raine sector and the	45		71	5.33	Observations of Caesium-137 in a) two large rivers in southern	
16 Tropopheric ozone concentration at various 5.3 Interview from output the filter information 16 Comparison of Europe 3 sease 1 17 Chorize concentration in the Khine near Lobith 1 18 Long-term average ratio of UV-B and global radiation 1 18 Long-term average ratio of UV-B and global radiation 1 18 Long-term average ratio of UV-B and global radiation 1 19 anomalies feature to the average, 1861-1990 / 2 10 Consecurive courrence and perception of freshwater pollution 7 10 Consecurive courrence and perception of freshwater pollution 7 11 Consecurive courrence and perception of freshwater pollution 7 19 Verter and Scamporation of the total renewable countries 6 10 Internal ad exteral countries 6 10 Internal ad exteral countries 6 10 Verter sources 6 11 Internal ad exteral countries 6 12 The hydrological countries 6 14 Internal ad exteral countries 6 15 Total water abstraction in various s	1,2		17		Finland; and b) three rivers running near St Petersburg and	
 mountain sites in Western Europe, 1880–1990 Verenge conce concentrations in the stratosphere, 1969–88 Longer exone concentrations in the stratosphere and y catchment areas, and y catchment a			43		three rivers from northern Finland	103
mountain sites in Western Lurope, 1880–1990506.1Comparison of Europes exes by a) surface area, by volumer; c) retention times; d) atchment area; and c) atchment populations1Long-term average ratio of UV-B and global radiation measured a [ungraujoch observatory, Switzerland, 1981–9012Land at termperatures of the northern benisphere expressed at anomalies relative to the average, 1801–199023Average total temperatures of the northern benisphere expressed at anomalies relative to the average, 1801–199024Consecutive ocurrence and perception of freshware pollution problems in industrialised countries575Castwarch Europe anountries596Relative importance of the 'common problems' in each sea a play horized European countries607Total water abstraction in various countries in a variant statication in various countries in by economic sectors in European countries617Total water abstraction in various countries in by economic sectors in European countries628Relative importance of invertion of a plant opta and by phosphorus loads from different states, 1919Vestern; b) Nordic; c) Southern; and c) Eastern by economic sectors in European countries6477Amerage laborition of sected contaminants from different states; proportion of a sectored on east, 19919Total water abstraction in various in the UK and in Spain779Concernsa in total march and channelised varecrourse779Concernsa in total march and channelised varecrourse779C	4,6			5.34	Chloride concentration in the Rhine near Lobith	103
 Vertage azone concentrations in the stratosphere and recognitions for the sphal score of the content areas; and c) catchment areas; and c			50	6.1		
it Oposphere, 199-383110Long-term average ratio of UV-B and global radiation111Long-term average ratio of UV-B and global radiation112Land aut temperature of the northern beninghere expressed at anomalies relative to the average, 1861–1990212Consecutive ocurrence and perception of freshwater pollution problems in industrialised countries313Average total renewable water resources in Nordic, Eastern, water and Southern European countries514Internal and external contributions to the total renewable water essurces in Nordic, Eastern, water acturation in vircuing and b) phosphorus countries614Internal and external contributions to the total renewable water essurces in total water abstraction in y source in European countries by conomic sectors in European countries615Total water abstraction in vircuing and b) phosphorus loads from different sources116Internal and external contributions to the total renewable water abstraction in vircuing and b) phosphorus and poly economic sectors in European countries in river actions and polyticin616An example box-cox diagram showing the relationship tervers in total water abstraction in vircuing relationship717Total water abstraction in vircuing relationship718Concerptual diagram describing river acthement relationship719Concerptual diagram describing river acthement relationship710Total water abstraction in vircuing relationship711The difference oroy of sulta marmina and birds alongisid	4,7	Average ozone concentrations in the stratosphere and				
 Long-term average ratio of UV-B and global radiation measured at Jungravio bolservary, Switzehad, 1981-90 Land air temperatures of the northern hemisphere expressed as anomalies relative to heaverag, 1861-1990 / Consecutive occurrence and perception of freshware pollution problem in industrialised countries Areage total receavable water resources in Nordic, Estern, Western and Southern European countries in Nordic, Estern, Western and controbutions to the total renevable Internal and esterad contributions to the total renevable Trends in total water abstraction in various countries in a Western, bly ordic, Southern and J Essern countries Ternds water abstraction (surface and groundwater) Conceptual diagram describing river catchment relationship between annual meen total phosphorus and population density in virer catchments Conceptual diagram describing river catchment relationship teres on population differents on total phosphorus and population differents in and panel of an angle reservoirs in the UK and in Spain Conceptual diagram describing river catchment relationship Context of an angle mononium Disolved oxygen and BOD in the hit as and birds alongside matural and channelised watercourses Disolved oxygen and BOD in the hit as and birds alongside matural and channelised watercourses Mature cathments for mononium concentrations of the proportion of registered mature dumps of presental exists by region 2 Disolved oxygen wale BOD levels and a) annual mean moxygen c		troposphere, 1969–88	51			111
 Jand at rempertures of the northern hemisphere expression anomalies relative to the average, 1861–1990 // anomalies relative to the average of the software pollution problems in industrialised countries The hybriological cycle de Leropean countries Total water abstraction by source in European countries Total water abstraction of sourdex and groundwater) Western; b) Nordic; c) Southern; and d) Eastern countries Total water abstraction and population The difference in and population The difference ourse Difference in physical variation between a) a natural; and b) and insertebrates in natural Difference in the number of small mammals and birds alongside matter, ongene matter, strongen anomal mean torigen demands watercourse Difference in the number of small mammals and birds alongside matter, strongen anomal mean torigen concentrations of more reas and supervision for exist and annomismo concentrations of metapervision and recognition in the properson of a strongen country and anomalies recentrations of metapervision and recognition in the properson of resist representative sites by region Difference in the number of small mammals and birds alongside matter, strongen and angen concentrations of metapervision and recognition in the properson of registered watte dumps in Denmark 1 Relationship b	1.8	Long-term average ratio of UV-B and global radiation		67		111
 Iand air temperatures of the northern hemisphere expressed as anomalies relative to the arrage, 1861-1990 / 52 Consecutive occurrence and perception of freshwater pollution problems in industrialed countries 57 The hydrological cycle with major reservoirs 58 Arenge total renewable water resources in Nordie, Eastern, Western and Southern European countries 50 Internal and esternal contributions to the total renewable water associations of oil load from different sources 1 Internal and estration by source in European countries 60 Total water abstraction by source in European countries 61 Areangle box-cox diagram showing the relationship between annul mean total phosphorus and population 61 Concerptual diagram describing river catchment relationships 57 Concerptual diagram describing river catchments 77 Concerptual diagram describing river catchments 77 Difference in the amount of fish and invertebrates in natural and channelsed watercourses 0. Difference in physical variation between a) a natural and channelsed watercourses 0. Difference in the amount of fish and invertebrates in natural and channelsed watercourses 0. Difference in the amount of fish and invertebrates in natural and channelsed watercourses 0. Difference in the amount of fish and invertebrates in natural and channelsed watercourse 0. Difference in the amount of fish and invertebrates in natural and channelsed watercourse 0. Difference in the amount of fish and invertebrates in natural and channelsed watercourse 0. Difference in the amount of fish and invertebrates in natural and channelsed watercourse 0. Difference in the amount of fish and invertebrates 0. Relationship between POD levels and a manula mean totage coorelations of 0. Difference in the amount of fish an		measured at Jungfraujoch observatory, Switzerland, 1981–90	52	0.2		
 anomalies relative to the average, 1861–1990⁷ Conservite occurrence and perception of freshwater pollution problems in industrialised countries The hydrological cycle with major reservoirs The hydrological cycle with major reservoirs Average total renewable water resources in Nordic, Eastern, Western and Southern European countries Internal and esternal contributions to total renewable water assuraction in various countries Trends in total water abstraction in various countries Toral water abstraction (surface and groundwater) Toral wa	4,9					112
11 Consecutive occurrence and preception of freshwater pollution problems in industrials docuntries 10 12 The hydrological cycle with major reservoirs 58 13 Average total renewable water resources in load from different sources 58 14 Internal and external contributions to the total renewable 6.7 15 Treditive importance of the "common problems" in each sea 11 16 Mediterranen Sea: proportions of all off rom different sources 12 17 Total water abstraction in various countries 6.8 16 16 16 The diverimportion of oil load from different sources 11 17 Total water abstraction in various countries 6.11 11 11 11 11 11 11 11 12 <td< td=""><td></td><td></td><td>52</td><td>1.2</td><td></td><td>112</td></td<>			52	1.2		112
problems in industrialised contrities 57 6.4 Goarwarch Europe: large and general litter times in the glabs none of four scass, 1993 12 The hydrological cycle with major reservoirs 58 6.4 Goarwarch Europe: large and general litter times in the glabs none of four scass, 1993 13 Average total renewable water resources in solected European countries 59 6.6 Mediterranen Sca: proportions of all load from different sources 6 14 Internal and external of a price of our scass, 1993 6 8 Black Sea; proportion of all not recoment rations of mercury I 15 Total water abstraction in various countries 60 8 Black Sea; proportion of selected contaminants from different sources 1 16 Total water abstraction (surface and groundwater) 63 77 1 North Sea: proportion of selected contaminants from different sources 1 16 A example box-cox diagram showing the relationship 77 71 The sole cossystem 1 17 Total water abstraction (surface and groundwater) 77 72 The sole cossystem 1 16 Conceptual diagram describing river catchments 77 72 1	51			6.5		
12 The hydrological cycle with major reservoirs 58 Coacted and the different sea, 1993 13 Average total renewable water resources in Nordic, Eastern, western and Southern European countries 59 14 Internal and external contributions to the total renewable water source in European countries 60 15 Tread water abstraction in various countries in all water abstraction in various countries in all water abstraction in various countries in all water abstraction surge and b) phosphorus loads from different sources in by economic sectors in European countries 61 16 The diver abstraction in various countries in all concentrations of mercury in coniferent sources in total phosphorus and oppulation for all phosphorus and oppulation for all phosphorus and oppulation for external mumber of large reservoirs in the UK and in Spain 61 11 The difference in the mount of fish and invertebrates in natural and channelised watercourses 77 7.2 Input/output balance of methylenerury in coniferous forested castomera to fish and invertebrates in natural and channelised watercourse 77 131 The difference in the amount of fish and invertebrates in natural and channelised watercourses 77 7.2 Input/output balance of methylenerury in coniferous forested castomera to fish and invertebrates in natural and channelised watercourses 77 132 Difference in the amount of fish and invertebrates in natural and channelised watercourses 77 7			57			114
 Average total energible water resources in Nordic, Eastern, Western and Southern European countries Internal and external contributions to the total renewable Relative importance of the 'common problems' in each sea Relative importance of the 'common problems' in each sea Relative importance of the 'common problems' in each sea Relative importance of the 'common problems' in each sea Relative importance of the 'common problems' in each sea Relative importance of the 'common problems' in each sea Relative importance of the 'common problems' in each sea Relative importance of the 'common problems' in each sea Relative importance of the 'common problems' in each sea Relative importance of the 'common problems' in each sea Relative importance of the 'common problems' in each sea Trends in total water abstraction in various countries in Average total 'energible between annual mean total phosphorus and population The soil ecosystem Conceptual diagram describing river catchments The difference in physical variation between a) a natural; and The difference in physical variation between a) a natural; and by a channelised water courses Difference in the number of small mammals and birds alongside natural and channelised water courses Difference in the number of small mammals and birds alongside natural and channelised water courses Relative informations form the period Relative	• ;)			6.4		
Western and Southern European countries5960Refittermana Sa: proportions of load from different sources14Internal and external contributions to the total renewable water resource in selected European countries66Meditermana Sa: mean and range of concentrations of mercury I15Total water abstraction in various countries67Meditermana Sa: mean and range of concentrations of mercury I16Tredix water abstraction in various countries68Black Se: proportion of all old from different sources17Total water abstraction in various countries61North Se: proportion of selected contaminants from different sources18An example box-cow diagram showing the relationship61North Se: proportion of riverine loads of selected contaminants from different states, 199118The increase in total phosphorus and population71The soil ecosystem1119The difference in physical variation between a) a natural; and thannelised watercourse727219Difference in the amount of fish and invertebrates in natural and channelised watercourses817319Difference in the number of small mammals and birds alongside natural and channelised watercourses837711The difference in the number of small mammals and birds alongside natural and channelised watercourses8377111The difference in the number of small mammals and birds alongside natural and channelised watercourses8312Difference in the number of small mammals and birds alongside natural and channelised watercourses83<			50			114
1 Internal and external contributions to the total renewable 6.5 Internal and external contributions to the total renewable 3: Internal and external contributions to the total renewable 6.6 Mediterranean Saz: mean and range of concentrations of mercury I 3: Total water abstraction by source in European countries 6.7 Black Sez: proportion of al nitrogen and b) phosphorus loads 3: Total water abstraction (surface and groundwater) 6.9 Ballice Sez: proportion of al load from different sources 1 3: An example box-cox diagram showing the relationship 6.1 North Sez: proportion of riverine loads of selected 1 3: An example box-cox diagram showing the relationship 7 7.2 Input/output blance of methylmercury in oniferous forestid 1 3: An example box-cox diagram showing the relationship 77 7.2 Input/output blance of methylmercury in coniferous forestid 1 3: The difference in physical variation between a) a natural; and 81 7.7 7.2 Input/output blance of methylmercury for contaminants from different sources 1 3: Difference in the number of small mammals and birds alongside mature, oxygen and ammonium 81 7.7 7.7 1 1 1 1			50	6.5		116
water resource in selected European countries60607055Total water abstraction by source in European countries in a) Western; b) Nordic; C) Southern; and d) Eastern countries626363Mestern; b) Nordic; C) Southern; and d) Eastern countries63611North Sea: proportion of a) nitragen and b) phosphorus loads70Total water abstraction (surface and groundwater)6481An example box-cox diagram showing the relationship between annual mean total phosphorus and population density in river catchments7772Input/output balance of methylmercury in coniferous forested cathimants from different states, 1991173Total water abstraction between a) a natural; and channelised watercourse8174Typical pH absorption cores7475Input/output balance of methylmercury balance of a 50 ha lake in southwest Sweeden1074Typical pH absorption cores7475Difference in the number of small mammals and birds alongside natural and channelised watercourses7476Trend in the number of registered waste dumps in Denmark7575Relationship between population density and annual mean moving contentations; and b) annual mean moving the relations of organic matter, oxygen and ammonium7475Relationship between sponlation density and and annual mean moving7576Trend in the number of registered waste dumps in Denmark from orgina relations of organic matter, oxygen and ammonium76Trend in the number of staget and annual mean oxygen and ammonium <td>• •</td> <td></td> <td>37</td> <td>6.6</td> <td>Mediterranean Sea: proportions of oil load from different sources</td> <td>118</td>	• •		37	6.6	Mediterranean Sea: proportions of oil load from different sources	118
 Water resource in sources in European countries Total water abstraction in various countries in all (European countries in all (European countries in all (European countries) Total water abstraction (surface and groundwater) Total water abstraction (surface and groundwater) Total water abstraction (surface and groundwater) Anne example box-cox diagram showing the relationship Conceptual diagram describing river catchment relationships Conceptual diagram describing river catchment relationships Conceptual diagram describing river catchment relationships The difference in physical variation between a) a natural; and Difference in the amount of fish and invertebrates in natural and channelised watercourses Difference in the number of small mammals and birds alongside naturet ostrygen and ammonium Beltic Sea: proportion of subcet do the state of the state of a southwest Sweden Difference in the number of small mammals and birds alongside naturet, oxygen and ammonium Relationship between 80D levels and a) naul mean ammonium concentrations of organic matter of Boysen and BOD in the Khin at the entropean contrices of total country area Relationship between 80D levels and a) naul mean ammonium concentrations for spectative sites by region Relationship between 80D levels and a) naul mean oxygen contentrations in rivers in four Relationship between 80D levels and a) annual mean atomonium concentrations for spectative sites by region Relationship between 10D levels and a) annual mean atomonium concentrations in rivers in four Relationship between 10D between alge dominance in Way-September) and blace regreen total pr	0,4			6.7		
 101 The function of source in European countries in a) Western; b) Nordic; c) Southern; and d) Eastern countries in a) Western; b) Nordic; c) Southern; and d) Eastern countries in a) Western; b) Nordic; c) Southern; and d) Eastern countries in a) Western; b) Nordic; c) Southern; and d) Eastern countries in a provided in the set proportion of a selected contaminants from different sources in the set proportion of a selected contaminants from different sources in the set proportion of a selected contaminants from different sources in the set proportion of a selected contaminants from different states, 1991 11 The difference in the amount of fish and invertebrates in natural; and channelised watercourses 12 Difference in the amount of fish and invertebrates in natural; and channelised watercourses 13 Difference in the amount of fish and invertebrates in natural; and channelised watercourses 14 Impact of an organic matter effluent on river concentrations of process in presentative sites by region in the source of a sonal mampals and birds alongside matercourses 15 Relationship between BOD in the Rhine at the German/Durch border 16 Relationship between total phophorus concentration and necestrative sites by region in trivers in four European regions 17 Dissolved oxygen and BOD in the Rhine at the German/Durch border 18 Relationship between total phophorus concentration and here rivers in four European regions 19 Annual mean nizate concentrations in rivers in four European regions 19 Annual mean nizate concentrations in rivers in four European regions 19 Annual mean nizate concentrations in rivers in four European regions 19 Annual mean nizate concentrations in rivers in four European regions 19 Annual mean nizate concentrations in rivers in f				6.8		
15 1 rends in total water abstraction in warous countries in all participant of a posternic b) water, b) North Sea: proportion of oil load from different surces in fair posteric b) water, b) North Sea: proportion of selected contaminants from different surces in fair physical water abstraction (surface and groundwater) 6.11 North Sea: proportion of oil load from different surces in fair physical water abstraction (surface and groundwater) 1 13 Total water abstraction is European countries of density in river catchment and population density in river catchment and physical variation between an unal mean total number of large reservoirs in the UK and in Spain 6.11 North Sea: proportion of oil load from different surces in total number of large reservoirs in the UK and in Spain 1 10 Conceptual diagram describing river catchment relationships 7 7 1 The soil eccesystem in the methylmercury in coniferous forested catchment and the methylmercury in coniferous forested catchment and the methylmercury in coniferous forested catchment and the methylmercury balance of a 50 ha lake in southwest Sweden 1 10 Difference in the amount of fish and invertebrates in natural and channelised watercourses 81 7.3 Governing fusctors for plant uptake of mobile trace elements from soil, as cadmium in trace and channelised watercourses 1 11 Impertor on river in on river concentrations of organic matter, oxygen and ammonium organic matter, oxygen and ammonium concentration si and birds alongside natural and channelised watercourses 7.4 Typical pri abs			62			122
a) Western; b) Nordic; c) Southern; and a) Eastern countries636.11North Sea: proportion of selected contaminants from different sources17Total water abstraction (surface and groundwater) by economic sectors in European countries646.11North Sea: proportion of selected contaminants from different sources118An example box-cox diagram showing the relationship between annual mean total phosphorus and population density in river catchments777.1The soil ecosystem110The increase in total number of large reservoirs in the UK and in Spain817.3Governing factors for plant uptake of mobile trace elements from soil, as cadmium111The difference in physical variation between a) a natural; and channelised watercourse817.3Governing factors for plant uptake of mobile trace elements from soil, as cadmium113Difference in the number of fish and invertebrates in natural and channelised watercourse827.4Typical Pl absorption curve for hydrous metal oxides113Difference in the number of small mammals and birds alongside natural and channelised watercourses7.77.0Contents of lead in samples of pre- and post-industrial floodplain sediments in Limburg. The Netherlands114Impact of an organic matter, oxygen and ammonium river catchments8.11Holdridge diagram of vegetation types asociated with different trombinations of evaporation and precipitation118Relationship between BOD levels and a) annual mean river catchments8.11Forests: representative sites by regio	5.6			69		134
1) 1 oral water abstraction (surface and groundwater) 1 by economic sectors in European countries 64 10 13) An example box-cox diagram showing the relationship 61 North Sea: proportion of riverine loads of selected contaminants from different states, 1991 1 14) An example box-cox diagram showing the relationship 77 7.2 Input/output balance of methylmercury in coniferous forested catchment and the methylmercury balance of a 50 ha lake in southwest Sweden 1 16) The inference in physical variation between a) a natural; and inspect on origin watercourse 81 7.3 Governing factors for plant uptake of mobile trace elements from soil, as cadmium 1 17) The difference in the amount of fish and invertebrates in natural and channelised watercourses 82 7.4 Typical PH absorption curve for hydrous metal oxides 1 18) Difference in the number of small mammals and birds alongside natural and channelised watercourses 83 7.7 Contents of lead in samples of pre- and post-industrial foodplain sediments in Limburg. The Netherlands 1 19) Difference in the number of small mammals and birds alongside natural and channelised watercourses 83 7.7 Contents of lead in samples of pre- and post-industrial flopoplain sediments in Limburg. The Netherlands 1 10		a) Western; b) Nordic; c) Southern; and d) Eastern countries	63			
by economic sectors in European countries64612North Sea: proportion of riverine loads of selected contaminants from different states, 19911i3An example box-cox diagram showing the relationship between annual mean total phosphorus and population density in river catchments777.2Input/Output balance of methylmercury in coniferous forested catchment and the methylmercury balance of a 50 ha lake in southwest Sweden1i30The increase in total number of large reservoirs in the UK and in Spain817.3Governing factors for plant uptake of mobile trace elements from southwest Sweden1i31The difference in the amount of fish and invertebrates in natural and channelised watercourse827.4Typical pH absorption curve for hydrous metal oxides1i32Difference in the number of small mammals and birds alongside natural and channelised watercourses827.6Trend in the number of registered waste dumps in Denmark1i34Impact of an organic matter effluent on river concentrations of organic matter, oxygen and ammonium river catchments838.1Holdridge diagram of vegetation types asociated with different combinations of evaporation and precipitation sociated with different combinations of evaporation and precipitation1i34Impact of an organic matter, oxygen and ammonium river catchments869.1Forests: representative sites by region1i35Relationship between BOD levels and a) annual mean econcentrations; and b) annual mean ammonium concentration for plassly doxygen and BOD in the Rhine at the German/Durch border879.2<	5.7	Total water abstraction (surface and groundwater)		0.11		137
 An example box-cox diagram showing the relationship between annual mean total phosphorus and population density in river catchments Conceptual diagram describing river catchment relationships The increase in total number of large reservoirs in the UK and in Spain The difference in physical variation between a) a natural; and b) a channelised watercourse The difference in the amount of fish and invertebrates in natural and channelised watercourses Difference in the amount of fish and invertebrates in natural and channelised watercourses Difference in the amount of fish and invertebrates in natural and channelised watercourses Difference in the amount of fish and invertebrates in natural and channelised watercourses Difference in the amount of ish and invertebrates in natural and channelised watercourses Difference in the amount of ish and invertebrates in natural and channelised watercourses Relationship between population density and annual mean mixer catchments Relationship between BOD levels and a) annual mean oxygen concentrations from the period Relationship between BOD levels and a) annual mean oxygen concentrations in rivers in four European regions Percentage change in BOD concentrations from the period Percentage change in BOD concentrations from the period Percentage change in BOD concentrations in rivers in four European regions Relationship between total phosphorus concentration and chorophyll and water transparency Relationship between total phosphorus concentration and chorophyll and water transparency Relationship between total phosphorus concentration and chorophyll and water transparency Relationship between total phosphorus concentration and chorophyl and water transparency Relationship between total		by economic sectors in European countries	64	6.12		157
between annual mean total phosphorus and population777.1The soil ecosystem11idensity in river catchments777.2Input/output balance of methylmercury in coniferous forested catchment and the methylmercury balance of a 50 ha lake in southwest Sweden1iii)The increase in total number of large reservoirs in the UK and in Spain777.2Input/output balance of methylmercury in coniferous forested catchment and the methylmercury balance of a 50 ha lake in southwest Sweden1iii)The difference in the amount of fish and invertebrates in natural and channelised watercourse817.3Governing factors for plant uptake of mobile trace elements from soil, as cadmiumiii)Difference in the number of fish and invertebrates in natural and channelised watercourses827.4Typical pH absorption curve for hydrous metal oxides1iii)Difference in the number of small mammals and birds alongside matural and channelised watercourses7.7Contents of lead in samples of pre- and pollution drasity and annual mean toorganic matter, oxygen and ammonium organic matter, oxygen and ammonium organic matter, oxygen and ammonium concentrations of concentrations; and b) annual mean amonium concentration for Dissolved oxygen and BOD in the Rhine at the German/Durch border869.1Forests: representative sites by region2iii)Percentage change in BOD concentrations in rivers in four European river stations879.4Forests: representative sites by region2iii)Percentage change in BOD concentrations in rivers in four European river and proportion sin rivers in four <b< td=""><td>j.8</td><td></td><td></td><td>0.12</td><td></td><td>127</td></b<>	j.8			0.12		127
density in river catchments77777772727272737439Conceptual diagram describing river catchment relationships77727273747430The increase in total number of large reservoirs in the UK and in Spain7774 <t< td=""><td></td><td></td><td></td><td></td><td></td><td>137</td></t<>						137
i9Conceptual diagram describing river catchment relationships The increase in total number of large reservoirs in the UK and in Spain777			77		The soll ecosystem	146
10The increase in total number of large reservoirs in the UKCatchment and the methylinercury balance of a 30 ha lake in11The difference in hoysical variation between a) a natural; and817.3Governing factors for plant uptake of mobile trace elements11The difference in the amount of fish and invertebrates in natural827.4Typical pH absorption curve for hydrous metal oxides112Difference in the number of small mammals and birds alongside827.4Typical pH absorption curve for hydrous metal oxides113Difference in the number of small mammals and birds alongside827.6Trend in the number of registered waste dumps in Denmark by pollution14Impact of an organic matter effluent on river concentrations of organic matter, oxygen and ammonium837.7Contents of lead in samples of pre- and post-industrial floodplain sediments in Limburg. The Netherlands115Relationship between BOD levels and a) annual mean orcentrations; and b) annual mean ammonium concentration for errang/Durch border869.1Forests: representative sites by region218Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations 1977-82 to the period 1988-90 at 223 European river stations 1977-82 to the period 1988-90 at 223 European river stations 1977-82 to the period 1988-90 at 223 European river stations 1977-82 to the period 1988-90 at 223 European river stations 1977-82 to the period 1988-90 at 223 European river stations 1977-82 to the period 1988-90 at 223 European river stations 1977-82 to the period 1988-90 at 223 European river stations 1977-82	59			7.2		
and in Spain81Southwest Swetch311The difference in physical variation between a) a natural; and b) a channelised watercourse7.3Governing factors for plant uptake of mobile trace elements from soil, as cadmium312Difference in the amount of fish and invertebrates in natural and channelised watercourses827.4Typical pH absorption curve for hydrous metal oxides313Difference in the number of small mamals and birds alongside natural and channelised watercourses827.6Trend in the number of registered waste dumps in Denmark314Impact of an organic matter effluent on river concentrations of organic matter, oxygen and amonium838.1Holdridge diagram of vegetation types asociated with different combinations of evaporation and precipitation1315Relationship between DOI levels and a) annual mean river catchments869.1Forests: representative sites by region2317Dissolved oxygen and BOD in the Rhine at the German/Dutch border879.5Coastal and marine cosystems: representative sites by region2318Percentage in BOD concentrations in rivers in four European river stations879.7Changes of species occurring in broad geographic region2316Relationship between load hoursphorus levels in rivers in four European rivers in four European regions879.7Changes of species occurring in broad geographic region2318Relationship between total phosphorus concentration and chlorophyll and water transparency879.7Changes of species populations and ecosystems by<						
111The difference in physical variation between a) a natural; and b) a channelised watercourse7.3Governing factors for plant uptake of mobile frace elements from soil, as cadinum112Difference in the amount of fish and invertebrates in natural and channelised watercourses827.4Typical pH absorption curve for hydrous metal oxides1113Difference in the number of small mammals and birds alongside natural and channelised watercourses827.4Typical pH absorption curve for hydrous metal oxides1114Impact of an organic matter effluent on river concentrations of organic matter, oxygen and ammonium838.1Trend in the number of registered waste dumps in Denmark1115Relationship between population density and annual mean more catchments807.7Contents of lead in samples of pre- and post-industrial floodplain sediments in Limburg, The Netherlands1116Relationship between BOD levels and a) annual mean concentrations; and BOD in the Rhine at the German/Dutch border869.1Forests: representative sites by region2118Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations 2197 Annual mean nitrate concentrations in rivers in four European regions879.7Changes of species populations and ecosystems: representative sites by region2118Percentage change in BOD concentrations in rivers in four European regions909.4Nountain ecosystems: representative sites by region2120Annual mean nitrate concentrations in rivers in four European regio	3.15		01			158
b) a channelised watercourse827.4Typical pH absorption curve for hydrous metal oxides1313Difference in the anount of fish and invertebrates in natural and channelised watercourses7.5Inventory of contaminated sites in Denmark by pollution type and polluted area1313Difference in the number of small mammals and birds alongside natural and channelised watercourses837.6Trend in the number of registered waste dumps in Denmark1314Impact of an organic matter effluent on river concentrations of organic matter, oxygen and ammonium83838.1Holdridge diagram of vegetation types asociated with different combinations of evaporation and precipitation1315Relationship between BOD levels and a) annual mean asyne concentrations; and b) annual mean ammonium concentration foreman/Dutch border869.1Forests: representative sites by region2318Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river sin four European regions909.8The number of European bird species postems: representative sites by region2319Annual mean phosphorus concentration chorphyll and water transparency909.8The number of European bird species geographic regions and the proportion of rare, declining or very localised European bird species2319Relationship between total phosphorus concentration chorphyll and water transparency909.410.1320Relationship between total phosphorus concentration chorphyll and water transparency909.410.1 <td></td> <td></td> <td>01</td> <td>7.3</td> <td>Governing factors for plant uptake of mobile trace elements</td> <td></td>			01	7.3	Governing factors for plant uptake of mobile trace elements	
112Difference in the amount of fish and invertebrates in natural and channelised watercourses17.4Typical pri absorption turve for hydroits includes17113Difference in the number of small mammals and birds alongside natural and channelised watercourses827.5Inventory of contaminated sites in Denmark by pollution type and polluted area1114Impact of an organic matter effluent on river concentrations of organic matter, oxygen and ammonium837.7Contents of lead in samples of pre- and post-industrial floodplain sediments in Limburg, The Netherlands1115Relationship between population density and annual mean river catchments838.1Holdridge diagram of vegetation types asociated with different combinations of evaporation and precipitation1116Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration German/Dutch border869.1Foreest: representative sites by region1117Dissolved oxyge and BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations 1919879.6Mountain ecosystems: representative sites by region2118Percentage change in BOD concentrations in rivers in four European regions909.8The number of spreise portion of rare, declining or very localised European bird species occurring in broad geographic region and the proportion of rare, declining or very localised European bird species2118Percentage change in BOD concentrations in rivers in four European regions909.8The number of European bird spec	5.11		0.7		from soil, as cadmium	160
11Difference in the amount of its and invertebrates in natural and channelised watercourses7.5Inventory of contaminated sites in Denmark by pollution type and polluted area113Difference in the number of small mammals and birds alongside natural and channelised watercourses7.6Trend in the number of registered wate dumps in Denmark114Impact of an organic matter offluent on river concentrations of organic matter, oxygen and ammonium7.6Trend in the number of registered wate dumps in Denmark115Relationship between population density and annual mean river catchments8.1Holdridge diagram of vegetation types asociated with different combinations of evaporation and precipitation116Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration for part.8.1Forests: representative sites by region117Dissolved oxygen and BOD in the Rhine at the German/Dutch border8.79.4Scrub and grassland ecosystems: representative sites by region218Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations European regions879.6Mountain ecosystems: representative sites by region219Relationship between total phosphorus locale trating of the period european regions9.79.8The number of species occurring in broad geographic region and the proportion of rare, declining or very localised European bird species219Relationship between total phosphorus concentration of burbyh land water transparency94<			82	7.4	Typical pH absorption curve for hydrous metal oxides	160
 and channelised watercourses bill Difference in the number of small mammals and birds alongside natural and channelised watercourses bill Impact of an organic matter effluent on river concentrations of organic matter, oxygen and ammonium bill Relationship between population density and annual mean BOD, COD and oxygen levels in more than 100 European river catchments bill Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration bill Dissolved oxygen and BOD in the Rhine at the German/Dutch border bill Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations bill Annual mean nitrate concentrations in rivers in four European regions bill Relationship between total phosphorus concentration dichlorophyll and water transparency concentrations petween total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow Dupich leves concentration by between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow Dupich leves concentration by between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow Dupich leves concentration of period 1988-90 at 223 European rivers in four European regions concentrations in rivers in four European regions concentrations in rivers in four European regions concentrations in rivers in four European rivers in four European regions concentrations in rivers in four European r	3.12					
313Difference in the number of small mammals and birds alongside natural and channelised watercourses7.6Trend in the number of registered waste dumps in Denmark1114Impact of an organic matter effluent on river concentrations of organic matter, oxygen and ammonium837.7Contents of lead in samples of pre- and post-industrial floodplain sediments in Limburg, The Netherlands1115Relationship between population density and annual mean BOD, COD and oxygen levels in more than 100 European river catchments838.1Holdridge diagram of vegetation types asociated with different combinations of evaporation and precipitation1115Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration German/Dutch border869.1Forests: representative sites by region1116Dissolved oxygen and BOD in the Rhine at the German/Dutch border879.5Coastal and marine ecosystems: representative sites by region2117Dissolved oxygen and BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations 119879.5Coastal and marine ecosystems: representative sites by region2120Annual mean nitrate concentrations in rivers in four European regions90899.7Changes of species populations and ecosystems by geographic regions and the proportion of rare, declining or very localised European bird species2121Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow Donib lever94801			82			162
 natural and channelised watercourses Impact of an organic matter effluent on river concentrations of organic matter, oxygen and ammonium Relationship between population density and annual mean BOD, COD and oxygen levels in more than 100 European river catchments Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration Relationship between BOD levels and a) annual mean oxygen gene and BOD in the Rhine at the German/Dutch border Dissolved oxygen and BOD in the Rhine at the German/Dutch border Percentage change in BOD concentrations from the period 1977–82 to the period 1988–90 at 223 European river stations Annual mean nitrate concentrations in rivers in four European regions Relationship between lake total phorphorus concentration and chlorophyll and water transparency Relationship between total phosphorus concentration (May–September) and blue-green algae dominance in 300 eballow David blue-green algae dominance in 300 eballow laws 	5.13			7.6		162
3.14Impact of an organic matter effluent on river concentrations of organic matter, oxygen and ammonium838.1floodplain sediments in Limburg, The Netherlands13.15Relationship between population density and annual mean BOD, COD and oxygen levels in more than 100 European river catchments838.1Holdridge diagram of vegetation types asociated with different combinations of evaporation and precipitation13.16Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration German/Dutch border869.1Forests: representative sites by region13.17Dissolved oxygen and BOD in the Rhine at the German/Dutch border879.4Bogs, fens and marshes: representative sites by region23.18Percentage change in BOD concentrations in rivers in four European regions879.6Mountain ecosystems: representative sites by region23.19Annual mean nitrate concentrations in rivers in four European regions909.8The number of European bird species23.18Relationship between lake total phorphorus concentration (May-September) and blue-green algae dominance in 300 chellow there9410.1Current and projected urban population by region, 1950–20002		natural and channelised watercourses	83			10-
organic matter, öxygen and ammonium83Intolaridge diagram of vegetation types asociated with different combinations of evaporation and precipitationi15Relationship between population density and annual mean BOD, COD and oxygen levels in more than 100 European river catchments81Holdridge diagram of vegetation types asociated with different combinations of evaporation and precipitation11i16Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration toreat change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations iii?82Protected areas as percentages of total country area 9.111i17Dissolved oxygen and BOD in the Rhine at the German/Dutch border879.2Scrub and grassland ecosystems: representative sites by region2i18Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations iii?879.5Coastal and marine ecosystems: representative sites by region 9.62i20Annual mean nitrate concentrations in rivers in four European regions909088The number of European bird species occurring in broad geographic regions and the proportion of rare, declining or very localised European bird species2i21Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow Double here9490i22Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow Double here9494i23 <td< td=""><td>5.14</td><td>Impact of an organic matter effluent on river concentrations of</td><td></td><td>1.1</td><td></td><td>164</td></td<>	5.14	Impact of an organic matter effluent on river concentrations of		1.1		164
 kilo Relationship between population density and annual mean BOD, COD and oxygen levels in more than 100 European river catchments kilo Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration kilo Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration kilo Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration kilo Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration kilo Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration kilo Relationship between BOD levels and a) annual mean oxygen German/Dutch border kilo Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations kilo Annual mean nitrate concentrations in rivers in four European regions kilo Relationship between lake total phorphorus concentration and chlorophyll and water transparency kilo Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow Dapide here kilo schlow defense kilo schlow defense<td></td><td></td><td>83</td><td>0.1</td><td></td><td>104</td>			83	0.1		104
BOD, COD and oxygen levels in more than 100 European river catchmentsBod oxygen levels in more than 100 European river catchmentsBod oxygen levels in more than 100 European river catchmentsBod oxygen levels and annual mean oxygen some manonium concentrationsBod oxygen some manonium concentrationBod oxygen levels and annual mean oxygen some manonium concentrationsBod oxygen levels and precipitation and precipitationInternations of precipitation117Dissolved oxygen and BOD in the Rhine at the German/Dutch border9.1Forests: representative sites by region2118Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations879.4Bogs, fens and marshes: representative sites by region2119Annual mean nitrate concentrations in rivers in four European regions9.5Coastal and marine ecosystems: representative sites by region2120Annual mean nitrate concentrations in rivers in four European regions9.6Mountain cosystems: representative sites by region2121Relationship between lake total phorphorus concentration (May-September) and blue-green algae dominance in 300 chellow David lever949.4Nourtain cosystems and the proportion of rare, declining or very localised European bird species2122Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow David lever9410.1Current and projected urban population by region, 1950-20002	i.15			8.1		
river catchments869.1Forests: representative sites by region151.6Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration9.1Forests: representative sites by region151.6Relationship between BOD in the Rhine at the German/Dutch border9.3Lakes: representative sites by region251.7Dissolved oxygen and BOD in the Rhine at the German/Dutch border9.4Bogs, fens and marshes: representative sites by region251.8Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations Lange an nitrate concentrations in rivers in four European regions9.7Changes of species populations and ecosystems by region251.9Annual mean nitrate concentrations in rivers in four European regions909.8The number of European bird species occurring in broad geographic regions and the proportion of rare, declining or very localised European bird species251.17Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 challow there949.410.151.2Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 challow there9410.1Current and projected urban population by region, 1950-2000						174
i.i.6Relationship between BOD levels and a) annual mean oxygen concentrations; and b) annual mean ammonium concentration Dissolved oxygen and BOD in the Rhine at the German/Dutch border9.2Scrub and grassland ecosystems: representative sites by region2i.17Dissolved oxygen and BOD in the Rhine at the German/Dutch border9.4Scrub and grassland ecosystems: representative sites by region2i.18Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations879.6Coastal and marine ecosystems: representative sites by region2i.19Annual mean nitrate concentrations in rivers in four European regions909088The number of European bird species occurring in broad geographic regions and the proportion of rare, declining or very localised European bird species2i21Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow David lever9494i22Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow there9410.1Current and projected urban population by region, 1950-2000			86			186
concentrations; and b) annual mean animonium concentration869.2Serue and grassiant ecosystems: representative sites by region2ii7Dissolved oxygen and BOD in the Rhine at the German/Dutch border879.3Lakes: representative sites by region2ii8Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations879.5Coastal and marshes: representative sites by region2ii9Annual mean nitrate concentrations in rivers in four European regions879.6Mountain ecosystems: representative sites by region2ii19Annual mean nitrate concentrations in rivers in four European regions9088The number of European bird species occurring in broad geographic regions and the proportion of rare, declining or very localised European bird species2ii20Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow David Mere9494ii21Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow David Mere9494ii22Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow there9494ii23Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow there9494ii24Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chellow there9494ii25Relatio	: 14		00			197
 bissolved oxygen and BOD in the Rhine at the German/Dutch border percentage change in BOD concentrations from the period 1988-90 at 223 European river stations Annual mean phosphorus levels in rivers in four European regions Annual mean nitrate concentrations in rivers in four European regions Relationship between lake total phorphorus concentration and chlorophyll and water transparency Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow David blaces Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow Topich blaces Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow Topich blaces Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow Topich blaces Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow Topich blaces Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow Topich blaces Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow Topich blaces Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow Topich blaces Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow Topich blaces Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow topic blaces Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 ebullow topic blaces Relationship between total phosphorus concentration (May-September) and blaces topic topic topich	1.10		07	9.2	Scrub and grassland ecosystems: representative sites by region	201
German/Dutch border879.4Bogs, feits and marine ecosystems: representative sites by region2518Percentage change in BOD concentrations from the period 1977-82 to the period 1988-90 at 223 European river stations9.5Coastal and marine ecosystems: representative sites by region2519Annual mean phosphorus levels in rivers in four European regions9.6Mountain ecosystems: representative sites by region252Annual mean nitrate concentrations in rivers in four European regions9.7Changes of species populations and ecosystems by geographic region252Relationship between lake total phorphorus concentration (May-September) and blue-green algae dominance in 300 challow there949.410.152Current and projected urban population by region, 1950-20002			00	9.3	Lakes: representative sites by region	206
German/Dutch border879.5Coastal and marine ecosystems: representative sites by region2318Percentage change in BOD concentrations from the period9.6Mountain ecosystems: representative sites by region21977-82 to the period 1988-90 at 223 European river stations879.6Mountain ecosystems: representative sites by region2319Annual mean phosphorus levels in rivers in four899.7Changes of species populations and ecosystems by2320Annual mean nitrate concentrations in rivers in four90907The number of European bird species occurring in broad2321Relationship between lake total phorphorus concentration and chlorophyll and water transparency94949.9949.9322Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 challow Dapish leker9410.1Current and projected urban population by region, 1950-20002	3.17			9.4	Bogs, fens and marshes: representative sites by region	210
518Percentage change in BOD concentrations from the period9.6Mountain ecosystems: representative sites by region21977-82 to the period 1988-90 at 223 European river stations879.7Changes of species populations and ecosystems by geographic region2319Annual mean phosphorus levels in rivers in four European regions909.8The number of European bird species occurring in broad geographic regions and the proportion of rare, declining or very localised European bird species2321Relationship between lake total phorphorus concentration (May-September) and blue-green algae dominance in 300 challow these9494322Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 challow these9410.1Current and projected urban population by region, 1950-20002			8/	9.5		214
1977-82 to the period 1988-90 at 223 European river stations 87 9.7 Changes of species populations and ecosystems by geographic region 2 319 Annual mean phosphorus levels in rivers in four 89 9.7 Changes of species populations and ecosystems by geographic region 2 320 Relationship between lake total phorphorus concentration and chlorophyll and water transparency 94 9.8 The number of European bird species occurring in broad geographic regions and the proportion of rare, declining or very localised European bird species 2 320 Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 challow Danish leker 94 10.1 Current and projected urban population by region, 1950–2000 2	5.18			9.6		218
1.19 Annual mean phosphorus levels in rivers in four European regions 89 geographic region 2 120 Annual mean nitrate concentrations in rivers in four European regions 90 90 The number of European bird species occurring in broad geographic regions and the proportion of rare, declining or very localised European bird species 2 121 Relationship between lake total phorphorus concentration and chlorophyll and water transparency 94 9.9 Habitats important for rare, declining and very localised European bird species 2 122 Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 challow David Mere 94 10.1 Current and projected urban population by region, 1950–2000 2						
3.20 Annual mean nitrate concentrations in rivers in four 90 90 European regions 90 geographic regions and the proportion of rare, declining or very localised European bird species 2 i21 Relationship between tale total phorphorus concentration and chlorophyll and water transparency 94			89			222
European regions 90 geographic regions and the proportion of rare, declining or very localised European bird species 2 i21 Relationship between lake total phorphorus concentration and chlorophyll and water transparency 94 94 10calised European bird species 2 i22 Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 chillow the species 94 10.1 Current and projected urban population by region, 1950–2000 2	j.20	Annual mean nitrate concentrations in rivers in four		9.0		
 Relationship between lake total phorphorus concentration and chlorophyll and water transparency Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 90 challow there Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 94 Current and projected urban population by region, 1950–2000 		European regions	90	7.0		
chlorophyll and water transparency 94 flocalised European bird species 2 i22 Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 challow Danish lakes 94 10.1 Current and projected urban population by region, 1950–2000 2	j.21					
i22 Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 cballow Dayib blees 27 Flating information for the defining and very focussed i22 Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 cballow total phosphorus concentration 27 Flating information for the defining and very focussed i23 Relationship between total phosphorus concentration (May-September) and blue-green algae dominance in 300 cballow total phosphorus concentration 21 i24 10.1 Current and projected urban population by region, 1950–2000 2			94	0.0		226
(May–September) and blue-green algae dominance in 300 challow Danish lakes 94 10.1 Current and projected urban population by region, 1950–2000 2	; 11			9.9		
300 shallow Danish lakes 94 10.1 Current and projected urban population by region, 1750–2000 2	2.22					227
10.2 Urban population in Europe, 1950–90 2			94			262
		see vinite a realisit tanks	<i>/</i> ·	10.2	Urban population in Europe, 1950–90	263

10.3	Annual mean concentration of a) SO2; b) smoke; and	
10.4	c) NO _x , London, 1973–89 Annual mean concentration of a) smokes b) COs and	267
10.4	Annual mean concentration of a) smoke; b) CO; and c) NO ₂ , Moscow 1980–90	268
10.5	Athens: the nefos	269
10.6	Water quality of large rivers in selected European cities	271
10.7	Acoustic quality in selected European cities	271
10.8 10.9	Green space in selected European cities	273
10.9	Housing floor space in selected European cities People injured in traffic accidents in selected European cities	274 275
10.11		276
10.12		277
10.13		277
10.14		281
10.15 10.16	8, 1	282 283
10.17		283
10.18		284
10.19		286
10.20		287
11.1	Life expectancy at birth, 1980, 1987–91, by country	299
11.2	Trends in age-specific mortality by group of countries and sex per 100 000 people	300
11.3	Proportional distribution of main causes of death, 1987–91,	500
	by country	301
12.1	World population growth by regions, 1950–2025	308
12.2	Population age pyramids, 1985 and 2025	308
12.3 12.4	Living standards in selected countries Trends in GDP in selected Western countries	311
12.4	Trends in world population, GNP, fossil energy consumption	312
	and vehicle fleet, 1950–90	313
12.6	Trends in energy consumption in selected Western countries	313
12.7	Trends in net material product in selected Eastern	
12.0	European countries	314
12.8	Trends in energy consumption in selected Eastern European countries	314
12.9	Product life-cycle	315
13.1	Trends in water abstraction by continent	319
13.2	Reserves and production of raw materials	321
14.1	SO ₂ emissions by sector for 20 European countries	326
14.2 14.3	SO_2 emission trends, 1980–90	328 329
14.5	NO _x emissions by sector tor 20 European countries NO _x emission trends, 1980–90	329 330
14.5	Non-methane VOC emissions by sector for 20 European	550
	countries	331
14.6	CO ₂ emissions trends, 1980–90	332
14.7	Relationship between annual mean total phosphorus	222
14.8	concentrations and population density in river catchments Sources of phosphorus discharge to rivers and lakes	333 333
14.9	Relationship between annual mean nitrate and total nitrogen	555
	concentration and percentage of agricultural land in river	
	catchment	334
14.10 14.11		334
14.11	Primary, secondary, tertiary and total treatment of wastewater, 1970–90	339
15.1	Material life-cycle	344
15.2	Waste production by sources in OECD Europe, 1990	344
15.3	Composition of municipal waste in selected European countries	345
15.4	Major categories of industrial waste considered hazardous in	
15.5	OECD Europe, 1990 Management of municipal waste in OECD Europe, 1990	345 346
15.6	Management of hazardous waste in OECD Europe, 1990	346
15.7	Contribution of incineration plants to emissions in	0.10
	The Netherlands	346
15.8	Municipal waste production trends in OECD Europe	347
15.9	Municipal waste production trends in selected European countries	347
15.10		347
15.11		347
15.12		348
15.13		349
15.14		349
15.15 15.1€		350
15.17		350
	Paper recycling in selected European countries 1975–90	350 353
15.18	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe 	353 355
16.1	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe Annoyance caused by noise in The Netherlands, 1987 	353 355 360
16.1 16.2	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe Annoyance caused by noise in The Netherlands, 1987 Maximum A-weighted sound pressure level 	353 355 360 361
16.1 16.2 16.3	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe Annoyance caused by noise in The Netherlands, 1987 Maximum A-weighted sound pressure level Noise exposure due to road traffic 	353 355 360 361 362
16.1 16.2	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe Annoyance caused by noise in The Netherlands, 1987 Maximum A-weighted sound pressure level 	353 355 360 361
16.1 16.2 16.3 16.4	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe Annoyance caused by noise in The Netherlands, 1987 Maximum A-weighted sound pressure level Noise exposure due to road traffic Cumulative exposure of the European population to noise 	353 355 360 361 362 363
16.1 16.2 16.3 16.4 16.5 16.6 17.1	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe Annoyance caused by noise in The Nctherlands, 1987 Maximum A-weighted sound pressure level Noise exposure due to road traffic Cumulative exposure of the European population to noise World average dose from natural radiation sources Average doses from natural radiation sources Sources and pathways of dioxins 	353 355 360 361 362 363 370
16.1 16.2 16.3 16.4 16.5 16.6	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe Annoyance caused by noise in The Nctherlands, 1987 Maximum A-weighted sound pressure level Noise exposure due to road traffic Cumulative exposure of the European population to noise World average dose from natural radiation sources Average doses from natural radiation sources Sources and pathways of dioxins Field releases of GMOs notified in the EU in 1991–94 	353 355 360 361 362 363 370 371 378
16.1 16.2 16.3 16.4 16.5 16.6 17.1 17.2	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe Annoyance caused by noise in The Netherlands, 1987 Maximum A-weighted sound pressure level Noise exposure due to road traffic Cumulative exposure of the European population to noise World average dose from natural radiation sources Average doses from natural radiation sources Sources and pathways of dioxins Field releases of GMOs notified in the EU in 1991–94 by country 	353 355 360 361 362 363 370 371
16.1 16.2 16.3 16.4 16.5 16.6 17.1	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe Annoyance caused by noise in The Netherlands, 1987 Maximum A-weighted sound pressure level Noise exposure due to road traffic Cumulative exposure of the European population to noise World average dose from natural radiation sources Average doses from natural radiation sources Sources and pathways of dioxins Field releases of GMOs notified in the EU in 1991–94 by country Oil spills resulting from accidents involving tankers, 	353 355 360 361 362 363 370 371 378
16.1 16.2 16.3 16.4 16.5 16.6 17.1 17.2	 Paper recycling in selected European countries 1975–90 Hazardous waste imports in the UK, 1981–90 Consumption of plastics in Western Europe Annoyance caused by noise in The Netherlands, 1987 Maximum A-weighted sound pressure level Noise exposure due to road traffic Cumulative exposure of the European population to noise World average dose from natural radiation sources Average doses from natural radiation sources Sources and pathways of dioxins Field releases of GMOs notified in the EU in 1991–94 by country 	353 355 360 361 362 363 370 371 378 381

10.0		
19.2	Changes in primary production of fossil fuel in Europe a) 1970–80; b) 1980–90	406
19.3	Electricity generation by source by country group, 1990	407
19.4	Nuclear input to electricity generation in Europe, 1970–90	407
19.5 19.6	Trends in gross inland consumption by country group, 1970–90 Energy intensity and gross inland consumption for	408
17.0	selected countries, 1990	408
19.7	Final energy consumption by fuel type, 1970–90	409
19.8 19.9	Final energy consumption by end-use sector 1970–90 Projected changes of gross inland consumption by fuel type,	409
17.7	1990–2005	410
20.1	Industrial emissions from CEI countries, 1988	417
20.2	The relative contribution of industry to total emissions, CEI countries, 1988	417
20.3	Final energy consumption by industry, 1970–90	420
20.4	Industrial energy consumption: percentages of total final	
20.5	energy consumption Trends in industrial production, selected Western European	420
2010	countries, 1970–91	422
20.6	Trends in industrial production, selected Central and Eastern	422
20.7	European countries, 1980–91 Relationship between the main chemicals industry subsectors	422 422
20.8	Energy consumption per unit output of the Western European	
20.0	chemical industry– electricity included, 1980–89	423
20.9	Emissions to water of total phosphorus from the Cheminova plant, Denmark, 1987–93	424
20.10	Production of paper and board in Europe, 1961–90	425
20.11	Production rate and effluent load in the Finnish paper	117
20.12	industry, 1970–90 Production of cement and emissions of CO2, selected	425
	European countries, 1989	426
20.13 20.14	Total steel production, selected European countries, 1990 Percentage of iron and steel produced by open hearth method,	427
20.14	selected countries, 1980–92	428
20.15	Historical environmental management trends	429
21.1	The contribution of road transport to environmental problems in The Netherlands	434
21.2	Energy consumption by transport in selected European	101
21.7	countries, 1970–90	436
21.3	Share of energy consumption by different transport modes in selected European countries, 1990	436
21.4	Road density in selected European countries, 1970–90	440
21.5	Rate of increase in car ownership in selected European	112
21.6	countries, 1970–90 Gross transport intensity and primary energy intensity in	442
	Great Britain 1960–90	445
22.1	Loss of biotopes between 1950 and 1970 on a testing area near Groenlo, The Netherlands	451
22.2	Agricultural holdings in selected countries of Europe, 1970–90	451
22.3	Agricultural production and employment in selected European	
22.4	countries, 1960–91 Livestock intensity: head of cattle, sheep and pigs per hectare of	452
	agricultural land, 1990	454
22.5	Consumption of nitrogen fertiliser per hectare of agricultural land in selected European countries, 1970–90	456
22.6	Consumption of phosphorus fertiliser per hectare of	400
	agricultural land in selected European countries, 1970–90	457
22.7	Consumption of pesticides per hectare of arable and permanent cropland in selected European countries, latest year available	459
22.8	Percentage of agricultural land under irrigation in selected	707
	European countries, 1960–90	462
23.1 23.2	Evolution of wooded area in Europe Public and private ownership of forest and other wooded land	465 470
23.3	Trends in consumption of roundwood	471
23.4	Trade flows of roundwood in Europe, 1987	471
23.5 23.6	Annual fellings and increment in exploitable forest in Europe Share of the different wood products in the totals produced	472
20.0	in Nordic, Eastern, Southern and Western regions of	
<u></u>	Europe, 1989	472
23.7 23.8	Apparent consumption of tropical wood in Europe, 1970–90 Production of roundwood in Europe, 1965–90	473 473
23.9	Net annual increment per hectare in exploitable forest	474
24.1	Total international fish catch in the North Sea, 1903–88	480
24.2 25.1	Norwegian spring-spawning herring, 1952–92 Trends in international tourist arrivals at frontiers in Europe,	482
2.5.1	1960–92	490
25.2	International tourist arrivals at frontiers in Europe by region,	
25.3	1992 Types of domestic tourism in France, 1989	490 493
25.4	Foreign arrivals in the Mediterranean by transport mode, 1991	494
25.5	Trends in European international arrivals, 1985–2000 Water consumption by bounded Grach Bonyblia, 1970, 91	498
26.1 26.2	Water consumption by households, Czech Republic, 1970–91 Main uses of household water consumption, The Netherlands,	504
	1986	504
26.3	Average energy consumption per capita in households of different sizes, Norway	505
26.4	Total black smoke emissions and domestic sector emissions,	545
24 E	UK, 1970–91 European household sizes 1980, 90	506
26.5 26.6	European household sizes, 1980–90 Percentage rise in number of European households since 1980	507 508
	5 ····································	-

26.7	Average household expenditure by product group (as % of	
	income), Central and Eastern and Western Europe, 1990	508
26.8	Cars per household in Europe, 1980–90	509
26.9	Personal actions taken to improve the environment, EU,	
	Spring 1992	510
27.1	The greenhouse effect	514
27.2	Current contributions of the different greenhouse gases to	
	the enhanced greenhouse effect	514
27.3	Concentrations of greenhouse gases in the atmosphere since	
	1750: a) CO ₂ ; b) N ₂ O; c) CH ₄ ; and d) CFC-11	515
28.1	Changes in regional average ozone concentrations:	
	a) North America; b) Europe; and c) Far East	524
28.2	Calculated atmospheric chlorine concentrations between	
	1950 and 1990	524
28.3	Trends in the annually integrated effective UV-B dose for	
	DNA damage for cloudless skies, 1979–89	525
28.4	Effects of stopping all CFC emissions in 1995, 2000, or 2005	
	on the atmospheric chlorine concentration	526
28.5	Scenarios showing a) annual worldwide production and	
	emission of CFCs; and b) chlorine concentrations	528
29.1	Representative sites of natural European ecosystem groups:	
	aggregated total area, and area where management problems	
20.0	and stresses pose potential problems to biodiversity	531 532
29.2	Changes in plant diversity in Central Europe	532 535
30.1	Societal risk limits adopted by The Netherlands	222
31.1	Relative contribution of source categories to the total potential	542
12.1	acid deposition in selected countries: estimates for 1990	554
33.1 34.1	European water demand, 1950–2000 Number of fires in Europe, 1980–90	563
34.2	Forest area burnt in Europe, 1980–90	563
34.2 36.1	Waste disposal costs in selected European countries, 1992	578
37.1	Comparison of final energy use in Berlin and London	585
37.2	Sources of principal air pollutants in London and the UK	586
37.3	Schematic representation of urban air quality problems and	500
57.5	urbanisation, 1950–2000	587
38.1	Pathways for dispersion of chemicals in the environment	592
38.2	Progressive achievement of reduced chemical risk to the	0,1
5012	environment	592
38.3	The relationship between environmental protection research	• · · =
5015	(risk assessment) and policy (risk management)	593
38.4	Comparison of international programmes on the control of	275
2011	chemical risk	593
38.5	Main components of EU chemicals control strategy	594
	· · · · · · · · · · · · · · · · · · ·	
	ť	

MAPS

Inside front cover: Geographical map of Europe Inside back cover: Political map of Europe

manuc	back cover. I official map of Europe	
2.1	Annual average sulphate concentration in air close to the	
	surface, and Europe's contribution to it	15
3.1	A topography of Europe	19
3.2	Geological structure of Europe	20
3.3	The countries of Europe	21
3.4	Prevailing wind directions and atmospheric fronts over Europe	22
3.5	and the North Atlantic in a) January; and b) July Annual temperature and precipitation distribution in Europe	22
3.6	Biogeographical provinces of Europe	23
3.7	Landuse in Europe	24
4.1	Spatial distrubition of emissions of a) SO ₂ ; b) NO _x ; c) NH ₃ ;	
	and d) VOC 1990	36
4.2	Total potential acid deposition in 1990	41
4.3	Excess ozone (above threshold value of 75 ppb) during	
	summer 1989	42
4.4	Daily SO ₂ concentration field, 19 January 1987	43
4.5	Yearly average aerosol concentrations, based on model	44
4.6	calculations (RIVM/TREND model) Cadmium deposition based on model calculations	77
1.0	(RIVM/TREND model)	45
4.7	Benzo(a)pyrene deposition based on model calculations	
	(RIVM/TREND model)	46
4.8	a) Concentration of sulphate aerosol in Europe on 21 July 1990;	
,	b) Observed visibility in Europe on 21 July 1990, 12 noon GMT	47
4.9	Airborne Caesium-137 radioactivity at 12 monitoring sites	
	across Europe, 1984–91	48
4.10	Critical loads (5-percentile) for acidity	49
4.11 5.1	Exceedances of critical loads (acidity), 1990 Par capita available protor resources (total renewable protor	50
5.1	Per capita available water resources (total renewable water resource) and water abstractions for each country in Europe	59
5.2	Average annual runoff in Europe	61
5.3	Mean monthly flow for several major river catchments in Europe	62
5.4	General typology of aquifers in Europe	66
5.5	Overexploitation of groundwater resources and salt	
	water intrusion	67
5.6	Wetlands potentially endangered by overexploitation of	
	groundwater	68
5.7	Calculated concentration of nitrate in the leachate from	10
5.8	agricultural soils (at 1 metre depth) The minute thet energy for groundwater	69 70
5.8 5.9	The nitrate 'hot spots' for groundwater Calculated concentration of pesticides in the leachate from	70
5.7	agricultural soils (at 1 metre depth)	71
5.10	The pesticides 'hot spots' for groundwater	72
5.11	Larger European river catchments exceeding 50 000 km ²	78
5.12	Large European lakes and reservoirs	80
5.13	Frequency distribution of annual mean concentrations of	
	organic matter in European rivers	84
5.14	Annual mean concentrations of organic matter at specific river	0.5
5.15	stations in European rivers Frequency distribution of annual mean phosphorus	85
5.15	concentrations in European rivers by country	88
5.16	Annual mean phophorus concentrations at specific stations in	00
	European rivers	89
5.17	Frequency distribution of annual mean nitrogen concentrations	
	in European rivers by country	90
5.18	Annual mean nitrate concentrations at specific stations in	
	European rivers	91
5.19	Frequency distribution of summer mean total phophorus	0.7
5.20	concentrations in European lakes by country Total phosphorus concentrations in Jaroe European lakes and	92
5.20	Total phosphorus concentrations in large European lakes and reservoirs	93
5.21	Areas of Europe geologically sensitive to surface water	/5
5.21	acidification	97
5.22	Areas of Europe where surface water acidification has been	
	observed	98
6.1	Europe's seas with subsidiary seas and bays and catchments	110
6.2	Europe's seas with main surface water currents	117
6.3	Satellite image of the Mediterranean: the colour bars show	
	concentrations of chlorophyll-like pigments, indicating	
71	eutrophication Soils of Europe	120
7.1 7.2	Soils of Europe Potential and actual erosion risk in southern EU countries	149 154
7.3	Water erosion of soils in Europe	155
7.4	Wind erosion of soils in Europe	156
7.5	Lead deposition, inferred from analysed moss samples	159
7.6	Cadmium deposition, inferred from analysed moss samples	159
7.7	Physical degradation of soils in Europe	166
8.1	European landscapes	176
8.2	The urbanisation of the Amsterdam region between	
0.2	1930 and 1975	181
8.3	Undissected areas of low traffic frequency as	
	a resource for low-intensity recreation, 1977 and 1987, in southern Germany	182
	in sourcein Octmany	104

624 LIST OF ILLUSTRATIONS

8.4	Military and mining areas in Eastern Germany and Poland	184
8.5	Landscape changes from 1939 to 1985 in the 'open plain',	
	Beden, southern Sweden	185
9.1	Potential natural vegetation of Europe	191
9.2	Geographic regions of Europe used in this chapter	193
9.3	Forest ecosystems: representative sites	196
9.4	Change in the distribution of the great bustard in East-Central	100
9.5	Europe: a) 1900; b) 1990 Distribution of the owner husband in Sania	198
9.5 9.6	Distribution of the great bustard in Spain Scrub and grassland ecosystems: representative sites	199 200
9.7	River and lake ecosystems: representative sites	200
9.8	Bog, fen and marsh ecosystems: representative sites	210
9.9	Coastal and marine ecosystems: representative sites	215
9.10	Mountain ecosystems: representative sites	217
9.11	Percentage of nationally threatened mammal species	223
9.12	Distribution of the common otter	224
9.13	Percentage of nationally threatened bird species	226
9.14	Distribution of the common crane	227
9.15	Distribution of the peregrine falcon	228
9.16	Changes in the distribution of the Italian agile frog	228
9.17	Distribution pattern of threatened European	
	amphibian species, and percentage of nationally	
	threatened species	229
9.18	Distribution pattern of threatened European reptile species,	
0.10	and percentage of nationally threatened species	230
9.19	Changes in distribution of the Artic charr	230
9.20	Changes in the distribution of the meadow viper	231
9.21 9.22	Distribution of the ship sturgeon	232
9.22	Percentage of nationally threatened fish species by country Existing national lists for the insect family of hoverflies	232 233
9.24	Distribution of the millipede	233
9.25	Disappearance history of <i>Rhysodes sulcatus</i>	234
9.26	Distribution of the moonwort fern	235
9.27	Distribution of the wintergreen family	236
9.28	Percentage of endemic plants in South European mountain ranges	
9.29	Percentage of nationally threatened plant species	237
9.30	The 'Green Lungs' of Europe area	247
9.31	Internationally designated areas	248
9.32	Ecological Bricks sites	249
9.33	European ecological network (EECONET)	250
10.1	Population of selected European cities	262
10.2	Landuse of Prague	278
10.3	Spatial distribution of annual average	
	concentrations of SO ₂ in ambient air in Prague	279
10.4	Population density in Brussels, 1990	288
10.5	Population density in Copenhagen, 1990	289
10.6	Population density in Rome, 1981	290
10.7	Population density in Madrid, 1986	290
10.8	Population density in Amsterdam, 1989	291
10.9	Population density in Rotterdam, 1990	291
10.10	Population density in Moscow, 1989	292
10.11	Population density in Warwaw, 1988	292
12.1 12.2	Population density in Europe	309
12.2	Population growth in Europe, 1960–80	310
12.5	Population growth in Europe, 1980–88 European SO ₂ emissions by country and main sector, 1990	311
14.1	European SO_2 emissions by country and main sector, 1990 European SO_2 emissions by country, 1990	325
14.2	European NO_x emissions by country, 1990	327 329
14.4	European VOC emissions by country, 1990	330
14.5	European CO ₂ emissions by country, 1990	331
14.6	Population served by different levels of wastewater treatment	338
15.1	Municipal waste production in Europe	348
15.2	Transfrontier movement of hazardous waste in Europe, 1990	353
18.1	Distribution of tanker spills greater than 10 000 bbl since 1974	388
18.2	Caesium contamination around Chernobyl after the accident	592
18.3	Cumulative deposition in Europe of Cs-137 from the	
	Chernobyl accident	393
19.1	Oil and gas distribution and production in Europe	404
19.2	Location and maximum net capacity of European nuclear	
	power plants by site	405
21.1	The emissions resulting from four ways to travel from	
	Helsinki to Oulu, Finland	439
21.2	Location of the Rhine-Main-Danube Canal	440
22.1	Nitrogen supply from manure in agricultural soils in Europe	455
22.2	Nitrogen supply from fertiliser in agricultural soils in Europe	458
22.3	Nitrogen supply from manure and fertiliser and manure in	
11.4	agricultural soils in Europe	460
22.4	Average pesticide load on arable and permanent cropland	471
22.1	in Europe	461
23.1	Forest cover in Europe	466
23.2 24.1	Broadleaved and coniferous species	469
∠7.1	Total nominal catches of fish and invertebrates in European marine provinces, 1988	480
27.1	Changes in January surface air temperature over Europe as a	100
£7.1	result of doubled CO ₂ : a) results from general circulation	
	model of the National Centre for Atmospheric Research,	
	Boulder, Colorado, USA; and b) results from nested mesoscale	
	model relative to the nested model control	516
27.2	European coastal regions threatened by a rise in sea level and	
	salt water intrusions into estuaries and groundwater	517

Adaptation of different ecosystems in Europe, following a doubling of atmospheric CO₂ by 2090 Forest damage in Europe, 1992 Climatic regions of Europe Average number of forest fires, 1989–91 27.3

34.1

34.2

34.3

Burnt area for one year, as a percentage of overall forest area, 34.4

1989–91 34.5

Number of winter fires (January-March), as a percentage of the total number of fires, 1989–91 Average number of fires of more than 50 ha, 1989–91 Coastal evolution in the EU

- 34.6 35.1

	TABLES	
	Selected world indicators, 1950–90	13
	Population density and available land per inhabitant for some world regions	24
	Average percentage of main atmospheric constituents under	
	clean air conditions, with mean residence times and current	29
	relative changes WHO air quality guidelines for relvant pollutants and expected	29
	effect concentrations	30
	Main emmission sources for the different pollutants	30
	Indices describing outdoor air pollution conditions in large	
	European cities, 1990	31
	Examples of available data on local industrial air pollution	
	problems in Europe	34
	Guideline values for exposure to ozone as set by WHO, EC and under discussion in UNECE for the protection	
	of human health and vegetation	38
	European anthropogenic emissions and global anthopogenic and	
	natural emissions for selected atmospheric compounds, 1990–91	51
	Classification of relative per capita water availability	60
	National water use intensity indicators	64
	Sources of information for actual concentrations of nitrate and	
	pesticides in groundwater, and for the quantititative aspects	15
	such as abstractions and overexploitation Point sources and the expected contamination of groundwater	65 68
	Estimated area of point sources and contamination of groundwater	69
	Weighting and risk factors used to generate the 'aquifer-risk map'	71
	Countries that have answered the river and lake questionnaires	74
	Descriptive statistics for annual mean physical and chemical	
	variables at European river stations	75
	The major European rivers, their catchment areas, and the	77
	percentage of the country area drained Estimated number of natural lakes in different surface area classes	76 79
	Number of lakes in different European countries	79
	Descriptive statistics for annual mean organic matter and	
	oxygen at European river stations	83
	Quality of European river reaches	85
	Descriptive statistics of annual mean phosphorus concentrations	
	in European rivers	88
	Descriptive statistics of annual mean nitrogen concentrations	00
	in European rivers Phosphorus and nitrogen levels in lakes in relatively unpolluted	90
	areas such as remote mountain regions and national parks	92
	Examples of European lakes in which phosphorus concentration	/2
	has decreased during the last 10 to 20 years	95
	Descriptive statistics of annual mean concentrations of total	
	heavy metals in European rivers	100
	Vulnerability of European soils to degradation	151
	Estimated areas affected by major soil threats in Europe	152
	Predicited forested areas exceeding critical values of aluminium and/or aluminium base cations in soil solution at present and	
	in a (future) steady-state situation	157
	Main anthropogenic sources of diffuse pollution by heavy	157
	metals to agricultural land	157
	Soil clean-up in the EU	163
	The main characteristics of 30 European landscapes	175
	Lowland dry grasslands in 19 European countries	197
	Lake chemistry and impacts of 149 representative reporting sites	206
	Legislative status of representative sites for lakes	207 207
	Threats and impacts to some Ramsar lake sites in Europe Status of bogs, fens and marshes designated as Ramsar sites	207
	Loss of sand dune habitats between 1900 and 1990	212
	Protection and threats for European coastal saltmarshes	213
	Arid landscapes: representative sites	219
	Tundra landscapes: representative sites	220
	Relative number of species extinct	
	(according to IUCN categories) Most and angesed species of amphibians and reptiles and an	222
	Most endangered species of amphibians and reptiles and an indication of their habitat	232
	International, national and regional threatened plant lists and	292
	programmes	241
	Protected areas – five management categories as a percentage	
	of the total protected areas	241
	International designated areas and national parks in Europe	242
	Global, European and regional initiatives for nature conservation	244
	Selected indicators for the urban environment	264
	Selected European cities: regional classification	265 265
	Selected European cities: size	265
	Assessment of urban environmental information	
	Assessment of urban environmental information Urban environmental quality	
	Urban environmental quality	266 270
		266
	Urban environmental quality Average changes of climate parameters in built-up areas Possible causes of urban heat island Two methods of assessing the acoustic environment	266 270
	Urban environmental quality Average changes of climate parameters in built-up areas Possible causes of urban heat island Two methods of assessing the acoustic environment Green space requirements for urban development projects	266 270 270
)	Urban environmental quality Average changes of climate parameters in built-up areas Possible causes of urban heat island Two methods of assessing the acoustic environment	266 270 270 272

10.12	End-use energy consumption in selected European cities	276
10.13	Urban flow indicators	277
10.14	Selected data, city of Prague, 1991	278
10.15 10.16	Urban patterns Car ownership in OECD cities	285 288
12.1	Vital rates within European regions	308
12.2	Consumption patterns for selected commodities	312
13.1	Food production, exports and imports (thousand tonnes)	318
13.2	Food exports and imports	319
13.3	Global and European freshwater resources and withdrawals	319
13.4	Freshwater withdrawal by uses	320
13.5	World and European total energy production and consumption,	
	1980–90	320
13.6	World and European primary energy consumption, 1970–90	321
13.7	World and European reserves of selected minerals, 1991	322 324
14.1 14.2	European emissions of selected compounds Agriculture's share of total emissions of nitrogen and	524
17.2	phosphorus to the aquatic environment in several	
	countries/regions of Europe	334
14.3	Measured nitrogen leaching rates from Danish agricultural	
	and non-agricultural areas	335
14.4	Nitrogen contribution to surface waters from different	
	landuse types in Denmark	335
14.5	Area coefficients for nitrate losses to surface waters from river	
	catchments with different landuse characteristics	335
14.6	Area coefficients for losses of total phosphorus from	22/
1 4 7	agricultural catchments in the Northern temperate zone	336
14.7 15.1	Reduction efficiencies of different wastewater treatment processe: Potential environmental impacts of waste management practices	345
15.2	Worldwide atmospheric emissions of trace metals from waste	545
1.5.2	incineration	346
15.3	Leachate and groundwater composition of landfill sites in	510
	The Netherlands	346
15.4	Potential savings in material recycling	351
15.5	Incineration capacity in selected European countries	351
15.6	Number of landfills in selected European countries	351
15.7	Import/export of hazardous waste in selected European•	
	countries, 1990	352
16.1	Main descriptors for the assessment of environmental noise	362
16.2	Electromagnetic spectrum and some typical examples	265
16.3	of applications Typical exposure levels from some electric and magnetic	365
10.5	field sources	366
16.4	Electric field and magnetic field limits at power frequencies	200
	of 50 to 60 Hz	367
16.5	Effective UV-B radiation doses	368
16.6	Worldwide annual average effective dose to	
	adults from natural sources of ionising radiation	370
16.7	Exposure to human-induced sources expressed as equivalent	
171	periods of exposure to natural sources	371
17.1 17.2	Chemicals produced in the EU and EFTA countries (by volume) End-user markets of chemicals in EU and EFTA countries	377 377
17.2	Field releases of GMOs notified in the EU in 1991–94 by	511
17.5	groups of organisms and traits	381
18.1	Consequences of accidents notified on the MARS database	387
18.2	Frequency of accidents at sea	387
18.3	Number of main nuclear plants in different regions of Europe	388
18.4	Summary data on the scale of contamination of world oceans by	
	radioactive wastes from former USSR territory, 1961–90	389
18.5	The international nuclear event scale for prompt	
	communication of safety significance	390
18.6	Nuclear events reported to the INES service of IAEA by	101
107	year of occurrence (worldwide) Important incidents in nuclear fuel cycle facilities	391
18.7	Important incidents in nuclear fuel cycle facilities (Western Europe)	391
18.8	Severe nuclear accidents (levels 6 to 7 of INES scale)	391
18.9	Estimated world input of petroleum hydrocarbons to the sea	396
19.1	Overview of significant and potential environmental impacts	570
	from energy sources	402
19.2	Current and future shares in gross inland consumption,	
	by country group	410
19.3	Effects on CO2 emissions of eliminating subsidies on	
	commercial energy in Central and Eastern Europe	412
20.1	Overview of significant and potential environmental impacts	
20.2	by industrial sectors	415
20.2	Proportion of world production of selected chemical	472
711	substances in Europe, 1988	423
21.1 21.2	Overview of significant transport impacts on the environment Energy consumption by transport in Europe, 1970 and 1990	435 436
21.3	Specific CO ₂ emission estimates for different transport modes	437
21.4	NO_x emissions by type of road vehicle in the EU, 1990	438
21.5	Trends and developments of transport modal split, 1970–1990,	
	Western Europe	441
21.6	Trends and developments of transport modal split, 1970–1990,	
	former Czechoslovakia, Hungary, Poland and former Yugoslavia	441
21.7	External social costs arising from transport in Germany, 1993	444
22.1	Overview of significant environmental impacts from	110
23.1	agricultural practices Overview of significant and potentially negative environmental	449
1	impacts of forestry	467
	4 Z	

626 LIST OF ILLUSTRATIONS

23.2	Fertiliser applications on forests	468
23.3	Area, growing stock and net annual increment in	
	exploitable forest	474
24.1	Overview of significant impacts on the environment arising	
	from fishing	482
25.1	Visitors to a selection of European protected areas	492
25.2	Alpine tourism's contribution to polluting emissions in	
	Switzerland, 1987	494
26.1	Overview of significant environmental impacts of main	
2011	household requirements	503
26.2	Percentage of domestic energy use by fuel type, Europe, 1970-90	505
26.3	Per capita contribution to wastewater characteristics	506
27.1	Mean atmospheric lifetimes of greenhouse gases with their	
27.1	global warming potentials relative to carbon dioxide	514
27.2	Relative direct sources of global greenhouse gases	515
27.3	Best estimates of climate change projections over the next	515
27.5	50 years	515
28.1	Total ozone trends from satellite and ground-based observations	523
28.2	Approximate atmospheric lifetimes of ozone depleting	525
20.2		
	compounds, adopted chlorine loading potentials, and best estimate of ozone depletion potential with CFC-11 as reference	527
20.1		527
29.1 30.1	Distribution of higher plants by continent	550
50.1	Annual mortaity rates associated with certain occurences and	= 27
20.2	activities in The Netherlands	536
30.2	Clean-up costs following accidents	537
31.1	Percentage of the deposited sulphur and nitrogen of	
	indigenous origin in selected European countries in 1990	
	according to EMEP calculations	542
31.2	Importance of emission reductions to reduce acidification effects	544
31.3	Options for sulphur dioxide control in public power generation	
	plants and other large combustion boilers	545
31.4	Typical emissions of nitrogen oxides from stationary combustion	
	sources with and without nitrogen oxide emission control	545
32.1	Relative natural and anthropogenic contribution to tropospheric	
	ozone precursor emissions in 1990	548
32.2	Importance of nitrogen oxide and VOC emission reductions for	
	oxidants reduction in different regions of Europe	549
32.3	Importance of precursor changes for various oxidising and	
	acidic compounds and visibility	550
33.1	Summary of freshwater-related environmental problems in	
	different parts of Europe	552
35.1	Relationships between human activities and coastal zone problems	569
36.1	Disposal of municipal waste in selected European countries,	
	late 1980s	577
36.2	Typical composition of uncleaned flue gases from waste	
	incineration ;	578
36.3	Solid residues from waste incineration	578
36.4	Waste control options	579
36.5	Emission limit values for waste incineration	581
36.6	European countries that are party to the Basle Convention,	
	as of August 1994	581
37.1	Urban planning and management options	588

BOXES

	BOXES	
1A	Environmental indicators	6
2A	Humans and geological time	10
2B	Concepts for environmental protection	16
4A	The structure of the atmosphere	28
4B	Atmospheric consitutuents and their residence times	29
4C 5A	Pollutants leading to regional air pollution Definitions and sources	40 59
5B	How to read the maps	64
5C	Data and information sources	64
5D	Estimating aquifer risk to pollution	71
5E	Data and information sources	74
5F	Major human activities physically influencing river systems	81
5G 5H	Environmental problems related to reservoirs	81 85
6A	River quality classfication Coastwatch Europe surveys	114
7A	Data and information sources	147
7B	Desertification in Europe	153
7C	Potential and actual soil erosion risk in southern EU countries	154
7D	Erosion in Spain	155
7E 7F	The problem of methylmercury in Sweden Heavy metal monitoring in Northern and Eastern Europe	158 159
7G	The Rothamsted experiment (UK)	161
7H	Inventory of contaminated sites in Denmark	162
7I	Geochemical characteristics of river and floodplain sediments	
	in Europe	164
7J	EU Directive on sewage sludge	165
8A 8B	Tundra and taiga Enclosed landscapes with bedges/bocade	177 177
8C	Enclosed landscapes with hedges/bocade Openfields	178
8D	Steppe and arid landscapes	178
8E	Regional landscapes	179
8F	Agriculture in dehesa/montado landscapes (Portugal, Spain)	180
8G 8H	Urban expansion and polder landscapes (The Netherlands)	181 182
811	Fragmentaion of landscapes in Germany Effects of tourism on Alpine landscapes	182
8]	Mining in openfield/forest landscapes(Czech Republic)	184
8K	Loss of habitat structures in open plains and semi-open mixed	
	landscapes, Sweden	185
8L	Proposed management objectives for the IUCN Category V sites	
9A 9B	The use of the terms ecosystem and habitat in this report	192
70	Definition of status categories and their correspondence to the legend for representative sites	192
9C	Coniferous forest: Muddus and Höga Kusten (Sweden)	194
9D	Temperate forest: Bieszczady Region	
	(Poland, Ukraine, Slovak Republic)	195
9E	Mediterranean forest: the Aoos Valley (Greece)	195
9F 9G	Decline of the great bustard Lowland healthland loss in eastern and southern Britain	199 201
9H	The Loire (France)	202
9I	The Volga (Russia, Ukraine)	203
9J	The Danube	204
9K	Restoration: Lake Hornborgasjön (Sweden)	204
9L 9M	Finnish lakes	205
9M 9N	Lake Balaton (Hungary) Irish bogs	206 208
90	Doñana National Park (Spain)	209
9P	Biebrza Valley (Poland)	209
9Q	Albanian lagoons	212
9R	Sand dunes	213
9S 9T	Marine seagrass The Wadden Sea (Denmark, Germany, The Netherlands)	213 214
9U	The Maritime Alps	214
9V	Jotunheimen – 'home of the giants'	217
9W	Arid plains: the Canarian Houbara bustard	219
9X	Use of the term 'threatened species' in this report	221
9Y 9Z	Brown bear	223 224
92. 9AA	Common otter Common porpoise	224
9BB	Monk seal	225
9CC	Common crane	227
9DD	Peregrine falcon	228
9EE	Italian agile trog	228
9FF 9GG	Meadow viper Artic charr	230 231
9HH	Ship sturgeon	232
9 I I	The beetle Rhysodes sulcatus	234
9JJ	Moonwort fern	235
9KK	Wintergreen family	236
9LL 9MM	Endemic plants Protected areas: six management categories	237 240
9NN	The 'Green Lungs' of Europe	240
900	Ecological bricks' as transfrontier parks	249
10A	Urban growth	262
10B	Air quality in London	267
10C 10D	Air quality in Moscow Particulate pollution in urban areas: the case of Athens	268 269
1017	A accounter politicion in urban areas, the ease of Athens	-07

- Protected areas: six management categories The 'Green Lungs' of Europe Ecological bricks' as transfrontier parks
- 9NN 900
- 10A Urban growth
- 10B 10C Air quality in London
 - Air quality in Moscow
- Particulate pollution in urban areas: the case of Athens 10D

0E	The urban heat island	270
IOF	Venice, a city by the water	272
-		
10G	Measuring noise in the urban environment	272
10H	Urban wildlife: fauna and flora	273
10I	Metabolism of a city: Prague	278
101	Energy balance in Helsinki	281
10K	Ecological urban renewal in Copenhagen	291
10L	Traffic management in Bergen and Oslo, Norway	292
10M	Public transportation in Zurich	293
10N	Bicycling network in Delft	294
10O	Urban environmental technology in Berlin	295
10P	International initiatives for sustainable cities	295
12A		315
	Life-cycle analysis	
12B	Strategic environmental assessment	315
12C	Green plans	316
13A	Statistics on the use of natural resources	318
13B	CORINE Land -Cover	322
14A	Emission inventory methodology developments	324
14B	European atmospheric emissions inventories	325
14C	Towards a European integrated emissions inventory	326
14D	How to obtain better estimates of emissions from agriculture	
	to water	333
15A	Information on waste	343
15B		
	Harmonising waste classification systems	343
15C	EU waste management guidelines	345
15D	Consumer products containing hazardous substances	349
15E	Cases of disputed transfrontier movement of hazardous waste	354
15F	Major thermoplastics	355
16A	The state of information on noise	
-		360
16B	Measurement of noise	361
16C	Noise abatement measures	364
16D	Measurement and concepts of physical fields	365
16E	Effects of enhanced UV-B radiation	368
17A	Current knowledge on the toxicity of existing chemicals	376
18A	Data availability	384
18B	Examples of accidents – industrial installations	385
18C	Examples of accidents - inland transport and distribution	386
18D	Examples of accidents - marine transportation and offshore	
102		200
101	installations	389
18E	The Chernobyl nuclear accident	392
19A	Energy definitions	400
19B	Energy sources, availability and country groups	401
19C	Impacts of coal mining in Poland	403
19D		411
	Key European Union policy initiatives	
20A	Data availability and country groups	416
20B	The Business Charter for Sustainable Development	430
21A	Definitions, data availability and country groupings	437
21B	The Rhine-Main-Danube Canal	440
21C	Measures to control the environmental impacts of transport	444
22A	Data sources, availability and country groupings	447
22B	Organic agricultural practices	459
22C	The EU Common Agricultural Policy	462
23A	Data availability and country groupings	465
23B	The abandonment of the dehesas and montados in	
250		
	Southern Europe	466
23C	European alluvial forests endangered	468
23D	Destruction of the boreal forest	472
23E	Demand for tropical wood in Europe	473
23F	Forest as a carbon sink?	474
24A		481
	Definitions, data availability and quality	
24B	Existing fishing policies and further options	483
24C	Sealing and whaling in Europe	485
25A	Sources of data and WTO country groupings	490
25B	Measuring sustainable tourism: the need for better indicators	491
25C	Loving them to death: tourism and recreation in protected	
	areas in Europe	493
25D		
	Hunting in Europe	493
25E	Impacts of skiing in Europe	494
25F	Impacts of tourism in the Mediterranean	495
25G	Principles of sustainable tourism	498
25H	Examples of legislation and policy tools being used to manage	
	the impacts of tourism and recreation in Europe	499
26A		
	Data sources and country groupings	503
26B	Experience of phosphate replacements in detergents	507
26C	The EU ecolabel	510
30A	Societal risk criteria: the Dutch national limits	535
34A	Forest damage in the Krušné Hory, Czech Republic	561
34B	EU work on prevention of forest fires	
210		E7.5
	(Regulation 92/2158/EEC)	565
НC	Fires and radioactivity	566
35A	Main European initiatives concerning coastal zones	573
36A	Waste management hierarchy	577
36B	Clean production	580
36C	The EU strategic discussion plan	582
%D	Integrated waste management	583
36E	Monitoring emissions from waste sites	583
17A		
	Major urban environmental problems	585
37B	Major urban environmental problems Local Agenda 21	
	Major urban environmental problems Local Agenda 21 International programmes on chemicals	585 589 593