

Claudio Maccone

Deep Space Flight and Communications

Exploiting the Sun as a Gravitational Lens

 Springer

Published in association with
Praxis Publishing
Chichester, UK

 PRAXIS

Contents

| | |
|--|-------|
| Preface | xiii |
| Preface to earlier works | xv |
| Acknowledgments | xix |
| Foreword | xxi |
| List of figures | xxiii |
| List of tables | xxvii |
| List of abbreviations and acronyms | xxix |
| A brief overview of the Sun as a gravitational lens | xxxii |

PART I Space missions to the Sun's gravity focus (550 to 1,000 AU) 1

| | |
|---|----|
| 1 So much gain at 550 AU | 3 |
| 1.1 Introduction | 3 |
| 1.2 The minimal focal distance of 550 AU for electromagnetic waves | 4 |
| 1.3 The (antenna) gain of the gravitational lens of the Sun | 7 |
| 1.4 The combined, total gain upon the FOCAL spacecraft | 9 |
| 1.5 The image size at the spacecraft distance z | 9 |
| 1.6 Requirements on the image size and antenna beamwidth at the spacecraft distance z | 10 |
| 1.7 Angular resolution at the spacecraft distance z | 11 |
| 1.8 Spatial resolution at spacecraft distance z | 14 |
| 1.9 References | 14 |

| | | |
|----------|--|-----------|
| 2 | Scientific investigations along the way to 550 AU | 17 |
| 2.1 | Introduction | 17 |
| 2.2 | Visible and infrared stellar parallaxes | 18 |
| 2.2.1 | Uncertainty in the expansion rate of the Universe | 18 |
| 2.2.2 | Age of the Galaxy | 19 |
| 2.2.3 | Galactic structure | 19 |
| 2.2.4 | Stellar evolution | 20 |
| 2.2.5 | Targets of opportunity | 22 |
| 2.3 | Astrophysics, astronomy, and cosmology | 22 |
| 2.3.1 | Interstellar gases | 22 |
| 2.3.2 | Astronomy | 24 |
| 2.3.3 | Cosmology | 25 |
| 2.3.4 | Solar system studies | 26 |
| 2.4 | Space plasma physics | 26 |
| 2.4.1 | Dust | 27 |
| 2.4.2 | Plasma and energetic particle distributions | 28 |
| 2.4.3 | Low-energy cosmic rays | 28 |
| 2.4.4 | Magnetic field morphology | 28 |
| 2.4.5 | Plasma waves | 29 |
| 2.5 | Science instrumentation | 29 |
| 2.6 | References | 30 |
| | | |
| 3 | Magnifying the nearby stellar systems | 33 |
| 3.1 | Introduction | 33 |
| 3.2 | Directions of exit from the solar system for FOCAL probes to magnify nearby stellar systems | 33 |
| 3.3 | Keplerian theory of simple hyperbolic flybys | 36 |
| 3.4 | The flyby of the Sun performed by the FOCAL spacecraft | 43 |
| 3.5 | References | 45 |
| | | |
| 4 | Astrodynamics to exit the solar system at the highest speed | 47 |
| 4.1 | Introduction | 47 |
| 4.2 | A Theorem by Carles Simò | 47 |
| 4.2.1 | Elementary background (planar problem) | 48 |
| 4.2.2 | Optimization of a single Jupiter flyby | 49 |
| 4.2.3 | Two optimized Jupiter flybys plus one intermediate Sun flyby | 50 |
| 4.3 | A chemically powered close-Sun flyby? | 51 |
| 4.4 | Theory of the Sun flyby enhanced by a perihelion boost | 52 |
| 4.5 | Determining the perihelion boost by knowing the target star, the time to get to 550 AU, and the Sun approach | 53 |
| 4.6 | References | 57 |

| | | |
|----------|---|-----|
| 5 | SETI and the FOCAL space mission | 59 |
| 5.1 | Introduction | 59 |
| 5.2 | The narrowband assumption in SETI | 60 |
| 5.3 | A short introduction to the KLT | 63 |
| 5.4 | Mathematics of the KLT | 64 |
| 5.5 | KLT for SETI | 64 |
| 5.6 | Conclusion: advantages of the KLT for the FOCAL space mission | 67 |
| 5.7 | References | 67 |
| | | |
| 6 | GL-SETI (gravitational lensing SETI): Receiving far ETI signals focused by the gravity of other stars. | 71 |
| 6.1 | Introduction | 71 |
| 6.2 | Only two types of SETI searches from the Earth up to 2001 | 72 |
| 6.2.1 | Introduction. | 72 |
| 6.2.2 | Background | 72 |
| 6.2.3 | Searches | 73 |
| 6.2.4 | Targeted search | 73 |
| 6.2.5 | All-sky survey | 74 |
| 6.2.6 | Common requirements | 75 |
| 6.3 | GL-SETI: namely, SETI searches from the Earth by exploiting the gravitational lenses of other stars | 75 |
| 6.3.1 | A third strategy | 75 |
| 6.3.2 | Summary | 80 |
| 6.4 | Maccone's equation relating to (1) magnification of a lensing star, (2) distance of the ET transmitter, and (3) power of the ET transmitter | 81 |
| 6.5 | Sun gravity lens and SETV: the Search for ExtraTerrestrial Visitation. | 83 |
| 6.6 | References | 84 |
| | | |
| 7 | The gravitational lenses of Alpha Centauri A, B, C and of Barnard's Star | 85 |
| 7.1 | Introduction | 85 |
| 7.2 | The Sun's gravity + plasma lens as a model for the nearby stars | 86 |
| 7.3 | Assumed data about Alpha Centauri A, B, C and Barnard's Star | 90 |
| 7.4 | Gravitational lens of the naked Sun | 93 |
| 7.5 | Gravitational lens of the naked Alpha Centauri A | 98 |
| 7.6 | Gravitational lens of the naked Alpha Centauri B | 101 |
| 7.7 | Gravitational lens of the naked Alpha Centauri C (Proxima) | 104 |
| 7.8 | Gravitational lens of the naked Barnard's Star | 107 |
| 7.9 | Conclusions | 110 |
| 7.10 | Acknowledgments | 110 |
| 7.11 | References | 110 |

| | | |
|-----------|---|-----|
| 8 | The Coronal Plasma “pushing” the focus of the gravity + plasma lens far beyond 550 AU | 113 |
| 8.1 | Introduction | 113 |
| 8.2 | The refraction of electromagnetic waves in the Sun Coronal Plasma | 115 |
| 8.3 | Summary of the Sun pure gravity (naked Sun) light-bending theory | 116 |
| 8.4 | Gravity + plasma lens of the Sun: focal axis intercept for any ray passing at distance b from the Sun | 118 |
| 8.5 | Asymptotic ($z \rightarrow \infty$) straight light path | 122 |
| 8.6 | The three approximations to the Sun’s (gravity + plasma) lens: “close-Sun”, “mid-distance”, and “at-infinity” (L, K, and F Corona, respectively) | 123 |
| 8.7 | Focal distance vs. height and minimal focal distance for any assigned frequency | 127 |
| 8.8 | The two caustics of the (gravity + plasma) lens of the Sun | 130 |
| 8.9 | Observing frequencies for the “close-Sun”, “mid-distance”, and “at-infinity” approximations | 131 |
| 8.10 | References | 134 |
| | | |
| 9 | NASA’s Interstellar Probe (ISP: 2010–2070?) and the Cosmic Microwave Background (CMB) | 135 |
| 9.1 | Introduction | 135 |
| 9.2 | NASA’s Interstellar Probe (ISP) and its long flight: 2010 to 2055 | 136 |
| 9.3 | Looking at the 2.728 K Cosmic Microwave Background through the Sun’s gravity lens by virtue of NASA’s Interstellar Probe (ISP) | 137 |
| 9.4 | The effective minimal focal distance for the gravity + plasma lens looking at the 2.7 K Cosmic Microwave Background is 763 AU, which NASA’s Interstellar Probe will reach in 2055 | 142 |
| 9.5 | Improving COBE’s angular resolution by nine orders of magnitude by looking at the 2.7 K Cosmic Microwave Background by virtue of NASA’s Interstellar Probe | 145 |
| 9.6 | Conclusions | 146 |
| 9.7 | Acknowledgments | 147 |
| 9.8 | References | 147 |
| | | |
| | PART II KLT-optimized telecommunications | 149 |
| | | |
| 10 | A simple introduction to the KLT | 151 |
| 10.1 | Introduction | 151 |
| 10.2 | A bit of history | 151 |

| | | |
|-----------|--|------------|
| 10.3 | A heuristic derivation of the KL expansion | 152 |
| 10.4 | The KLT finds the best basis (eigen-basis) in the Hilbert space spanned by the eigenfunctions of the autocorrelation of $X(t)$. . . | 155 |
| 10.5 | Continuous time vs. discrete time in the KLT. | 157 |
| 10.6 | The KLT: just a linear transformation in the Hilbert space | 158 |
| 10.7 | A breakthrough about the KLT: “The Final Variance theorem”. . . . | 159 |
| 10.8 | BAM (“Bordered Autocorrelation Method”) to find the KLT of stationary processes only. | 162 |
| 10.9 | Developments in 2007 and 2008. | 168 |
| 10.10 | KLT of stationary white noise. | 169 |
| 10.11 | KLT of an ET sinusoidal carrier buried in white, cosmic noise . | 170 |
| 10.12 | Analytic proof of the BAM-KLT. | 172 |
| 10.13 | KLT signal-to-noise (SNR) as a function of the final T , eigenvalue index n , and alien frequency ν | 174 |
| 10.14 | How to eavesdrop on alien chat. | 175 |
| 10.15 | Conclusions | 176 |
| 10.16 | Acknowledgments | 177 |
| 10.17 | References | 177 |
| 10.18 | Annotated bibliography | 177 |
| 11 | KLT of radio signals from relativistic spaceships in uniform and decelerated motion | 181 |
| 11.1 | Introduction | 181 |
| 11.2 | Uniform motion | 185 |
| 11.3 | Decelerated motion | 188 |
| 11.4 | Checking the KLT of decelerated motion by Matlab simulations | 194 |
| 11.5 | Total energy of the noisy signal from relativistic spaceships in decelerated and uniform motion. | 195 |
| 11.6 | <i>Independence Day</i> movie: exploiting the KLT to detect an alien spaceship approaching the Earth in decelerated motion. | 199 |
| 11.7 | References | 200 |
| 12 | KLT of radio signals from relativistic spaceships in hyperbolic motion . . | 203 |
| 12.1 | Introduction | 203 |
| 12.2 | Hyperbolic motion. | 203 |
| 12.3 | Total energy of signals from relativistic spaceships in hyperbolic motion | 205 |
| 12.4 | KLT for signals emitted in asymptotic hyperbolic motion | 206 |
| 12.5 | Checking the KLT of asymptotic hyperbolic motion by Matlab simulations. | 210 |
| 12.6 | Signal total energy as a stochastic process of T | 211 |
| 12.7 | Instantaneous noise energy for asymptotic hyperbolic motion: preparatory calculations | 214 |

| | | |
|-----------|--|------------|
| 12.8 | KL expansion for the instantaneous energy of the noise emitted by a relativistic spaceship | 220 |
| 12.9 | Conclusion | 221 |
| 12.10 | References | 221 |
| 13 | KL of radio signals from relativistic spaceships in arbitrary motion . . . | 223 |
| 13.1 | Introduction | 223 |
| 13.2 | Arbitrary spaceship acceleration | 225 |
| 13.2.1 | Relativistic interstellar flight with an arbitrary spaceship acceleration profile | 225 |
| 13.2.2 | KL expansion of the Gaussian noise emitted by a spaceship having an arbitrary acceleration profile | 227 |
| 13.2.3 | Total noise energy | 229 |
| 13.2.4 | KL expansion of noise instantaneous energy | 230 |
| 13.3 | Asymptotic arbitrary spaceship acceleration | 232 |
| 13.3.1 | Asymptotic motion with arbitrary acceleration | 232 |
| 13.3.2 | Asymptotic KL expansion for noise | 234 |
| 13.3.3 | Asymptotic total noise energy | 236 |
| 13.3.4 | Asymptotic KL expansion for noise instantaneous energy | 236 |
| 13.4 | Power-like asymptotic spaceship acceleration | 238 |
| 13.4.1 | Asymptotic motion with power-like acceleration | 238 |
| 13.4.2 | Power-like asymptotic KL expansion for noise | 239 |
| 13.4.3 | Approximated power-like asymptotic KL expansion for noise | 241 |
| 13.4.4 | Power-like asymptotic total noise energy | 242 |
| 13.4.5 | Power-like asymptotic KL expansion for noise instantaneous energy | 243 |
| 13.4.6 | Approximated power-like asymptotic KL expansion for noise instantaneous energy | 246 |
| 13.5 | Conclusion | 247 |
| 13.6 | References | 248 |
| 14 | Genetics aboard relativistic spaceships | 249 |
| 14.1 | Introduction | 249 |
| 14.2 | Diffusion partial differential equation for $X(t)$ | 250 |
| 14.3 | First-passage time for $X(t)$ | 252 |
| 14.4 | Relativistic interstellar flight | 254 |
| 14.5 | Time-rescaled Brownian motion | 255 |
| 14.6 | Genetics | 256 |
| 14.7 | Relativistic genetics | 258 |
| 14.8 | A glance ahead | 259 |
| 14.9 | References | 260 |

| | |
|---|-----|
| APPENDICES | 263 |
| A Engineering tradeoffs for the “FOCAL” spacecraft antenna | 263 |
| Reference | 264 |
| B “FOCAL” Sun flyby characteristics | 269 |
| C Mission to the solar gravitational focus by solar sailing | 279 |
| C.1 Some concepts of solar-sail dynamics | 279 |
| C.2 Example sailcraft for SGF mission | 282 |
| C.3 Trajectory profile for SGF mission | 283 |
| C.4 Conclusions | 290 |
| C.5 References | 290 |
| D “FOCAL” radio interferometry by a tethered system | 293 |
| D.1 A tethered system to get magnified radio pictures of the Galactic center from 550 AU | 293 |
| D.2 References | 296 |
| E Interstellar propulsion by Sunlensing | 299 |
| E.1 Introduction | 299 |
| E.2 Highlights on research areas in interstellar propulsion by Sunlensing | 300 |
| E.3 An example: light from Sirius, naked Sun gravity lens, and relevant solar sail size | 301 |
| E.4 Conclusions | 305 |
| E.5 References | 305 |
| F Brownian motion and its time rescaling | 307 |
| F.1 Introduction | 307 |
| F.2 Brownian motion essentials | 308 |
| F.3 KLT of Brownian motion | 310 |
| F.4 White noise as the derivative of Brownian motion with respect to time | 311 |
| F.5 Introduction to time rescaling | 313 |
| F.6 The white noise integral and its autocorrelation | 313 |
| F.7 Time rescaling and Gaussian properties of $X(t)$ | 315 |
| F.8 Orthogonal increments for nonoverlapping time intervals | 317 |
| F.9 An application of the KLT: finding the total energy of $X(t)$ | 317 |
| F.10 References | 324 |
| G Maccone First KLT Theorem: KLT of all time-rescaled Brownian motions | 325 |
| G.1 Introduction | 325 |
| G.2 Self-adjoint form of a second-order differential equation | 325 |
| G.3 Solution of the integral equation for eigenfunctions | 328 |

| | | |
|--------------|---|------------|
| G.4 | A simpler formula for Bessel function order | 334 |
| G.5 | Stability criterion for eigenfunctions | 335 |
| G.6 | References | 337 |
| H | KLT of $B(t^{2H})$ time-rescaled Brownian motion | 339 |
| H.1 | Introduction | 339 |
| H.2 | The time-rescaled Brownian motion $B(t^{2H})$ | 339 |
| H.3 | KL expansion of $B_{PH}(t)$ | 341 |
| H.4 | Total energy of $B_{PH}(t)$ | 346 |
| H.5 | References | 349 |
| I | Maccone Second KLT Theorem: KLT of all time-rescaled Brownian motions | 351 |
| I.1 | Introduction | 351 |
| I.2 | Autocorrelation of any zero-mean square process. | 351 |
| I.3 | KLT of any zero-mean time-rescaled square process. | 352 |
| I.4 | KLT of square Brownian motion | 356 |
| I.5 | Checking the KLT of the square Brownian motion by Matlab simulations. | 361 |
| I.6 | References | 361 |
| J | KLT of the $B^2(t^{2H})$ time-rescaled square Brownian motion | 363 |
| J.1 | Introduction | 363 |
| J.2 | Preparatory calculations about $B^2(t^{2\Delta+1})$ | 366 |
| J.3 | KL expansion of the square process $B^2(t^{2H})$ | 371 |
| J.4 | Checking the KLT of $B^2(t^{2H})$ by Matlab simulations. | 373 |
| J.5 | References | 374 |
| K | A Matlab code for KLT simulations | 375 |
| K.1 | Introduction | 375 |
| K.2 | The main file “Standard_Brownian_Motion_MAIN.m”. | 375 |
| K.3 | The file “input_data_toggle.m”. | 377 |
| K.4 | The file “Brownian_Autocorrelation.m”. | 379 |
| K.5 | The file “process_path.m”. | 380 |
| K.6 | The file “graphic.m” | 380 |
| K.7 | The file “analytic_KLT.m” | 382 |
| K.8 | The file “ANALYTIC_KLT_square_brow_motion.m”. | 385 |
| K.9 | The file “ANALYTIC_KLT_uniform_rel.m”. | 386 |
| K.10 | Conclusions | 389 |
| Index | | 391 |