

# Manual of Offshore Surveying for Geoscientists and Engineers

R.P. LOWETH



**CHAPMAN & HALL**

London · Weinheim · New York · Tokyo · Melbourne · Madras

# Contents

<b>List of figures</b>	<b>ix</b>
<b>List of tables</b>	<b>xiii</b>
<b>Foreword</b>	<b>xv</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Sextants to satellites	2
1.2 2D and 3D marine seismic surveying	3
<b>2 Datums and projections</b>	<b>5</b>
2.1 Geodetic nomenclature	6
2.2 Reference systems	7
2.3 Projections	10
2.4 The Australian Map Grid (AMG)	15
2.5 World Geodetic System 84 (WGS84)	22
2.6 Transverse projection formulae	24
<b>3 Accuracy</b>	<b>31</b>
3.1 The measurement process	32
3.2 Statistical terms	35
3.3 Absolute accuracy	38
3.4 Relative accuracy	43
3.5 Propagation of variance	46
3.6 Summary	49
<b>4 Introduction to computations</b>	<b>51</b>
4.1 Introduction	52
4.2 Coordinate systems	52
4.3 Least squares	57
4.4 Streamer and source shaping	67
4.5 Summary	70
<b>5 Kalman filters</b>	<b>71</b>
5.1 Introduction	72
5.2 A typical filter — overview	78
5.3 Observation equations	82
5.4 Weighting	87
5.5 Transition function	89
5.6 Data rejection	90
5.7 Residuals and statistics	91
5.8 Group computations	92

5.9 Summary	92
<b>6 Radio positioning systems</b>	<b>95</b>
6.1 Introduction	96
6.2 Pulse/8-II	97
6.3 Argo	100
6.4 Hyperfix	105
6.5 Geoloc	108
6.6 Micro-Fix	110
6.7 Syledis	115
<b>7 GPS</b>	<b>123</b>
7.1 Introduction	124
7.2 Observational concepts	124
7.3 Selective availability	133
7.4 Some terms explained	134
7.5 Operational considerations	137
7.6 DGPS — introduction	138
7.7 Basic operation	138
7.8 Error sources	143
7.9 Data formats	146
7.10 The SkyFix system	148
<b>8 Lasers, acoustics and compasses</b>	<b>157</b>
8.1 Introduction	158
8.2 Lasers	158
8.3 Acoustics	165
8.4 Compasses	173
<b>9 High-resolution survey</b>	<b>179</b>
9.1 Introduction	180
9.2 Tides	180
9.3 Echo-sounders and pingers	190
9.4 Sonar	194
9.5 Digital equipment	195
9.6 Acoustic systems	196
<b>10 Calibration</b>	<b>199</b>
10.1 Introduction	200
10.2 Syledis	201
10.3 Argo	213
10.4 DGPS	217
10.5 Tailbuoys	219
10.6 Gyro	221
10.7 Relative systems	222

<b>11 Planning the network</b>	<b>223</b>
11.1 Introduction	224
11.2 The problem	226
11.3 The solution	228
<b>12 Processing and quality control</b>	<b>237</b>
12.1 Introduction	238
12.2 New computer technology	239
12.3 Quality control	242
12.4 Integrated quality control	246
<b>13 Binning systems</b>	<b>251</b>
13.1 Introduction	252
13.2 Binning problems	254
13.3 Specific requirements	256
13.4 Attribute analysis	258
<b>14 Typical specifications</b>	<b>261</b>
14.1 System specification	262
14.2 Guidelines for representatives in seismic operations	267
14.3 Positioning systems — acoustic (long, short baseline)	280
14.4 Streamer and source positioning for 3D seismic surveys	284
<b>Appendix A UKOOA P1/90</b>	<b>289</b>
A.1 General	290
A.2 Tape specification	290
A.3 Header record specification	292
A.4 Data record specification	298
A.5 Example header and data file	302
<b>Appendix B UKOOA P2/91</b>	<b>303</b>
B.1 Introduction	304
B.2 Logical file structure	304
B.3 Storage media and physical file specification	307
B.4 General rules	308
B.5 Summary of record codes	308
B.6 Description of header records	312
B.7 Event data records (implicit time tag)	362
B.8 Example P2/91 header and data	377
<b>Glossary</b>	<b>395</b>
<b>Bibliography</b>	<b>421</b>
<b>Index</b>	<b>423</b>