
Nineteenth International Seaweed Symposium

**Proceedings of the 19th International Seaweed Symposium,
held in Kobe, Japan, 26–31 March, 2007**

Edited By

Michael A. Borowitzka, Alan T. Critchley, Stefan Kraan, Akira Peters, Kjersti Sjøtun, Masahiro Notoya

Meeting coordinated by the INTERNATIONAL SEAWEED ASSOCIATION

Hosted by:

The Japan Seaweed Association
The Japanese Society of Phycology
The Japanese Society of Marine Biotechnology

Sponsors:

Portopia '81 Foundation
The Tsutomu Nakauchi Foundation
Japan Plant Science Foundation
The late Mr. Kiyoshi Kadoya
Japan Seaweed Association
Japanese Society of Applied Phycology

Previously published in the Journal of Applied Phycology Volume 20, Issue 5, 2008

Developments in Applied Phycology 2

Series Editor:

Michael A. Borowitzka

School of Biological Sciences & Biotechnology
Murdoch University, Murdoch, Western Australia

Contents

CULTIVATION

Advances in cultivation of Gelidiales

M. Friedlander 1

Production, use and fate of Chilean brown seaweeds: re-resources for a sustainable fishery

J.A. Vásquez 7

Cultivation of the green alga, *Codium fragile* (Suringar) Hariot, by artificial seed production in Korea

E.K. Hwang · J.M. Baek · C.S. Park 19

Distribution and symptoms of epiphyte infection in major carrageenophyte-producing farms

C.S. Vairappan · C.S. Chung · A.Q. Hurtado · F.E. Soya · G.B. Lhonneur · A. Critchley 27

The occurrence of pinhole disease in relation to developmental stage in cultivated *Undaria pinnatifida* (Harvey) Suringar (Phaeophyta) in Korea

C.S. Park · K.Y. Park · J.M. Baek · E.K. Hwang 35

The potential for seaweed resource development in subarctic Canada; Nunavik, Ungava Bay

G. Sharp · M. Allard · A. Lewis · R. Semple · G. Rochefort 41

The characterization of color mutations in Bangiaceae (Bangiales, Rhodophyta)

J. Wang · P. Xu · J. Zhu · W. Zhou · J. Xu · X. Fei · X. Zhang 49

HYDROCOLLOIDS

Public health and carrageenan regulation: a review and analysis

D. Burges Watson 55

Effect of alkali treatment time and extraction time on agar from *Gracilaria vermiculophylla*

D.L. Arvizu-Higuera · Y.E. Rodríguez-Montesinos · J.I. Murillo-Álvarez · M. Muñoz-Ochoa · G. Hernández-Carmona 55

Effects of extraction parameters on gel properties of carrageenan from *Kappaphycus alvarezii* (Rhodophyta)

R.I. Montolalu · Y. Tashiro · S. Matsukawa · H. Ogawa 71

Gel-forming structures and stages of red algal galactans of different sulfation levels

R. Tuvikene · K. Truus · A. Kollist · O. Volobujeva · E. Mellikov · T. Pehk 77

Carrageenan of *Eucheuma isiforme* (Solieriaceae, Rhodophyta) from Nicaragua

Y. Freile-Pelegrín · D. Robledo 87

Some properties of alginate gels derived from algal sodium alginate

H. Kakita · H. Kamishima 93

Growth and carrageenan quality of *Kappaphycus striatum* var. *sacol* grown at different stocking densities, duration of culture and depth

A.Q. Hurtado · A.T. Critchley · A. Trespoey · G. Bleicher-Lhonneur 101

Purification and characterization of a *N*-acetylglucosaminidase produced by *Talaromyces emersonii* during growth on algal fucoidan

E. O'Connell · P. Murray · C. Piggott · F. Hennequart · M. Tuohy 107

AQUACULTURE

Essential role of seaweed cultivation in integrated multi-trophic aquaculture farms for global expansion of mariculture: an analysis

A. Neori 117

Opportunities and challenges for the development of an integrated seaweed-based aquaculture activity in Chile: determining the physiological capabilities of *Macrocystis* and *Gracilaria* as biofilters

A.H. Buschmann · D.A. Varela · M.C. Hernández-González · P. Huovinen 121

Integrated seaweed cultivation on an abalone farm in South Africa

D.V. Robertson-Andersson · M. Potgieter · J. Hansen · J.J. Bolton · M. Troell · R.J. Anderson · C. Halling · T. Probyn 129

Determining the most appropriate feeding regime for the South African abalone *Haliotis midae* Linnaeus grown on kelp

T.L. Francis · G.W. Maneveldt · J. Venter 147

Palm oil mill effluent (POME) cultured marine microalgae as supplementary diet for rotifer culture

C.S. Vairappan · A.M. Yen 153

SEAWEED PROPAGATION

Seaweed micropropagation techniques and their potentials: an overview

C.R.K. Reddy · B. Jha · Y. Fujita · M. Ohno 159

Seaweed protoplasts: status, biotechnological perspectives and needs

C.R.K. Reddy · M.K. Gupta · V.A. Mantri · B. Jha 169

Preparation of protoplasts from *Laminaria japonica* using native and recombinant abalone alginate lyases

A. Inoue · M. Kagaya · T. Ojima 183

Protoplast isolation and regeneration from *Gracilaria changii* (Gracilariales, Rhodophyta)

H.-Y. Yeong · N. Khalid · S.-M. Phang 191

COMPOSITION AND BIOACTIVITY

Callus induction and micropropagation improved by colchicine and phytohormones in *Kappaphycus alvarezii* (Rhodophyta, Solieriaceae)

L. Hayashi · N.S. Yokoya · D.M. Kikuchi · E.C. Oliveira 203

Bioactive volatile compounds from marine algae: feeding attractants

Y. Akakabe · T. Kajiwara 211

Liquid seaweed extracts identified using ¹H NMR profiles

J.S. Craigie · S.L. MacKinnon · J.A. Walter 215

The use of HRMAS NMR spectroscopy to study the *in vivo* intra-cellular carbon/nitrogen ratio of *Solieria chordalis* (Rhodophyta)

S. Bondu · N. Kervarec · E. Deslandes · R. Pichon 223

Growth, pigments, UV-absorbing compounds and agar yield of the economic red seaweed *Gracilaria lemaneiformis* (Rhodophyta) grown at different depths in the coastal waters of the South China Sea

J. Xu · K. Gao 231

Changes of growth characteristics and free amino acid content of cultivated *Porphyra yezoensis* Ueda (Bangiales Rhodophyta) blades with the progression of the number of harvests in a nori farm

K. Niwa · H. Furuita · T. Yamamoto 237

Environment determines nitrogen content and stable isotope composition in the sporophyte of *Undaria pinnatifida* (Harvey) Suringar

M.C. Carvalho · K. Hayashizaki · H. Ogawa 245

Antioxidant activities of phlorotannins isolated from Japanese Laminariaceae

T. Shibata · K. Ishimaru · S. Kawaguchi · H. Yoshikawa · Y. Hama 255

Algicidal activity of polyunsaturated fatty acids derived from *Ulva fasciata* and *U. pertusa* (Ulveae, Chlorophyta) on phytoplankton

M.A. Alamsjah · S. Hirao · F. Ishibashi · T. Oda · Y. Fujita 263

Potential use of seaweeds in the laying hen ration to improve the quality of n-3 fatty acid enriched eggs

S. Carrillo · E. López · M.M. Casas · E. Avila · R.M. Castillo · M.E. Carranco · C. Calvo · F. Pérez-Gil 271

PHYSIOLOGY AND BIOCHEMISTRY

Physiological differences in the growth of *Sargassum horneri* between the germling and adult stages

H.G. Choi · K.H. Lee · H.I. Yoo · P.J. Kang · Y.S. Kim · K.W. Nam 279

Effects of temperature, photosynthetic photon flux density, photoperiod and O₂ and CO₂ concentrations on growth rates of the symbiotic dinoflagellate, *Amphidinium* sp.

Y. Kitaya · L. Xiao · A. Masuda · T. Ozawa · M. Tsuda · K. Omasa 287

Photosynthetic and respiratory responses of *Gracilaria vermiculophylla* (Ohmi) Papenfuss collected from Kumamoto, Shizuoka and Iwate, Japan

S. Phooprung · H. Ogawa · K. Hayashizaki 293

In situ study of relative electron transport rates in the marine macroalga *Fucus vesiculosus* in the Baltic Sea at different depths and times of year

N.G.A. Ekelund · C.A. Nygård · R. Nordström · A.M. Gylle 301

Effects of photon flux density and agricultural fertilizers on the development of *Sarcothalia crispata* tetraspores (Rhodophyta, Gigartinales) from the Strait of Magellan, Chile

C. Werlinger · A. Mansilla · A. Villarroel · M. Palacios 307

Effects of kinetin and nitrogen on growth rates, pigment and protein contents in wild and phycoerythrin-deficient strains of *Hypnea musciformis* (Rhodophyta)

A.P. Martins · N.S. Yokoya · M.A.M. Carvalho · E.M. Plastino 317

Rapid and slow modulation of nitrate reductase activity in the red macroalga *Gracilaria chilensis* (Gracilariales, Rhodophyta): influence of different nitrogen sources

F. Chow · M.C. de Oliveira 325

Molecular characterization of four genes involved in sulfur metabolism in *Porphyra purpurea* (Roth) C. Agardh

S.C. Minocha · M. Hunt · D.E. Mathews 333

ECOLOGY

Floating period of Sargassacean thalli estimated by the change in density

K. Yatsuya 347

Abundance of drifting seaweeds in eastern East China Sea

T. Komatsu · D. Matsunaga · A. Mikami · T. Sagawa · E. Boisnier · K. Tatsukawa · M. Aoki · T. Ajisaka · S. Uwai · K. Tanaka · K. Ishida · H. Tanoue · T. Sugimoto 351

Diversity, biomass and distribution pattern of *Sargassum* beds in the South West lagoon of New Caledonia (South Pacific)

L. Mattio · G. Dirberg · C.E. Payri · S. Andréfouët 361

***Sargassum muticum* (Yendo) Fensholt in Ireland: an invasive species on the move**

S. Kraan 375

Effect of seawater temperature on the productivity of *Laminaria japonica* in the Uwa Sea, southern Japan

S. Suzuki · K. Furuya · T. Kawai · I. Takeuchi 383

***Eisenia bicyclis* bed coverage off Oshika Peninsula, Japan, in relation to sporophyte survival and *Strongylocentrotus nudus* abundance**

D. Muraoka 395

Algal communities at Gouqi Island in the Zhoushan archipelago, China

S.Y. Zhang · L. Wang · W.D. Wang 403

A field test of porous carbonated blocks used as artificial reef in seaweed beds of *Ecklonia cava*

K. Oyamada · M. Tsukidate · K. Watanabe · T. Takahashi · T. Isoo · T. Terawaki 413

Seaweed of the littoral zone at Cove Island in Long Island Sound: annual variation and impact of environmental factors

A. Pedersen · G. Kraemer · C. Yarish 419

Gametophyte-sporophyte coalescence in populations of the intertidal carrageenophyte *Mazzaella laminarioides* (Rhodophyta)

C. Vera · P. Lobos · H. Romo 433

Growth and survival performance of the gametophyte of *Gigartina skottsbergii* (Rhodophyta, Gigartinales) under defined nutrient conditions in laboratory culture

A. Mansilla · M. Palacios · N.P. Navarro · M. Avila 439

UVB effects on early developmental stages of commercially important macroalgae in southern Chile

N.P. Navarro · A. Mansilla · M. Palacios 447

Can macroalgae recover, 13 months after the 2004 Tsunami?: a case study at Talibong Island, Trang Province, Thailand

A. Prathep · J. Mayakun · P. Tantiprapas · A. Darakrai 457

Differing patterns of *hsp70* gene expression in invasive and native kelp species: evidence for acclimation-induced variation

S.K. Henkel · G.E. Hofmann 465

Early development of germlings of *Sargassum thunbergii* (Fucales, Phaeophyta) under laboratory conditions

Z. Zhao · F. Zhao · J. Yao · J. Lu · P.O. Ang Jr. · D. Duan 475

Seaweeds preferred by herbivorous fishes

G. Tolentino-Pablico · N. Bailly · R. Froese · C. Elloran 483

TAXONOMY AND BIOGEOGRAPHY

Making the links: towards a global taxonomy for the red algal genus *Porphyra* (Bangiales, Rhodophyta)

J. Brodie · A. Mols Mortensen · M.E. Ramirez · S. Russell · B. Rinkel 489

Cryptic diversity, biogeography and genetic variation in Northeast Pacific species of *Porphyra* sensu lato (Bangiales, Rhodophyta)

S.C. Lindstrom 501

Taxonomy and distribution of *Sargassum* (Phaeophyceae) in the Gulf of Thailand

T. Noiraksar · T. Ajisaka 513

Phylogeography of the genus *Ulva* (Ulvophyceae, Chlorophyta), with special reference to the Japanese freshwater and brackish taxa

S. Shimada · N. Yokoyama · S. Arai · M. Hiraoka 529

Observations on the division characterization of diploid nuclear in *Porphyra* (Bangiales, Rhodophyta)

W. Zhou · J. Zhu · S. Shen · S. Lu · J. Wang · J. Xu · P. Xu 549